

## MetroMax® Accessories

MetroMax Storage System consists of interchangeable corrosion proof MetroMax i, corrosion proof MetroMax 4, and corrosion resistant MetroMax Q shelves and posts. Note the category (i, 4, Q) above the part number column for compatibility. Accessories listed in this specification sheet are NSF listed unless noted otherwise.

### 2" (51mm) Stackable Shelf Ledges

- Prevent items from falling off shelves.
- Snap on and off quickly. Easily stacked to contain larger items
- Corrosion proof: Polymer (High-Density Polypropylene) and Type 304 stainless steel.
- Ships assembled.

| i<br>Ledge<br>Model No. | 4<br>Ledge<br>Model No. | Q<br>Ledge<br>Model No. | Type | Nominal Length<br>(in.) (mm) |      |
|-------------------------|-------------------------|-------------------------|------|------------------------------|------|
| MXLS18-2S               | MAX4-LS18-2S            | MQLS18-2S               | Side | 18                           | 457  |
| —                       | MAX4-LS21-2S            | MQLS21-2S               | Side | 21                           | 530  |
| MXLS24-2S               | MAX4-LS24-2S            | MQLS24-2S               | Side | 24                           | 610  |
| MXL24-2S                | MAX4-L24-2S             | MQL24-2S                | Back | 24                           | 610  |
| MXL30-2S                | MAX4-L30-2S             | MQL30-2S                | Back | 30                           | 760  |
| MXL36-2S                | MAX4-L36-2S             | MQL36-2S                | Back | 36                           | 914  |
| MXL42-2S                | MAX4-L42-2S             | MQL42-2S                | Back | 42                           | 1066 |
| MXL48-2S                | MAX4-L48-2S             | MQL48-2S                | Back | 48                           | 1219 |
| MXL54-2S                | MAX4-L54-2S             | MQL54-2S                | Back | 54                           | 1370 |
| MXL60-2S                | MAX4-L60-2S             | MQL60-2S                | Back | 60                           | 1524 |
| MXL72-2S                | —                       | MQL72-2S                | Back | 72                           | 1829 |


NOTE: Casters can be found  
on spec sheet 9.28



### 8" (203mm) Shelf Dividers — standard duty

- Use to create organized compartments or to simply separate shelf contents.
- Easily repositioned on grid and solid shelves.
- Corrosion proof: Polymer (High-Density Polypropylene).
- Three-piece design — Ships assembled.


| i<br>Ledge<br>Model No. | 4<br>Ledge<br>Model No. | Q<br>Ledge<br>Model No. | Nominal Length<br>(in.) (mm) |     |
|-------------------------|-------------------------|-------------------------|------------------------------|-----|
| MXD18-8                 | MAX4-D18-8              | MQD18-8                 | 18                           | 457 |
| MXD24-8                 | MAX4-D24-8              | MQD24-8                 | 24                           | 610 |



### Universal Shelf Dividers — light duty, for open grid shelves

- Maximum flexibility: Can be repositioned along the entire shelf.
- Easiest divider to install.
- Three-piece design; clips connect to any open grid or wire shelf; divider panel then drops into place. Does not attach to solid shelves.
- Corrosion proof: Polymer (High-Density Polypropylene).


| i, 4, Q Model No. | Fits Shelf Depth     | Nominal Height |      | Nominal Length |      | Sold as |
|-------------------|----------------------|----------------|------|----------------|------|---------|
|                   |                      | (in.)          | (mm) | (in.)          | (mm) |         |
| MUD18-8           | 18", 21" (457,530mm) | 8              | 203  | 18             | 457  | Each    |
| MUD24-8           | 24" (610mm)          | 8              | 203  | 24             | 610  | Each    |
| MUD24H4-4PK       | 24" (610mm)          | 4              | 102  | 24             | 610  | 4 Pack  |



All Metro Catalog Sheets are available on our website: [metro.com](https://metro.com)



**MetroMax i Label Holder**



**MetroMax Q Label Holder**

## MetroMax i Label Holder

- Designed to accept label cards or adhesive labels. Slot measures approximately 1 1/4" (32mm).

| Model No. | Actual Length |            | Fits Shelf |      | Approx. Pkd. Wt. |      |
|-----------|---------------|------------|------------|------|------------------|------|
|           | (in.)         | (mm)       | (in.)      | (mm) | (lbs.)           | (kg) |
| 9989PX    | 1 x 4 1/2     | 25.4 x 114 | All        |      | .03              | .01  |
| 9989X1    | 1 x 11 9/32   | 25.4 x 285 | 24         | 610  | .14              | .06  |
| 9989X3    | 1 x 23 9/32   | 25.4 x 590 | 36         | 914  | .30              | .13  |
| 9989X5    | 1 x 35 9/32   | 25.4 x 895 | 48         | 1219 | .40              | .18  |

## MetroMax Q Label Holder

- Designed to accept label cards or adhesive labels. Slot measures approximately 1 1/4" (32mm).

| Label Holder Model No. | Actual Length |      | Fits Shelf |      | Approx. Pkd. Wt. |      |
|------------------------|---------------|------|------------|------|------------------|------|
|                        | (in.)         | (mm) | (in.)      | (mm) | (lbs.)           | (kg) |
| MQ04LH                 | 4             | 102  | All        |      | .03              | .01  |
| MQ24LH                 | 15 7/16       | 392  | 24         | 610  | .14              | .06  |
| MQ36LH                 | 27 7/16       | 697  | 36         | 914  | .30              | .13  |
| MQ48LH                 | 39 7/16       | 1002 | 48         | 1219 | .40              | .18  |
| MQ60LH                 | 51 7/16       | 1307 | 60         | 1524 | .50              | .22  |
| MQ72LH                 | 63 7/16       | 1611 | 72         | 1825 | .60              | .27  |

## MetroMax 4 Label Holder

- Designed to accept label cards or adhesive labels. Slot measures approximately 1" (25mm).

| Model No.   | Actual Length |      | Fits Shelf |      | Approx. Pkd. Wt. |      |
|-------------|---------------|------|------------|------|------------------|------|
|             | (in.)         | (mm) | (in.)      | (mm) | (lbs.)           | (kg) |
| MAX4-9989PX | 4             | 102  | All        |      | .03              | .01  |

## Color Shelf Markers

- Attach easily to shelf for content identification.
- Available in seven standard colors.
- i and Q versions available.

| Model No. | Model No. | Shelf Marker Color | Length |      |
|-----------|-----------|--------------------|--------|------|
|           |           |                    | (in.)  | (mm) |
| CSM6-BX   | CSM6-BQ   | Blue               | 6      | 152  |
| CSM6-GX   | CSM6-GQ   | Green              | 6      | 152  |
| CSM6-RX   | CSM6-RQ   | Red                | 6      | 152  |
| CSM6-TX   | CSM6-RQ   | Tan                | 6      | 152  |
| CSM6-WX   | CSM6-TQ   | White              | 6      | 152  |
| CSM6-YX   | CSM6-WQ   | Yellow             | 6      | 152  |
| CSM6-GRX  | CSM6-GRQ  | Gray               | 6      | 152  |

## Wall Mount Shelving

- MetroMax i shelf can be mounted to Metro shelf supports using the MetroMax i corner adapter kit. Model No. **M9997-4** Bag of four adapters.
- MetroMax 4 shelf can be mounted to Metro shelf supports using the MetroMax 4 corner adapter kit. Model No. **MAX4-9997-4** Bag of four adapters.
- MetroMax Q shelf mounts to Metro shelf supports without the need for adapters.

**NOTE:** All MetroMax platform shelves can be used with direct mount or post type shelf supports (reference spec sheet 10.40) or SmartWall shelf support (reference spec sheet 10.42).



**MetroMax i with direct mount supports**



**M9997-4**  
Bag of 4



**MAX4-9997-4**  
Bag of 4



## Post Clamp

Adds stability by joining posts of two separate units together. With it, each unit is supported by four posts and buttressed by the adjacent unit. Stainless Steel.

**Model No. 9994X**



## Foot Plate

Used to add stability to the shelving unit or to bolt units to the floor.

**Model No.**

**Zinc: 9993Z**

**Stainless Steel: 9993S**



## Wall Clamp (for MetroMax Q)

Used to anchor a MetroMax Q shelving unit to the wall. Plated finish.

**Model No. 9984C**

Note: Foot plates (fastened to the floor) or wall clamps (fastened to the wall) must be used with 14" (357mm) deep stationary MetroMax Q units taller than 63" (1600mm).

## Shelf-to-Shelf Dividers

- Create full height compartments to fully organize the storage cube between two shelves.
- Can be used as a side ledge or interior divider.
- Compatible with any MetroMax i, MetroMax 4 or MetroMax Q open grid shelf or Metro wire shelf.
- Consists of a divider assembly and (4) mounting clips.


Divider assembly: high-density polypropylene 4" (102mm) panels and stainless steel rods.

Mounting clips: high-density polyethylene (HDPE)

| i, 4 and Q Model No. | Fits Shelf Depth |          | Nominal Height |      |
|----------------------|------------------|----------|----------------|------|
|                      | (in.)            | (mm)     | (in.)          | (mm) |
| MD18-16              | 18, 21           | 457, 530 | 16             | 406  |
| MD18-20              | 18, 21           | 457, 530 | 20             | 508  |
| MD18-24              | 18, 21           | 457, 530 | 24             | 610  |
| MD24-16              | 24               | 610      | 16             | 406  |
| MD24-20              | 24               | 610      | 20             | 508  |
| MD24-24              | 24               | 610      | 24             | 610  |

Replacement mounting clips may be ordered.

**RPM3-S2SBAG** Bag of (4) clips



## Enclosure Panels

- An efficient way of enclosing the sides and back of all shelves in a unit to contain stored contents.
- Slot opening: 3" W x 37/8" H (76 x 98mm).
- Designed to work on MetroMax i, MetroMax 4, and MetroMax Q units. Mounting clips included.
- CRS wire with durable taupe epoxy finish. Mounting clips — Acetyl
- Replacement mounting clips for enclosures.

MetroMax i: **[Model No. RPMX3-RODTAB]** Bag of (6) clips

MetroMax 4: **[Model No. RPMX4-RODTAB]** Bag of (6) clips

MetroMax Q: **[Model No. RPMQ3-RODTAB]** Bag of (6) clips + (1) enclosure adapter

| i, 4 and Q Model No. | Width/Height                                                   |          | For Use With Post Height |      | For Use With Shelf Width |      | Approx. Pkd. Wt.               |      |
|----------------------|----------------------------------------------------------------|----------|--------------------------|------|--------------------------|------|--------------------------------|------|
|                      | (in.)                                                          | (mm)     | (in.)                    | (mm) | (in.)                    | (mm) | (lbs.)                         | (kg) |
| MEP35E               | 12 <sup>3</sup> / <sub>8</sub> x52 <sup>3</sup> / <sub>4</sub> | 315x1340 | 54                       | 1370 | 18                       | 457  | 6 <sup>1</sup> / <sub>4</sub>  | 2.8  |
| MEP36E               | 12 <sup>3</sup> / <sub>8</sub> x60 <sup>3</sup> / <sub>4</sub> | 315x1543 | 63                       | 1600 | 18                       | 457  | 7                              | 3.2  |
| MEP37E               | 12 <sup>3</sup> / <sub>8</sub> x72 <sup>3</sup> / <sub>4</sub> | 315x1848 | 74                       | 1880 | 18                       | 457  | 8 <sup>3</sup> / <sub>4</sub>  | 4.0  |
| MEP55E               | 18 <sup>3</sup> / <sub>8</sub> x52 <sup>3</sup> / <sub>4</sub> | 467x1340 | 54                       | 1370 | 24                       | 610  | 9                              | 4.1  |
| MEP56E               | 18 <sup>3</sup> / <sub>8</sub> x60 <sup>3</sup> / <sub>4</sub> | 467x1543 | 63                       | 1600 | 24                       | 610  | 10 <sup>1</sup> / <sub>4</sub> | 4.7  |
| MEP57E               | 18 <sup>3</sup> / <sub>8</sub> x72 <sup>3</sup> / <sub>4</sub> | 467x1848 | 74                       | 1880 | 24                       | 610  | 11 <sup>3</sup> / <sub>4</sub> | 5.3  |



**Enclosure Panel**

Panels Required to Enclose Both Ends of Shelving Unit or Cart

| Post Height  | Shelf Width |             |
|--------------|-------------|-------------|
|              | 21" (530mm) | 24" (610mm) |
| 54" (1370mm) | (2) MEP55E  | (2) MEP55E  |
| 63" (1600mm) | (2) MEP56E  | (2) MEP56E  |
| 74" (1880mm) | (2) MEP57E  | (2) MEP57E  |



**MetroMax i Mounting Clip**



**MetroMax 4 Mounting Clip**



**MetroMax Q Mounting Clip**

| Post Height  | Shelf Length |             |                          |              |                          |                          |              |                          |
|--------------|--------------|-------------|--------------------------|--------------|--------------------------|--------------------------|--------------|--------------------------|
|              | 24" (610mm)  | 30" (760mm) | 36" (914mm)              | 42" (1066mm) | 48" (1219mm)             | 54" (1370mm)             | 60" (1524mm) | 72" (1825mm)             |
| 54" (1370mm) | (2) MEP35E   | (2) MEP35E  | (1) MEP35E<br>(1) MEP55E | (2) MEP55E   | (2) MEP35E<br>(1) MEP55E | (1) MEP35E<br>(2) MEP55E | (3) MEP55E   | (1) MEP35E<br>(3) MEP55E |
| 63" (1600mm) | (2) MEP36E   | (2) MEP36E  | (1) MEP36E<br>(1) MEP56E | (2) MEP56E   | (2) MEP36E<br>(1) MEP56E | (1) MEP36E<br>(2) MEP56E | (3) MEP56E   | (1) MEP36E<br>(3) MEP56E |
| 74" (1880mm) | (2) MEP37E   | (2) MEP37E  | (1) MEP37E<br>(1) MEP57E | (2) MEP57E   | (2) MEP37E<br>(1) MEP57E | (1) MEP37E<br>(2) MEP57E | (3) MEP57E   | (1) MEP37E<br>(3) MEP57E |



Drop in baskets are sized to optimally fill out the space on a MetroMax i shelf frame.



**NOTE:** Wire baskets can be retrofitted to MetroMax i or MetroMax 4 shelves.

**MetroMax i:** Remove the mats center beams and drop in the baskets.

**MetroMax 4:** Remove the mats and drop in the baskets.

Wire baskets can complement a MetroMax 4 shelf. If the requirement is to completely fill out the space with baskets, use a MetroMax i storage level frame.

## Storage Level Frames

- Open four sided frames accommodate drop-in accessories including wire baskets and stainless drying racks.
- Includes corrosion proof MetroMax i frame and a bag of wedges

| Model No. | Nominal Exterior Width |      | Nominal Exterior Length |      | Interior Width/Length |          | Approx. Pkd. Wt. |      |
|-----------|------------------------|------|-------------------------|------|-----------------------|----------|------------------|------|
|           | (in.)                  | (mm) | (in.)                   | (mm) | (in.)                 | (mm)     | (lbs.)           | (kg) |
| M4F1836   | 18                     | 457  | 36                      | 914  | 18x32                 | 457x810  | 7                | 3.2  |
| M4F2424   | 24                     | 610  | 24                      | 610  | 24x20                 | 610x510  | 7 1/2            | 3.4  |
| M4F2436   | 24                     | 610  | 36                      | 914  | 24x32                 | 610x810  | 11 1/4           | 5.1  |
| M4F2442   | 24                     | 610  | 42                      | 1060 | 24x38                 | 610x965  | 13 1/4           | 6.0  |
| M4F2448   | 24                     | 610  | 48                      | 1220 | 24x44                 | 610x1120 | 15               | 6.8  |
| M4F2460   | 24                     | 610  | 60                      | 1524 | 24x56                 | 610x1370 | 18 3/4           | 8.5  |

## Wire Baskets

- Conveniently hold small items
- 9" (229mm) deep
- Built in storage handles allow easy removal
- Corrosion resistant taupe epoxy finish (Note: epoxy over a zinc substrate)
- Weight Capacity: 50 lbs. (23kg)

| Model No. | Nominal Width |      | Nominal Length |      | Approx. Pkd. Wt. |      |
|-----------|---------------|------|----------------|------|------------------|------|
|           | (in.)         | (mm) | (in.)          | (mm) | (lbs.)           | (kg) |
| MB2416XE  | 24            | 610  | 16             | 406  | 10               | 4.5  |
| MB2422XE  | 24            | 610  | 22             | 560  | 12               | 5.5  |

**NOTE:** MB2422XE is not adaptable to 24" (610mm) long MetroMax i storage level frames


## Configuration Chart — MetroMax i

| Frame   | Qty. to Fill Out Shelf Frame |          |
|---------|------------------------------|----------|
|         | MB2416XE                     | MB2422XE |
| M4F2436 | 2                            |          |
| M4F2442 | 1                            | 1        |
| M4F2448 |                              | 2        |
| M4F2460 | 2                            | 1        |

## Configuration Chart — MetroMax 4

| Shelf      | Qty. to Fill Out Shelf Frame |          |
|------------|------------------------------|----------|
|            | MB2416XE                     | MB2422XE |
| MAX4-2436G |                              | 1        |
| MAX4-2442G | 2                            |          |
| MAX4-2448G | 1                            | 1        |
| MAX4-2460G | 3                            |          |

**NOTE:** Remove the shelf mats to install the drop in basket.



## I.V. Storage Basket

- Corrosion resistant taupe epoxy finish (Note: epoxy over a zinc substrate)
- Can be mounted level or at 10 degree slant
- Fits a 24" (610mm) deep MetroMax i shelf
- Weight Capacity: 50 lbs. (23kg)

### Model No. IVB1

See Spec Sheet 30.20 for detail.

## Configuration Chart

| Frame   | Qty. to Fill Out Shelf Frame |  |
|---------|------------------------------|--|
|         | IVB1                         |  |
| M4F2424 | 1                            |  |
| M4F2442 | 2                            |  |
| M4F2460 | 3                            |  |

## Glassware Handling Basket

Vinyl coated. Fits 18 x 36" 457 x 914mm) MetroMax i frame.


### Model No. GWBSKT36

See Spec Sheet 52.01 for detail.


Not NSF listed.




View more about our drying racks on spec sheets - [MetroMax i \(9.31\)](#) or [MetroMax 4 \(9.32\)](#)




**Stainless Steel Drop-in Rack**



**Cutting Board & Tray Racks**



**Pan Rack**



**Sorting Pegs for Deep Pans**



**Drip Tray (For MetroMax i)**

## Can Rack Accessory

- Front loading, front dispensing can rack holds eight #10 cans or twelve #5 cans.
- Tough, corrosion resistant taupe epoxy finish.
- Mounts on any MetroMax i or MetroMax Q shelf.

| i and Q<br>Model No. | Width/Length/Height<br>(in.) (mm)                                                    | Approx.<br>Pkd. Wt.<br>(lbs.) (kg) |
|----------------------|--------------------------------------------------------------------------------------|------------------------------------|
| CR24E                | 7 <sup>7</sup> / <sub>8</sub> x 25 <sup>5</sup> / <sub>16</sub> x 15 200 x 643 x 381 | 10 4.5                             |

## 3-Sided Frames

- 1" (25mm) x 1 1/2" (38mm) structural steel tubing. Includes tri-lobal adapters to attach to posts. (Replacement adapters: **Model No. MTLA** bag of 4)
- Corrosion resistant taupe epoxy finish.
- Use as a 3-sided ledge to contain bulky items or to create "roll under" storage bays.


| i, 4 and Q<br>Model No. | Nominal Width<br>(in.) (mm) | Nominal Length<br>(in.) (mm) | Approx.<br>Pkd. Wt.<br>(lbs.) (kg) |
|-------------------------|-----------------------------|------------------------------|------------------------------------|
| M3TF1860E               | 18 457                      | 60 1524                      | 18 8.2                             |
| M3TF2424E               | 24 610                      | 24 610                       | 12 5.4                             |
| M3TF2430E               | 24 610                      | 30 760                       | 13 5.7                             |
| M3TF2436E               | 24 610                      | 36 914                       | 14 6.4                             |
| M3TF2442E               | 24 610                      | 42 1066                      | 16 7.3                             |
| M3TF2448E               | 24 610                      | 48 1219                      | 18 8.2                             |
| M3TF2454E               | 24 610                      | 54 1370                      | 19 8.6                             |
| M3TF2460E               | 24 610                      | 60 1524                      | 20 9.1                             |



## Super Slide

- Mounts to 24" (610mm) deep shelves.
- Easily attaches to the shelf frame (under the mats) and is sized to hold 3", 5", 6", and 8" (76, 127, 152, 203mm) tall tote boxes.
- Models available for MetroMax i and MetroMax 4.
- Corrosion-resistant taupe epoxy finish.

| i         | 4         | Width                          |      | Length                         |      | Height                         |      | Approx. Pkd. Wt.              |      |
|-----------|-----------|--------------------------------|------|--------------------------------|------|--------------------------------|------|-------------------------------|------|
| Model No. | Model No. | (in.)                          | (mm) | (in.)                          | (mm) | (in.)                          | (mm) | (lbs.)                        | (kg) |
| MXSS2E    | MAX4-SS2E | 20 <sup>3</sup> / <sub>8</sub> | 520  | 21 <sup>5</sup> / <sub>8</sub> | 550  | 10 <sup>1</sup> / <sub>4</sub> | 260  | 5 <sup>1</sup> / <sub>4</sub> | 2    |



**MXSS2E**

## Metro® Tote Boxes for Super Slide System

| Model No.<br>White Totes | Model No.<br>Natural Totes | Width/Length                                                   |         | Height |      | Approx. Pkd. Wt. |       |
|--------------------------|----------------------------|----------------------------------------------------------------|---------|--------|------|------------------|-------|
|                          |                            | (in.)                                                          | (mm)    | (in.)  | (mm) | (lbs.)           | (kg)  |
| MTB93030W                | TB93030NAT                 | 17 <sup>1</sup> / <sub>2</sub> x22 <sup>3</sup> / <sub>8</sub> | 457x570 | 3      | 75   | 0.44             | 0.012 |
| MTB93050W                | TB93050NAT                 | 17 <sup>1</sup> / <sub>2</sub> x22 <sup>3</sup> / <sub>8</sub> | 457x570 | 5      | 127  | 0.79             | 0.022 |
| MTB93060W                | TB93060NAT                 | 17 <sup>1</sup> / <sub>2</sub> x22 <sup>3</sup> / <sub>8</sub> | 457x570 | 6      | 150  | 0.97             | 0.027 |
| MTB93080W                | TB93080NAT                 | 17 <sup>1</sup> / <sub>2</sub> x22 <sup>3</sup> / <sub>8</sub> | 457x570 | 8      | 203  | 1.32             | 0.037 |



## Adjustable Slides

- Slides can be adjusted left to right to accommodate a variety of pan, tray, and container sizes.
- MetroMax i and Q models available.
- Corrosion-resistant taupe epoxy finish.

| i         | Q         | Fits Shelf Width |      | Shelf Spacing |      | Length     | Approx. Pkd. Wt.               |      |
|-----------|-----------|------------------|------|---------------|------|------------|--------------------------------|------|
| Model No. | Model No. | (in.)            | (mm) | (in.)         | (mm) |            | (lbs.)                         | (kg) |
| MX24SE    | MQ24SE    | 24               | 610  | 22            | 559  | Adjustable | 12 <sup>3</sup> / <sub>4</sub> | 6    |

Shelf spacing is measured from the top of one shelf to the top of the next.



**MX24SE**

## Handles

Use handles on mobile units to improve maneuvering and ergonomics. Handles fit all MetroMax shelving units. Stainless steel material offers long lasting performance.

## Extended Handle

- Type 304 stainless steel handle and reinforced nylon tri-lobal adapters.

| i, 4 and Q | Fits Shelf Depth |      | Extension Depth<br>(Post to Edge of Handle) |      | Approx. Pkd. Wt. |      |
|------------|------------------|------|---------------------------------------------|------|------------------|------|
| Model No.  | (in.)            | (mm) | (in.)                                       | (mm) | (lbs.)           | (kg) |
| MEH18S     | 18               | 457  | 4.5                                         | 113  | 2.5              | 1.1  |
| MEH24S     | 24               | 610  | 4.5                                         | 113  | 2.7              | 1.3  |

**NOTE:** Stainless steel fasteners are provided with each handle to secure the handle to the post for heavier duty applications



**Extended Handle**

## Easy-Grip Handle

- Ergonomic design.
- Type 304 stainless steel handle and reinforced nylon tri-lobal adapters.

| i, 4 and Q | Fits Shelf Depth |      | Extension Depth<br>(Post to Edge of Handle) |      | Approx. Pkd. Wt. |      |
|------------|------------------|------|---------------------------------------------|------|------------------|------|
| Model No.  | (in.)            | (mm) | (in.)                                       | (mm) | (lbs.)           | (kg) |
| MERGH18S   | 18               | 457  | 6                                           | 151  | 2.5              | 1.1  |
| MERGH24S   | 24               | 610  | 6                                           | 151  | 3.0              | 1.4  |

**NOTE:** Stainless steel fasteners are provided with each handle to secure the handle to the post for heavier duty applications



**Easy-Grip Handle**

## Replacement Tri-Lobal Adapters

### Model No. MTLA

4 pair per bag



**MTLA**



**Mounted to polymer post**

## MetroMax® Accessories

### “S” Hooks


“S” Hooks eliminate the need for adjacent posts saving time and money. Right angle units create open corners in tight spaces for easy access. Use the components below when configuring units from loose shelves and posts.



**MetroMax i End-to-End Unit**



**MetroMax 4 Right Angle Unit**



#### MetroMax i



“S” Hook Kit Includes  
(1) “S” Hook and (1) Collar plug.  
Model No. **M9995**



Intermediate “S” Hook Kit  
Includes (2) “S” hooks and  
intermediate bracket, (2) Collar plugs.  
Model No. **MX9996**

| “S” Hooks per storage level | MetroMax i              |
|-----------------------------|-------------------------|
| End-to-End                  | (2) M9995               |
| Right Angles                | (1) MX9996              |
| Combination Unit            | (2) M9995<br>(1) MX9996 |

#### MetroMax 4



“S” Hook Kit  
Model No. **MAX4-9995**



Intermediate “S” Hook Kit  
Model No. **MAX4-9996**

| “S” Hooks per storage level | MetroMax 4                     |
|-----------------------------|--------------------------------|
| End-to-End                  | (2) MAX4-9995                  |
| Right Angles                | (1) MAX4-9996                  |
| Combination Unit            | (2) MAX4-9995<br>(1) MAX4-9996 |

#### MetroMax Q



“S” Hook  
Model No. **M9995**



Intermediate “S” Hook Kit  
Model No. **Q9995Z**

| “S” Hooks per storage level | MetroMax Q              |
|-----------------------------|-------------------------|
| End-to-End                  | (2) M9995               |
| Right Angles                | (1) M9995<br>(1) Q9995Z |
| Combination Unit            | (3) M9995<br>(1) Q9995Z |