



**MIX & MATCH  
ADJUSTABLE COMPONENTS**  
Stainless Steel  
**SHELVING - POT RACK - UTENSIL RACK**



**Convert Your Table into a Effective Work Station!**  
*Maximize Your Work Area!*

**Our TABLE with POT RACK, SHELVING & UTENSIL RACK**

Utensil Rack is FULLY ADJUSTABLE

Select the SHELF  
WIDTH to satisfy  
your needs

Stainless Steel 1 5/8" diameter  
TUBULAR UPRIGHTS

Easy SHELF MOUNTING  
for ADDITIONAL RIGIDITY



Plated Pot Hooks

Pot Rack is ADJUSTABLE  
Maximum Height = 84" (A.F.F.)

Rolled Rim Front & Rear  
& Square Ends

Shelves are ADJUSTABLE  
to meet your requirements

Only ONE support thru  
Table Top . . . Maximizes  
your working area

MID-MOUNT DESIGN

**YES!!! . . . . it's ADJUSTABLE**

**Mix & Match . . . . . your choice. We offer 3 basic components:  
SHELF - POT RACK - UTENSIL RACK.**

**The Adjustable Solution . . . . components are adjustable. You set the height  
to meet your demanding requirements.**

**Focus on Function . . . . . available in 4 shelf widths, 2 pot rack styles,  
10 lengths, and 1 utensil rack series.**



**Customer Service Available To Assist You 1-800-645-3166 8:30 am - 7:00 pm E.S.T.**

For Orders & Customer Service:


Email: [customer@advancetabco.com](mailto:customer@advancetabco.com) or Fax: 631-242-6900

For Smart Fabrication™ Quotes:

Email: [smartfab@advancetabco.com](mailto:smartfab@advancetabco.com) or Fax: 631-586-2933

# DESIGNED & CONSTRUCTED so as to be a Self-Contained Unit

Possible **ADJUSTABLE** Solutions for ALL Standard ADVANCE TABCO Tables



**Also . . . . Adaptable to ALL ADVANCE TABCO Open - Base (less undershelf) Units.**

## **SHELF SPECIFICATIONS:**

**REAR MOUNT & SPLASH MOUNT DESIGN:**  
Shelves feature a 1" splash on rear edge.  
Front edge has a rolled rim and square sides.

### **MID MOUNT DESIGN:**

Shelves feature a rolled rim on front and rear & square sides.

## **TUBULAR UPRIGHT DIMENSIONS**

|                                                                                                 |            |
|-------------------------------------------------------------------------------------------------|------------|
| furnished with units requiring pot racks, shelves and utensil rack. (Dim. A.F.F.)               | <b>84"</b> |
| furnished with units requiring ONLY shelving. (Dim. A.F.F.)                                     | <b>60"</b> |
| furnished with units requiring field retrofit to include pot rack. Model TA-225 (ext. assembly) | <b>24"</b> |

A.F.F. = Above Finished Floor.

## **SINGLE POST DESIGN MAXIMIZES YOUR WORK AREA!**

### **TABLE with OVERHEAD SHELVES**

MIX & MATCH  
Shelf Widths

Rolled Rim on  
Front Edge



Full Worktable Undershelf

1" Splash on Rear Edge

Stainless Steel  
TUBULAR UPRIGHTS

Square Edge Sides

Plated Pot Hooks

REAR-MOUNT  
DESIGN



**Customer Service Available To Assist You 1-800-645-3166 8:30 am - 7:00 pm E.S.T.**

For Orders & Customer Service:

Email: [customer@advancetabco.com](mailto:customer@advancetabco.com) or Fax: 631-242-6900

For Smart Fabrication™ Quotes:

Email: [smartfab@advancetabco.com](mailto:smartfab@advancetabco.com) or Fax: 631-586-2933

# MODELS - DIMENSIONS - WEIGHTS

**STEP  
1**

**Choose a SHELF or SHELVES - POT RACK - UTENSIL RACK**

## SHELVING MODELS

| WIDTH | Length | MID MT.   | REAR MT.   | SPLASH MT. | Est. Wt. |
|-------|--------|-----------|------------|------------|----------|
| 10"   | 36"    | PT-10-36  | PT-10R-36  | PT-10S-36  | 12 lbs.  |
|       | 48"    | PT-10-48  | PT-10R-48  | PT-10S-48  | 14 lbs.  |
|       | 60"    | PT-10-60  | PT-10R-60  | PT-10S-60  | 17 lbs.  |
|       | 72"    | PT-10-72  | PT-10R-72  | PT-10S-72  | 19 lbs.  |
|       | 84"    | PT-10-84  | PT-10R-84  | PT-10S-84  | 22 lbs.  |
|       | 96"    | PT-10-96  | PT-10R-96  | PT-10S-96  | 26 lbs.  |
|       | 108"   | PT-10-108 | PT-10R-108 | PT-10S-108 | 28 lbs.  |
|       | 120"   | PT-10-120 | PT-10R-120 | PT-10S-120 | 31 lbs.  |
|       | 132"   | PT-10-132 | PT-10R-132 | PT-10S-132 | 35 lbs.  |
|       | 144"   | PT-10-144 | PT-10R-144 | PT-10S-144 | 38 lbs.  |
| 12"   | 36"    | PT-12-36  | PT-12R-36  | PT-12S-36  | 13 lbs.  |
|       | 48"    | PT-12-48  | PT-12R-48  | PT-12S-48  | 15 lbs.  |
|       | 60"    | PT-12-60  | PT-12R-60  | PT-12S-60  | 18 lbs.  |
|       | 72"    | PT-12-72  | PT-12R-72  | PT-12S-72  | 20 lbs.  |
|       | 84"    | PT-12-84  | PT-12R-84  | PT-12S-84  | 23 lbs.  |
|       | 96"    | PT-12-96  | PT-12R-96  | PT-12S-96  | 27 lbs.  |
|       | 108"   | PT-12-108 | PT-12R-108 | PT-12S-108 | 29 lbs.  |
|       | 120"   | PT-12-120 | PT-12R-120 | PT-12S-120 | 32 lbs.  |
|       | 132"   | PT-12-132 | PT-12R-132 | PT-12S-132 | 36 lbs.  |
|       | 144"   | PT-12-144 | PT-12R-144 | PT-12S-144 | 39 lbs.  |
| 15"   | 36"    | PT-15-36  | PT-15R-36  | PT-15S-36  | 15 lbs.  |
|       | 48"    | PT-15-48  | PT-15R-48  | PT-15S-48  | 17 lbs.  |
|       | 60"    | PT-15-60  | PT-15R-60  | PT-15S-60  | 20 lbs.  |
|       | 72"    | PT-15-72  | PT-15R-72  | PT-15S-72  | 22 lbs.  |
|       | 84"    | PT-15-84  | PT-15R-84  | PT-15S-84  | 25 lbs.  |
|       | 96"    | PT-15-96  | PT-15R-96  | PT-15S-96  | 29 lbs.  |
|       | 108"   | PT-15-108 | PT-15R-108 | PT-15S-108 | 31 lbs.  |
|       | 120"   | PT-15-120 | PT-15R-120 | PT-15S-120 | 34 lbs.  |
|       | 132"   | PT-15-132 | PT-15R-132 | PT-15S-132 | 38 lbs.  |
|       | 144"   | PT-15-144 | PT-15R-144 | PT-15S-144 | 41 lbs.  |
| 18"   | 36"    | PT-18-36  | PT-18R-36  | PT-18S-36  | 17 lbs.  |
|       | 48"    | PT-18-48  | PT-18R-48  | PT-18S-48  | 19 lbs.  |
|       | 60"    | PT-18-60  | PT-18R-60  | PT-18S-60  | 22 lbs.  |
|       | 72"    | PT-18-72  | PT-18R-72  | PT-18S-72  | 24 lbs.  |
|       | 84"    | PT-18-84  | PT-18R-84  | PT-18S-84  | 27 lbs.  |
|       | 96"    | PT-18-96  | PT-18R-96  | PT-18S-96  | 31 lbs.  |
|       | 108"   | PT-18-108 | PT-18R-108 | PT-18S-108 | 33 lbs.  |
|       | 120"   | PT-18-120 | PT-18R-120 | PT-18S-120 | 36 lbs.  |
|       | 132"   | PT-18-132 | PT-18R-132 | PT-18S-132 | 40 lbs.  |
|       | 144"   | PT-18-144 | PT-18R-144 | PT-18S-144 | 43 lbs.  |

## POT RACKS

(Includes Adjustable Utensil Rack & Pot Hooks)

| SIZE | MID Mount       | REAR Mount     | # of Hooks | Aprox. Wt. |
|------|-----------------|----------------|------------|------------|
| 36"  | <b>SCT-36</b>   | <b>SWT-36</b>  | 12         | 30 lbs.    |
| 48"  | <b>SCT-48</b>   | <b>SWT-48</b>  | 12         | 34 lbs.    |
| 60"  | <b>SCT-60</b>   | <b>SWT-60</b>  | 18         | 37 lbs.    |
| 72"  | <b>SCT-72</b>   | <b>SWT-72</b>  | 18         | 46 lbs.    |
| 84"  | <b>SCT-84</b>   | <b>SWT-84</b>  | 18         | 50 lbs.    |
| 96"  | <b>SCT-96*</b>  | <b>SWT-96</b>  | 18         | 55 lbs.    |
| 108" | <b>SCT-108*</b> | <b>SWT-108</b> | 18         | 60 lbs.    |
| 120" | <b>SCT-120*</b> | <b>SWT-120</b> | 18         | 65 lbs.    |
| 132" | <b>SCT-132*</b> | <b>SWT-132</b> | 18         | 68 lbs.    |
| 144" | <b>SCT-144*</b> | <b>SWT-144</b> | 18         | 72 lbs.    |

NOTE: "SWT" and "AUR" models align with rear table legs and are 6" less than the nominal foot length.

\*Manufactured with 2 extra center posts for support.



## UTENSIL RACKS

(Includes Pot Hooks)

| SIZE | MODEL #        | # of Hooks | Est. Wt. |
|------|----------------|------------|----------|
| 36"  | <b>AUR-36</b>  | 6          | 10 lbs.  |
| 48"  | <b>AUR-48</b>  | 6          | 12 lbs.  |
| 60"  | <b>AUR-60</b>  | 9          | 14 lbs.  |
| 72"  | <b>AUR-72</b>  | 9          | 16 lbs.  |
| 84"  | <b>AUR-84</b>  | 9          | 18 lbs.  |
| 96"  | <b>AUR-96</b>  | 9          | 20 lbs.  |
| 108" | <b>AUR-108</b> | 9          | 22 lbs.  |
| 120" | <b>AUR-120</b> | 9          | 24 lbs.  |
| 132" | <b>AUR-132</b> | 9          | 26 lbs.  |
| 144" | <b>AUR-144</b> | 9          | 28 lbs.  |

**STEP  
2**

**Choose a Mounting Provision:**

**TA-229 = REAR MOUNT**

**TA-228 = MID MOUNT**

**TA-227 = SPLASH MOUNT**

NOTE: Adjustable utensil rack is always supplied when ordering POT RACK.

**TA-225 = EXTENSION TUBE ASSEMBLY**

FACTORY INSTALLATION REQUIRED OF MOUNTING ASSEMBLY.



**Customer Service Available To Assist You 1-800-645-3166 8:30 am - 7:00 pm E.S.T.**

For Orders & Customer Service:

Email: [customer@advancetabco.com](mailto:customer@advancetabco.com) or Fax: 631-242-6900

For Smart Fabrication™ Quotes:

Email: [smartfab@advancetabco.com](mailto:smartfab@advancetabco.com) or Fax: 631-586-2933



## SPECIFICATIONS

## TABLE with SHELVES, POT RACK & UTENSIL RACK

## MID-MOUNT INSTALLATION

## REAR-MOUNT INSTALLATION


## Suggested Heights an Typical Installations



ALL DIMENSIONS ARE TYPICAL

A.F.F. = Above Finished Floor

## Table Mounted Shelf Installation



### DESIGN:

SHELVES, POT & UTENSIL RACKS are adjustable along a single tubular upright at each end of the table.

Gusset type SET SCREW LOCKING MECHANISMS are employed to secure in place.

HAT SECTIONS and ANGLE BRACKETS, where required, are supplied to insure a rigid and level working surface.

**MATERIAL:**

SHELVES, POT & UTENSIL RACKS, HAT SECTION and GUSSETS are stainless steel.


### SHELF DESIGN:

MID-MOUNTED SHELVING UNITS are furnished with a roll rim edge on front and rear sides. REAR & SPLASH MOUNTED SHELVING UNITS are furnished with a roll rim edge in front. Ends are square edged formed downward and rear edge is turned up to form a rear splash.

### CONSTRUCTION:

TIG welded with exposed areas polished to match adjacent surfaces.  
NSF Certified.

**Units originally supplied with OVERHEAD SHELVING can be adapted on the field to receive a POT RACK.**



**EXISTING UNIT**



**REF-L**

325 Wireless Boulevard, Hauppauge, NY 11788

ADVANCE TABCO is constantly engaged in a program of improving our products. Therefore, we reserve the right to change specifications without prior notice.

© ADVANCE TABCO, NOVEMBER 2025