



**MIX & MATCH
ADJUSTABLE COMPONENTS**
Stainless Steel
SHELVING - POT RACK - UTENSIL RACK



Convert Your Table into a Effective Work Station!
Maximize Your Work Area!

Our TABLE with POT RACK, SHELVING & UTENSIL RACK

Utensil Rack is FULLY ADJUSTABLE

Select the SHELF
WIDTH to satisfy
your needs

Stainless Steel 1 5/8" diameter
TUBULAR UPRIGHTS

Easy SHELF MOUNTING
for ADDITIONAL RIGIDITY



Plated Pot Hooks

Pot Rack is ADJUSTABLE
Maximum Height = 84" (A.F.F.)

Rolled Rim Front & Rear
& Square Ends

Shelves are ADJUSTABLE
to meet your requirements

Only ONE support thru
Table Top . . . Maximizes
your working area

MID-MOUNT DESIGN

YES!!! it's ADJUSTABLE

**Mix & Match your choice. We offer 3 basic components:
SHELF - POT RACK - UTENSIL RACK.**

**The Adjustable Solution components are adjustable. You set the height
to meet your demanding requirements.**

**Focus on Function available in 4 shelf widths, 2 pot rack styles,
10 lengths, and 1 utensil rack series.**



Customer Service Available To Assist You 1-800-645-3166 8:30 am - 7:00 pm E.S.T.

For Orders & Customer Service:


Email: customer@advancetabco.com or Fax: 631-242-6900

For Smart Fabrication™ Quotes:

Email: smartfab@advancetabco.com or Fax: 631-586-2933

DESIGNED & CONSTRUCTED so as to be a Self-Contained Unit

Possible **ADJUSTABLE** Solutions for ALL Standard ADVANCE TABCO Tables



Also Adaptable to ALL ADVANCE TABCO Open - Base (less undershelf) Units.

SHELF SPECIFICATIONS:

REAR MOUNT & SPLASH MOUNT DESIGN:
Shelves feature a 1" splash on rear edge.
Front edge has a rolled rim and square sides.

MID MOUNT DESIGN:

Shelves feature a rolled rim on front and rear & square sides.

TUBULAR UPRIGHT DIMENSIONS

furnished with units requiring pot racks, shelves and utensil rack. (Dim. A.F.F.)	84"
furnished with units requiring ONLY shelving. (Dim. A.F.F.)	60"
furnished with units requiring field retrofit to include pot rack. Model TA-225 (ext. assembly)	24"

A.F.F. = Above Finished Floor.

SINGLE POST DESIGN MAXIMIZES YOUR WORK AREA!

TABLE with OVERHEAD SHELVES

MIX & MATCH Shelf Widths

Rolled Rim on Front Edge



Full Worktable Undershelf

1" Splash on Rear Edge

Stainless Steel TUBULAR UPRIGHTS

Square Edge Sides

Plated Pot Hooks

REAR-MOUNT DESIGN



Customer Service Available To Assist You 1-800-645-3166 8:30 am - 7:00 pm E.S.T.

For Orders & Customer Service:

Email: customer@advancetabco.com or Fax: 631-242-6900

For Smart Fabrication™ Quotes:

Email: smartfab@advancetabco.com or Fax: 631-586-2933

MODELS - DIMENSIONS - WEIGHTS

**STEP
1**

Choose a **SHELF** or **SHELVES** - **POT RACK** - **UTENSIL RACK**

SHELVING MODELS

WIDTH	Length	MID MT.	REAR MT.	SPLASH MT.	Est. Wt.
10"	36"	PT-10-36	PT-10R-36	PT-10S-36	12 lbs.
	48"	PT-10-48	PT-10R-48	PT-10S-48	14 lbs.
	60"	PT-10-60	PT-10R-60	PT-10S-60	17 lbs.
	72"	PT-10-72	PT-10R-72	PT-10S-72	19 lbs.
	84"	PT-10-84	PT-10R-84	PT-10S-84	22 lbs.
	96"	PT-10-96	PT-10R-96	PT-10S-96	26 lbs.
	108"	PT-10-108	PT-10R-108	PT-10S-108	28 lbs.
	120"	PT-10-120	PT-10R-120	PT-10S-120	31 lbs.
	132"	PT-10-132	PT-10R-132	PT-10S-132	35 lbs.
	144"	PT-10-144	PT-10R-144	PT-10S-144	38 lbs.
12"	36"	PT-12-36	PT-12R-36	PT-12S-36	13 lbs.
	48"	PT-12-48	PT-12R-48	PT-12S-48	15 lbs.
	60"	PT-12-60	PT-12R-60	PT-12S-60	18 lbs.
	72"	PT-12-72	PT-12R-72	PT-12S-72	20 lbs.
	84"	PT-12-84	PT-12R-84	PT-12S-84	23 lbs.
	96"	PT-12-96	PT-12R-96	PT-12S-96	27 lbs.
	108"	PT-12-108	PT-12R-108	PT-12S-108	29 lbs.
	120"	PT-12-120	PT-12R-120	PT-12S-120	32 lbs.
	132"	PT-12-132	PT-12R-132	PT-12S-132	36 lbs.
	144"	PT-12-144	PT-12R-144	PT-12S-144	39 lbs.
15"	36"	PT-15-36	PT-15R-36	PT-15S-36	15 lbs.
	48"	PT-15-48	PT-15R-48	PT-15S-48	17 lbs.
	60"	PT-15-60	PT-15R-60	PT-15S-60	20 lbs.
	72"	PT-15-72	PT-15R-72	PT-15S-72	22 lbs.
	84"	PT-15-84	PT-15R-84	PT-15S-84	25 lbs.
	96"	PT-15-96	PT-15R-96	PT-15S-96	29 lbs.
	108"	PT-15-108	PT-15R-108	PT-15S-108	31 lbs.
	120"	PT-15-120	PT-15R-120	PT-15S-120	34 lbs.
	132"	PT-15-132	PT-15R-132	PT-15S-132	38 lbs.
	144"	PT-15-144	PT-15R-144	PT-15S-144	41 lbs.
18"	36"	PT-18-36	PT-18R-36	PT-18S-36	17 lbs.
	48"	PT-18-48	PT-18R-48	PT-18S-48	19 lbs.
	60"	PT-18-60	PT-18R-60	PT-18S-60	22 lbs.
	72"	PT-18-72	PT-18R-72	PT-18S-72	24 lbs.
	84"	PT-18-84	PT-18R-84	PT-18S-84	27 lbs.
	96"	PT-18-96	PT-18R-96	PT-18S-96	31 lbs.
	108"	PT-18-108	PT-18R-108	PT-18S-108	33 lbs.
	120"	PT-18-120	PT-18R-120	PT-18S-120	36 lbs.
	132"	PT-18-132	PT-18R-132	PT-18S-132	40 lbs.
	144"	PT-18-144	PT-18R-144	PT-18S-144	43 lbs.

POT RACKS

(Includes Adjustable Utensil Rack & Pot Hooks)

SIZE	MID Mount	REAR Mount	# of Hooks	Aprox. Wt.
36"	SCT-36	SWT-36	12	30 lbs.
48"	SCT-48	SWT-48	12	34 lbs.
60"	SCT-60	SWT-60	18	37 lbs.
72"	SCT-72	SWT-72	18	46 lbs.
84"	SCT-84	SWT-84	18	50 lbs.
96"	SCT-96*	SWT-96	18	55 lbs.
108"	SCT-108*	SWT-108	18	60 lbs.
120"	SCT-120*	SWT-120	18	65 lbs.
132"	SCT-132*	SWT-132	18	68 lbs.
144"	SCT-144*	SWT-144	18	72 lbs.

NOTE: "SWT" and "AUR" models align with rear table legs and are 6" less than the nominal foot length.

*Manufactured with 2 extra center posts for support.



UTENSIL RACKS

(Includes Pot Hooks)

SIZE	MODEL #	# of Hooks	Est. Wt.
36"	AUR-36	6	10 lbs.
48"	AUR-48	6	12 lbs.
60"	AUR-60	9	14 lbs.
72"	AUR-72	9	16 lbs.
84"	AUR-84	9	18 lbs.
96"	AUR-96	9	20 lbs.
108"	AUR-108	9	22 lbs.
120"	AUR-120	9	24 lbs.
132"	AUR-132	9	26 lbs.
144"	AUR-144	9	28 lbs.

**STEP
2**

Choose a Mounting Provision:

TA-229 = REAR MOUNT

TA-228 = MID MOUNT

TA-227 = SPLASH MOUNT

NOTE: Adjustable utensil rack is always supplied when ordering POT RACK.

TA-225 = EXTENSION TUBE ASSEMBLY

FACTORY INSTALLATION REQUIRED OF MOUNTING ASSEMBLY.



Customer Service Available To Assist You **1-800-645-3166** 8:30 am - 7:00 pm E.S.T.

For Orders & Customer Service:

Email: customer@advancetabco.com or Fax: 631-242-6900

For Smart Fabrication™ Quotes:

Email: smartfab@advancetabco.com or Fax: 631-586-2933



SPECIFICATIONS

TABLE with SHELVES, POT RACK & UTENSIL RACK

MID-MOUNT INSTALLATION

REAR-MOUNT INSTALLATION


Suggested Heights an Typical Installations



ALL DIMENSIONS ARE TYPICAL

A.F.F. = Above Finished Floor

Table Mounted Shelf Installation



DESIGN:

SHELVES, POT & UTENSIL RACKS are adjustable along a single tubular upright at each end of the table.

Gusset type SET SCREW LOCKING MECHANISMS are employed to secure in place.

HAT SECTIONS and ANGLE BRACKETS, where required, are supplied to insure a rigid and level working surface.

MATERIAL:

SHELVES, POT & UTENSIL RACKS, HAT SECTION and GUSSETS are stainless steel.


SHELF DESIGN:

MID-MOUNTED SHELVING UNITS are furnished with a roll rim edge on front and rear sides. REAR & SPLASH MOUNTED SHELVING UNITS are furnished with a roll rim edge in front. Ends are square edged formed downward and rear edge is turned up to form a rear splash.

CONSTRUCTION:

TIG welded with exposed areas polished to match adjacent surfaces.
NSF Certified.

Units originally supplied with OVERHEAD SHELVING can be adapted on the field to receive a POT RACK.



EXISTING UNIT



REF-L

325 Wireless Boulevard, Hauppauge, NY 11788

ADVANCE TABCO is constantly engaged in a program of improving our products. Therefore, we reserve the right to change specifications without prior notice.

© ADVANCE TABCO, NOVEMBER 2025