


# U3 120/240V

Height: 32.4" Width: 34.5" Depth: 21.0"  
(82.3cm) (87.6cm) (53.3cm)



- Half-batch option
- Large water tank—over 20gal
- All stainless steel construction
- Draw off hot water during brewing cycle without affecting coffee quality
- Top mounted components for ease of service
- Unique design assures extremely low evaporation loss to maintain the brew at its flavorful peak
- PROP 65 Warning Decal included in packaging with equipment

 Server(s) sold separately

Agency:



## Specifications

**Product #:** 20500.0001

**Water Access:** Plumbed

**Finish:** Stainless

**Funnel:** Black Plastic

## Electrical & Capacity

Volts*	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H <sub>2</sub> O Temp.	Phase	# Wires plus Ground	Hertz
120/240	28	6725	No	-	310	60°F (15.5°C)	1	3	60

\*When a BUNN is machine rated 120/208-240V, 120/208V or 120/240V, the higher voltage is the supply voltage needed to power the machine. The 120V is there to supply power to some components rated 120V in the machine, but it is not the supply voltage and would not power the machine if the machine is marked with the before mentioned ratings.


## Additional Features

## Plumbing Requirements

PSI	kPa	Fitting Supplied	Water Flow Required (GPM)
20-90	138-621	3/8" Male Flare Fitting	-

## CAD Drawings


2D	Revit	KLC
●		

 **WARNING:** This product can expose you to chemicals including Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit [bunn.com](http://bunn.com).

Last Updated:  
01/29/2026








	Unit			Shipping				
	Height	Width	Depth	Height	Width	Depth	Weight	Volume
English	32.4 in.	34.5 in.	21.0 in.	30.7 in.	26.5 in.	36.5 in.	100.850 lbs	17.201 ft³
Metric	82.3 cm	87.6 cm	53.3 cm	78.0 cm	67.4 cm	92.7 cm	45.746 kgs	0.487 m³



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit [bunn.com](http://bunn.com).

Last Updated:  
01/29/2026

# Related Products & Accessories:U3 120/240V(20500.0001)

 <p>FUNNEL KIT, BLACK</p> <p>Product #: 07121.0002<sup>2</sup></p>	 <p>FUNNEL KIT, W/BASKET-BLK</p> <p>Product #: 07121.0006<sup>2</sup></p>	 <p>FUNNEL KIT, W/ BYPASS-BLK</p> <p>Product #: 07121.0010<sup>2</sup></p>	 <p>FUNNEL KIT, W/ BSKT&amp;BYPASS-BLK</p> <p>Product #: 07121.0014<sup>2</sup></p>	 <p>DRIP TRAY W/COVER</p> <p>Product #: 07284.0000</p>
---	--	---	--	---

 <p>FILTERS,U3 18x7 252CS 252/1 36/CL</p> <p>Product #: 20109.0000</p>	 <p>SYSTEM, WQ-55(2)5L</p> <p>Product #: 56000.0001<sup>1</sup></p>	 <p>SYSTEM, WQ-55(3).2L</p> <p>Product #: 56000.0002<sup>1</sup></p>	 <p>SYSTEM, WQ-55(2)5</p> <p>Product #: 56000.0004<sup>1</sup></p>	 <p>SYSTEM, WQ-55(3).2</p> <p>Product #: 56000.0005<sup>1</sup></p>
---	--	---	---	--

 <p>SYSTEM, WEQ-10(1.5)5L</p> <p>Product #: 56000.0024<sup>1</sup></p>	 <p>SYSTEM, WEQ-10(1.5)5</p> <p>Product #: 56000.0027<sup>1</sup></p>	 <p>SYSTEM, WEQ-25(2).2</p> <p>Product #: 56000.0028<sup>1</sup></p>	 <p>SYSTEM, WEQ-35(3).2L</p> <p>Product #: 56000.0034</p>	 <p>CARTRIDGE, WQ-55(2)5L</p> <p>Product #: 56000.0101<sup>1</sup></p>
---	--	---	--	---

<sup>1</sup>NSF Certified <sup>2</sup>NSF Certified with spec sheet model listed <sup>3</sup>NSF Certified under Solventum Purification <sup>4</sup>NSF Certified under Mavea LLC <sup>5</sup>NSF Certified under Zojirushi <sup>6</sup>NSF Certified under Qins Inc <sup>7</sup>NSF COMPONENT Certified



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit [bunn.com](http://bunn.com).

Last Updated:  
01/29/2026

## Related Products & Accessories:U3 120/240V(20500.0001)



CARTRIDGE, WQ-55  
(3).2L

Product #: 56000.0102<sup>1</sup>



CARTRIDGE, WQ-55(2)5

Product #: 56000.0104<sup>1</sup>



CARTRIDGE, WQ-55(3).2

Product #: 56000.0105<sup>1</sup>



CARTRIDGE, WEQ-10  
(1.5)5L

Product #: 56000.0121<sup>1</sup>



CARTRIDGE, WEQ-10  
(1.5)5

Product #: 56000.0122<sup>1</sup>



CARTRIDGE, WEQ-25  
(2).2

Product #: 56000.0124<sup>1</sup>



CARTRIDGE, WEQ-35  
(3).2L

Product #: 56000.0126<sup>1</sup>



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit [bunn.com](http://bunn.com).

Last Updated:  
01/29/2026

## Serving & Holding Options: U3 120/240V(20500.0001)



RWS1, 120V

Product #: 12203.0010<sup>1</sup>



1.5GPR-FF, TOP HNDL

Product #: 20950.0004<sup>1</sup>



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit [bunn.com](http://bunn.com).

Last Updated:  
01/29/2026