TB6, 29" Trunk

Height: 34.2" (86.9cm) Width: 12.1" (30.7cm) Depth: 23.2" (58.9cm)

- Color coded decals help the operator properly align the brew basket, dispenser and choose the correct selection
- Includes rotating brew basket, base platform adapter, dedicated dilution nozzles and brew selection switch
- Specifically designed to accommodate and brew into two BUNN 3.5gal Narrow Tea Dispensers (can also brew directly into standard tea dispensers)
- SplashGard® funnel deflects hot liquids away from the hand

Server(s) sold separately

Agency:

Specifications

Product #: 36700.0300

Water Access: Plumbed

Finish: Stainless

Funnel: Translucent Tea Funnel

Additional Features

Electrical & Capacity

Volts*	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H²O Temp.	Phase	# Wires plus Ground	Hertz
120	14.4	1730	Yes	NEMA 5-15P	303	60°F (15.5°C)	1	2	60

*When a BUNN is machine rated 120/208-240V, 120/208V or 120/240V, the higher voltage is the supply voltage needed to power the machine. The 120V is there to supply power to some components rated 120V in the machine, but it is not the supply voltage and would not power the machine if the machine is marked with the before mentioned ratings.

Plumbing Requirements

PSI	kPa	Fitting Supplied	Water Flow Required (GPM)
20-90	138-621	1/4" Male Flare Fitting	-

WARNING:

CAD Drawings

2D	Revit	KLC
●		

BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated: 07/08/2025



	Unit			Shipping				
	Height	**Width**	**Depth**	**Height**	**Width**	**Depth**	**Weight**	**Volume**
English	34.2 in.	12.1 in.	23.2 in.	38.0 in.	13.3 in.	27.4 in.	42.100 lbs	7.976 ft³
Metric	86.9 cm	30.7 cm	58.9 cm	96.5 cm	33.7 cm	69.5 cm	19.097 kgs	0.226 m³

BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated: 07/08/2025

Related Products & Accessories: TB6, 29" Trunk(36700.0300)

FUNNEL ASSY, TEA (TU3/T3)

Product #: 03021.0004[2]

FUNNEL AY, QUICK BREW(TW)

Product #: 03021.0005[2]

FUNNEL ASSY,BLK-CENTER OUTLET

Product #: 03021.0008[2]

FUNNEL ASSY, TEA

Product #: 03021.0013[2]

FILTERS TEA/SYS2 500PK/1 50/CL

Product #: 20100.0000

FUNNEL W/DECALS, WIDE-SMOKE

Product #: 29351.0000[2]

POUCHPACK FUNL ASSY,TEA Q-T

Product #: 35282.0001[2]

POUCHPACK FUNL AY, TEA S-T

Product #: 35282.0002[2]

DRIP TRAY KIT, ITB W/2 TDO-N-3.5

Product #: 38029.1002

SYSTEM, WQ-SFTN4000 (1.5)10 TEA

Product #: 56000.0021[1]

SYSTEM, WEQ-SFTN3500(1)10 TEA

Product #: 56000.0030

CARTRIDGE, WEQ-SFTN3500(1)10 TEA

Product #: 56000.0129[1]

CARTRIDGE, WQ-SFTN4000(1.5)10 TEA

Product #: 56000.0133[1]

[1]NSF Certified [2]NSF Certified with spec sheet model listed [3]NSF Certified under Solventum Purification [4]NSF Certified under Mavea LLC [5]NSF Certified under Zojirushi [6]NSF Certified under Qins Inc [7]NSF COMPONENT Certified

BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated: 07/08/2025

Serving & Holding Options: TB6, 29" Trunk(36700.0300)

TDO-N-3.5, RSVR	TDO-N-3.5, RSVR W/ LIFT HANDLE	TDO-N-3.5, RSVR W/ PINCH TUBE	TD3T-N, RSVR BREW THRU LID BUNN	TD3T-N, RSVR SOLID LID BUNN
Product #: 39600.0001[1]	Product #: 39600.0031[1]	Product #: 39600.0047[1]	Product #: 43900.0001[1]	Product #: 43900.0002[1]

[1]NSF Certified [2]NSF Certified with spec sheet model listed [3]NSF Certified under Solventum Purification [4]NSF Certified under Mavea LLC [5]NSF Certified under Zojirushi [6]NSF Certified under Qins Inc [7]NSF COMPONENT Certified

BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated: 07/08/2025