



PLUMBING

CONDENSED CATALOG



A HISTORY OF EXCELLENCE

T&S Brass and Bronze Works has built a reputation for quality, service and innovation for over 75 years – beginning with our original pre-rinse unit, the market’s very first. Today, our products have become the standard for many U.S. hospitals, schools, restaurants, supermarkets and public facilities.

T&S products are highly acclaimed throughout the industry for being well-built, long-lasting and reliable. Rigorous testing and a focus on interchangeability have helped set T&S apart from the competition.



ChekPoint™ Sensor Faucet Features:

- 2.2 GPM Vandal-resistant aerator
- AC/DC power
- Adjustable temperature control mixing valve
- Check valves
- Rigid Gooseneck / Cast spout



EC-3130

deck-mount swivel/rigid gooseneck



EC-3142-VF05

deck-mount cast spout



EC-3102

deck-mount cast spout

EC-3102-VF05

With 0.5 GPM VR non-aerated spray device



EC-3104

4" centers deck-mount cast spout

EC-3104-VF05

With 0.5 GPM VR non-aerated spray device

Pantry and Big-Flo Faucets:



B-0231

8" centers with 12" swing nozzle



B-0502

Double pedal valve, floor-mount



B-0520-F05

6" rigid/swivel gooseneck

Service Sink Faucets:



B-0674-RGH

Vacuum breaker nozzle with 8" centers rough chrome



B-0665-BSTR

Built-in stops, 8" centers and vacuum breaker nozzle, rough chrome

Service Sink Faucets:



B-0665-POL

Built-in stops, 8" centers, vacuum breaker nozzle, polished chrome

Medical and Lavatory Faucets:



BP-0723

LakeCrest aesthetic metering faucet in polished chrome



B-0890-VF05

3 3/4" cast basin spout with 0.5 GPM VR non-aerated spray device



B-0892-01

4" lavatory faucet w/rigid gooseneck, 2.2 GPM Aerator

B-0892-CR

4" lavatory faucet w/swivel gooseneck, 2.2 GPM Aerator

B-0892-VF05

with 0.5 GPM VR non-aerated spray device



B-2866-05

Concealed widespread faucet w/ 2.2 GPM Aerator, swivel gooseneck

Thermostatic Mixing Valves:



EC-TMV

1/2" NPSM male threads

BP-TMV-38C

3/8" compression

BP-TMV-38C-BPT

3/8" compression with cold water by-pass tee

Single Lever Faucets:



B-2701

Single hole, single lever with 2.2 GPM aerator

B-2711-VF05

4" centerset, 4" handle with 0.5 GPM VR outlet

Metering Faucets:



B-0831

Deck mount with 4" centers and 2.2 GPM aerator



B-0712-VF05

Slow self-closing basin faucet with 0.5 GPM VR non-aerated spray device

Workboard Faucet Features:

- Use T&S cartridges
- Eterna or Cerama cartridge models available
- Updated, modern look
- 2.2 GPM aerator
- Easier to maintain



B-1110

4" centers with 6" Swing Nozzle

B-1110-XS

With 2" extended shanks



B-1115

4" centers with 6" Swing Nozzle



B-1120

8" centers with 6" Swing Nozzle

B-1120-XS

With 2" extended shanks



B-1141-XSCR4V05

4" deck mount, 6" swivel with 0.5 GPM VR outlet and 4" handles

B-1141

Deck mount, 4" centers and 133X swivel gooseneck

Hose Reels:



B-7232-01

Open epoxy coated steel hose reel, high flow spray valve with swivel, 3/8" x 35' heavy-duty non-marking hose, ratcheting system, multi-fit bracket, adjustable hose bumper and 3/8" NPT female inlet

Glass Fillers:



B-1200

Wall mount, 3/8" NPT female inlet with adjustable flange



B-1210

8" deck mount pedestal, 1/2" NPT male shank



B-1256

Order this Repair Kit for any B-1200 series Glass Filler:

- Adjustable outlet with hex key
- Valve Assembly with valve spring
- Lever Arm repair kit with screw and nut

Vacuum Breakers:



B-0969

1/2" NPT Inlet & Outlet



B-0969-RK01

Repair Kit Includes:

- (2) coverplate screws
- (1) brass insert
- (1) Insert 'O'-Ring
- (1) disc seal
- (1) float piston

Waste Valves:

- #017670-45 Modular Waste Valve Installation Tool (comes with B-3990; can be ordered separately)



B-3990

Modular Waste Valve



B-3952

Rotary Waste Valve for 3 1/2" Sink Opening



B-39K

Repair Kit Includes:

- (1) 3-1/2" head gasket
- (1) 3" head gasket
- (1) Plunge 'O'-Ring
- (1) drain bushing
- (1) outlet coupling washer
- (1) twist handle washer
- (1) twist handle 'O'-Ring
- (1) twist handle 'C'-Ring
- (1) rod nut 'O'-Ring

SAFET-LINK 48" Gas Appliance Hoses:



HG-4D-48K

3/4" NPT male connections w/ quick disconnect, includes installation kit

HG-4D-48S

3/4" NPT male connections w/ swivels



HG-4D-48SK

3/4" NPT male connections w/ swivels, includes installation kit



B-0133-ADF12-B

EasyInstall, Spring Action, 8" Wall Mount, 12" Add-On Faucet, Wall Bracket



Pre-Rinse Accessories:



B-TEE-EZK

Pre-Rinse Accessory Tee



018200-40

Pre-Rinse Swivel



B-0156

Add-on faucet with 12" nozzle and lever handle

Push Button/Wrist Action Metering Cartridges:



238A

Push Button Metering Cartridge



012449-40

Wrist Action Metering Cartridge



B-238RK

Metering Cartridge Repair Kit

Installation Kits for B-1100 and B-0230 Series:



B-0230-KIT

Inlet kit includes:

- 1/2" NPT supply nipples and elbows
- 1/2" NPT male outlet
- Lock nuts and washers
- 3/8" compression inlet



B-0230-K

Elbow Installation Kit includes two (2) each:

- 1/2" NPT supply nipples
- 1/2" NPT male x female short elbows
- Lock nut and washers



B-0425-M

Supply nipple kit includes:

- 1/2" NPT x 2" inlet supply nipple
- 1/2" lock nut and washers



B-1100-K

Parts Kit includes:

- (2) 1/2" NPT male x female short elbows



238AB Push Button Metering Cartridge (Blank handle)

238AC Push Button Metering Cartridge (Cold handle)

238AH Push Button Metering Cartridge (Hot handle)

Hot and Cold Cartridge Assemblies:



Eterna-Compression

Quarter-Turn Eterna Cartridge with Integral Spring Check: Lever Handle with Index

002712-40NS Hot

002711-40NS Cold

012443-40NS Hot, less handle

012442-40NS Cold, less handle



Cerama-Ceramic

Quarter-Turn Cerama Cartridge with Check Valve: Lever Handle with Index

012446-25NS Hot

012447-25NS Cold

012394-25NS Hot, less handle

012395-25NS Cold, less handle

Wrist Action Faucet Handles:



B-WH4-NS 4" Handle Only (shown)

B-WH4H-NS 4" Hot (w/ index, screw)

B-WH4C-NS 4" Cold (w/ index, screw)

Lever Faucet Handles:



001636-45NS Cold (shown)

001637-45NS Hot

001638-45NS Handle Only (no index)

Adapters:



B-0467 Fisher Wall Mount Faucet Adapters (pictured left)

EZ-SWIVEL-FM Swivel Adapter for Fisher Faucets

172A Adapter, 1/4 NPT Male x 3/4-14 UN Male Chrome-Plated Brass

Nozzles and Goosenecks:

Double-Joint Nozzle				Swivel Gooseneck				Swing Nozzle		
MODEL	D	H	K	MODEL	D	H	K	MODEL	D	H
066X	6"	6"	12"	131X	2-13/16"	4-11/16"	2-3/16"	059X	6"	2-5/16"
067X	9"	6"	15"	132X	2-5/8"	9"	5-7/16"	060X	8"	2-15/16"
068X	12"	6"	18"	133X	5-11/16"	10-5/16"	6-1/4"	061X	10"	3-16/16"
069X	12"	12"	24"	135X	8-3/4"	12-1/16"	5-5/8"	062X	12"	4-5/16"
				179X	4-3/8"	9-5/16"	5-3/4"	063X	14"	4-7/8"
								064X	16"	5-15/16"