

AUTOMATIC JUICE EXTRACTORS



A top-down view of fresh produce and their juices. At the top left is a single red apple. Below it is a glass of apple juice with a thick layer of white foam on top. To the right of the apple juice is a glass of bright yellow-orange juice, likely orange or mango, with a white and green striped straw inserted. At the bottom left are two whole carrots. To their right is a glass of vibrant orange carrot juice, also with a white and green striped straw inserted.

ULTRA FRESH FRUIT JUICE IN JUST A FEW SECONDS!

Robot Coupe juice extractors partner professionals in a wide variety of sectors: bars, restaurants, hotels, institutions and supermarkets.


Quick, efficient and heavy duty with a fast ROI, they provide the ideal solution for making large quantities of ultra-fresh fruit and vegetable juices.

AUTOMATIC JUICE EXTRACTORS

INNOVATION

Ø 79 mm **FEED-HEAD**

For whole fruit and vegetables.



AUTOMATIC FEED TUBE

- With the exclusive automatic feed system, fruit and vegetables are processed effortlessly.
- Fast: 25 cl (8 ounces) in just 6 seconds.



BASKET

Two handles for a better grip, can be removed without tools and is easy to clean.

Easy Guide

NEW

Anti-splash spouts in 2 different sizes*:

- 1 Pitcher / Blender bowl
- 2 Served by the glass



NEW

DRIP TRAY*

Large capacity so the worktop is always clean.



NEW

SLOPING BASE*

For optimum flow of juice.

MOTOR

- Quiet so it can be used right in front of the customer.
- 1.3 HP designed for intensive use throughout the day**.



Pulp is ejected under the worktop

Two ways of using the juicer:



- 1 **Pulp ejected into a container.**
Large capacity translucent pulp collector.

- 2 **Continuous pulp ejection**.**
Pulp ejection chute: continuous pulp ejection directly into a bin under the worktop.



OUR USERS



BARS, RESTAURANTS AND HEALTHCARE FACILITIES

Fresh fruit and vegetable juices are a way of adding a touch of freshness to bar and restaurant menus. They are also highly appreciated in hospitals and retirement homes to prevent residents from being dehydrated.



HOTELS, CANTEENS AND CAFETERIAS

Quiet and easy to operate, Robot Coupe juice extractors provide self-service in hotel breakfast bars and school canteens.



JUICE BARS AND SUPERMARKETS



Especially designed for intensive use, our juice extractor range is perfect for the production of large quantities.



Rapid return on investment:

- On average the sale of 500 glasses of juice will write off the cost of a J100 juice extractor.
- Most efficient juicer on the market for the most frequently used ingredients.

JUICE EXTRACTORS



J 80

Induction motor	✓
Power	1 HP
Constant velocity	3450 rpm
Voltage	Single Phase 120 V
Output up to	120 L/h
Bowl	Stainless steel
Hopper	✓ - Automatic Ø 79 mm
Filter	Stainless steel
Grating disc	Stainless steel
Useful height under spout	155 mm
TYPE OF SERVICE: Glass	✓
Pitcher	✓
Blender bowl	-
No-splash spout	✓ - 1 size
Inclined base	-
Automatic pulp ejection	✓
Translucent pulp container	6.5 L
Continuous pulp ejection chute	-

Choose your model:

J 80	Ref.	\$
120V/60/1	J80	2 599


Choose your options:

Options	J 80		J 80 Buffet	
	Ref.	\$	Ref.	\$
Basket assembly	39910	324	39910	324
2.5 mm Grating disc	39911	98	39911	98
Short spout	39916	21	39916	21
Long spout	-	-	49226	23
Base assembly	-	-	49230	407

J 80 Buffet

Induction motor	✓
Power	1 HP
Constant velocity	3450 rpm
Voltage	Single Phase 120 V
Output up to	120 L/h
Bowl	Stainless steel
Hopper	✓ - Automatic Ø 79 mm
Filter	Stainless steel
Grating disc	Stainless steel
Useful height under spout	177 mm
TYPE OF SERVICE: Glass	✓
Pitcher	✓
Blender bowl	-
No-splash spout	✓ - 2 sizes
Inclined base	✓ - Big capacity
Automatic pulp ejection	✓
Translucent pulp container	6.5 L
Continuous pulp ejection chute	-

J 80 Buffet	Ref.	\$
120V/60/1	J80 BUFFET	3 001



J 100

Induction motor	✓
Power	1.3 HP
Constant velocity	3450 rpm
Voltage	Single Phase 120 V
Output up to	160 L/h
Bowl	Stainless steel
Hopper	✓ - Automatic Ø 79 mm
Filter	Stainless steel
Grating disc	Stainless steel - For intensive use
Useful height under spout	251 mm
TYPE OF SERVICE: Glass	✓
Pitcher	✓
Blender bowl	✓
No-splash spout	✓ - 2 sizes
Inclined base	✓ - Big capacity
Automatic pulp ejection	✓
Translucent pulp container	7.5 L
Continuous pulp ejection chute	✓

Choose your model:

J 100	Ref.	\$
120V/60/1	J100	3 402

Choose your options:




J 100		
Options	Ref.	\$
Basket assembly	49057	363
2.5 mm Grating disc	49048	146
Short spout	39916	21
Long spout	49226	23
Base assembly	49230	407



BACK TO SUMMARY


IMMERSION BLENDERS

Dimensions (mm)

Reference	Power	1 Phase	3 Phase 	NEMA #	MACHINE			BOX 1 - BOX 2			Shipping Weight (Lbs) BOX 1 - BOX 2
					L	W	W	D	H	Cube	
MMP190VV - 120V/60/1	270 W	•		5-15P	20 1/5"	3"	18"	7.5"	4.25"	0.33	5
MMP190COMBI - 120V/60/1	270 W	•		5-15P	20 1/5"	3"	18.25"	11.5"	4.25"	0.52	7
MMP240VV - 120V/60/1	290 W	•		5-15P	22 1/3"	3"	18"	7.5"	4.25"	0.33	5
MMP240COMBI - 120V/60/1	290 W	•		5-15P	20 1/5"	3"	18.25"	11.5"	4.25"	0.52	7
CMP250VV - 120V/60/1	310 W	•		5-15P	26"	39/16"	27.25"	9"	4.5"	0.64	10
CMP250COMBI - 120V/60/1	310 W	•		5-15P	29 15/16"	39/16"	22"	13.5"	5"	0.86	13
CMP400VV - 120V/60/1	420 W	•		5-15P	30"	39/16"	36.75"	11"	6"	1.40	11
MP350 - 120V/60/1	660 W	•		5-15P	30 7/8"	5"	36.75"	10.75"	6.25"	1.43	15
MP350VV - 120V/60/1	660 W	•		5-15P	30 7/8"	5"	36.75"	10.75"	6.25"	1.43	15
MP350COMBI - 120V/60/1	660 W	•		5-15P	30 7/8"	5"	27.5"	15.5"	6"	1.48	18
MP450 - 120V/60/1	720 W	•		5-15P	34 3/4"	5"	36.75"	10.75"	6.25"	1.43	15
MP450VV - 120V/60/1	720 W	•		5-15P	34 3/4"	5"	36.75"	10.75"	6.25"	1.43	15
MP450COMBI - 120V/60/1	720 W	•		5-15P	34 3/4"	5"	27.5"	15.5"	6"	1.48	19
MP550 - 120V/60/1	840 W	•		5-15P	36 7/16"	5"	36.75"	10.75"	6.25"	1.43	16
MP600 - 120V/60/1	920 W	•		5-15P	38"	5"	36.75"	10.75"	6.25"	1.43	17
MP800 - 120V/60/1	1000 W	•		5-15P	44.5"	5"	27.25"	15.25"	9.25"	2.22	21
MP 350 TP - 120V/60/1	660 W	•		5-15P	30 7/8"	5"	36.75"	10.75"	6.25"	1.43	18
MP 800 TP - 120V/60/1	1000 W	•		5-15P	30 7/8"	5"	36.75"	10.75"	6.25"	1.43	18
MP450FW - 120V/60/1	720 W	•		5-15P	31 3/4"	5"	27.5"	15.5"	6"	1.48	15
MP450XLFW - 120V/60/1	720 W	•		5-15P	47 1/2"	615/16"	28" - 32"	6" - 9"	6" - 7"	1.46 - 1.19	19 - 8


JUICE EXTRACTORS

Dimensions (mm)

Reference	Power	1 Phase	3 Phase 	NEMA #	MACHINE			BOX			Shipping Weight (Lbs)	
					W	D	H	W	D	H		Cube
J80 - 120V/60/1	1 HP	•		5-15P	9 1/4"	21"	19 3/4"	18.75"	11.25"	19.5"	2.38	28
J80 BUFFET - 120V/60/1	1 HP	•		5-15P	10 5/16"	22 9/32"	23 27/64"	18.75"	11.25"	19.5"	2.38	28
J100 - 120V/60/1	1.3 HP	•		5-15P	10 5/16"	22 9/32"	24 23/32"	28"	11.25"	21"	3.83	35

AUTOMATIC SIEVES

Dimensions (mm)

Reference	Power	1 Phase	3 Phase 	NEMA #	MACHINE			BOX			Shipping Weight (Lbs)	
					W	D	H	W	D	H		Cube
C80 - 120V/60/1	3/4 HP	•		5-15P	14 1/8"	24 3/8"	21 1/2"	26"	18.5"	22.5"	6.26	48
C120 - 120V/60/1	1 HP	•		5-15P	34 1/8"	16"	41"	34.5"	23"	40"	18.37	115
C120A - 220V/60/3	1 HP		•	L15-20P	34 1/8"	16"	41"	34.5"	23"	40"	18.37	115