



# SHELVING for LIFE

Premium, Elements & Basics Plus Series



**CAMBRO**  
TRUSTED FOR GENERATIONS™





Premium Series High Density Shelving



Elements Series Walk-In Cooler

When we say Shelving for Life, we mean it. All Camshelving® storage systems are designed to withstand the toughest conditions and the harshest environments. With our lifetime warranty against rust and corrosion, only Cambro offers SHELIVING for LIFE.



Premium Series Walk-In Cooler



Basics Plus Series Utility Storage



Elements Series Mobile Drying Rack



Elements Series Dry Storage




# Camshelving® **SHELVING** for **LIFE**



## **Rust and Corrosion Free**

Backed by a lifetime warranty against rust and corrosion. All Camshelving is impervious to harsh chemicals and salt water.



## **All Environments**


Camshelving is designed to withstand all extreme storage applications and temperatures.

- Coolers
- Freezers
- Dry Storage
- Utility


## **Maximized Space Utilization**

Shelving units are designed to be interconnected, without compromising weight-bearing capacity, all while maximizing usable storage space.

**Starter Unit**



**Starter + Add-On Unit**



Shared Post



### Easy to Clean


Camshelving easily wipes clean or shelf plates can go through the dishwasher. Camguard® antimicrobial shelf plates inhibit the growth of harmful bacteria and microbes.




### Easy to Assemble & Adjust

Units ship with preassembled frames to speed up installation. Each shelf can be easily and independently adjusted.


**Corner Unit  
Starter + Add-On Unit**



**U-Shape Unit  
Two Starter Units + Intermediate Shelves**



**T-Shape Unit  
Starter unit + Add-on**



Bottom Shelf  
Dunnage Stands

Convert unusable space into continuous, easy-access storage areas with corner connectors. ●  
Corner connectors are for use only with shelves 24" - 48" long.

# Camshelving® **PREMIUM** series

STATIONARY | MOBILE | HIGH DENSITY

## Why Choose Premium?

- Easy to clean.
- Quick and easy to assemble.
- Ideal for coolers, freezers and warewashing areas.
- Strong enough to support the toughest loads.
- Impervious to harsh chemicals and salt water.



**camguard**  
ANTIMICROBIAL SHELF PLATES




COMPONENT

Post Connectors, Corner Connectors, Seismic Foot, Wall Fastener, Identification Tags, Full Wrap Security Cage, Single Shelf Security Cage, Single Shelf Sheet Pan/Tray Rack, Shelf Rails, Shelf Divider Bars, High Density Track and Extension Kits are not NSF Listed.



**StoreSafe**  
STORE FRESH



### Stationary Unit Sizes

|                                    |
|------------------------------------|
| 4 Depths                           |
| 14" 18" 21" 24"                    |
| 8 Lengths                          |
| 24" 30" 36" 42"<br>48" 54" 60" 72" |
| 5 Heights                          |
| 32" 56" 64" 72" 84"                |

### Mobile Unit Sizes

|                 |
|-----------------|
| 3 Depths        |
| 18" 21" 24"     |
| 3 Lengths       |
| 36" 42" 48"     |
| 4 Heights       |
| 35" 59" 67" 75" |

### High Density Unit Sizes

|                     |
|---------------------|
| 3 Depths            |
| 18" 21" 24"         |
| 5 Lengths           |
| 36" 42" 48" 54" 60" |
| 2 Heights           |
| 67" 75"             |

### Weight Bearing Capacity

|                                                     |                                   | UNIT LENGTH<br>24" – 48" | UNIT LENGTH<br>54" – 72" |
|-----------------------------------------------------|-----------------------------------|--------------------------|--------------------------|
| SINGLE UNIT                                         | Unit only                         | 2000 lbs.                | 2000 lbs.                |
|                                                     | Shelf only                        | 800                      | 600                      |
|                                                     | Unit with dunnage stand*          | 2400                     | 2300                     |
|                                                     | Bottom shelf with dunnage stand*  | 1200                     | 900                      |
| CORNER UNIT **<br>with 2 Dunnage<br>Stands required | Unit only                         | 1800                     | —                        |
|                                                     | Shelf only                        | 400                      | —                        |
|                                                     | Bottom shelf with dunnage stands* | 600                      | —                        |
| MOBILE UNIT                                         | Unit only***                      | 750                      | —                        |

\* Dunnage Stands add stability and increase weight bearing capacity on bottom shelf only. Add to any shelf length. Highly recommended for Starter Units 54" and longer, all Corner Units, U-Shape Units and units specified for heavier loads.

\*\* Corner connectors are for use only with shelves 24" - 48" long.

\*\*\* Due to the weight bearing capacity of casters, maximum weight load on an entire Mobile Unit is 750 lbs.



# Camshelving® ELEMENTS series

STATIONARY | MOBILE | UNDERCOUNTER

## Why Choose Elements?

- Easy to clean and adjust.
- Ideal for coolers, freezers and warewashing areas.
- Made from extremely strong composite and plastic materials.
- Impervious to harsh chemicals and salt water.



**camguard**  
ANTIMICROBIAL SHELF PLATES




COMPONENT

Post Connectors, Corner Connectors, Seismic Foot, Wall Fastener, Identification Tags, Single Shelf Security Cage, Single Shelf Sheet Pan/Tray Rack, and Shelf Divider Bars are not NSF Listed.







### Stationary Unit Sizes

|                                    |
|------------------------------------|
| 4 Depths                           |
| 14" 18" 21" 24"                    |
| 8 Lengths                          |
| 24" 30" 36" 42"<br>48" 54" 60" 72" |
| 3 Heights                          |
| 64" 72" 84"                        |

### Mobile Unit Sizes

|                     |
|---------------------|
| 3 Depths            |
| 18" 21" 24"         |
| 5 Lengths           |
| 36" 42" 48" 54" 60" |
| 2 Heights           |
| 70" 78"             |

### Undercounter Unit Sizes

|                                  |
|----------------------------------|
| 2 Depths                         |
| 14" 18"                          |
| 3 Lengths                        |
| 24" 36" 48"                      |
| 2 Heights                        |
| 27" (Mobile)<br>30" (Stationary) |

### Weight Bearing Capacity

|                                                     |                                   | UNIT LENGTH<br>24" – 48" | UNIT LENGTH<br>54" – 72" |
|-----------------------------------------------------|-----------------------------------|--------------------------|--------------------------|
| SINGLE UNIT                                         | Unit only                         | 2000 lbs.                | 2000 lbs.                |
|                                                     | Shelf only                        | 800                      | 600                      |
|                                                     | Unit with dunnage stand*          | 2400                     | 2300                     |
|                                                     | Bottom shelf with dunnage stand*  | 1200                     | 900                      |
| CORNER UNIT **<br>with 2 Dunnage<br>Stands required | Unit only                         | 1800                     | —                        |
|                                                     | Shelf only                        | 400                      | —                        |
|                                                     | Bottom shelf with dunnage stands* | 600                      | —                        |
| MOBILE UNIT                                         | Unit only***                      | 750                      | —                        |

\* Dunnage Stands add stability and increase weight bearing capacity on bottom shelf only. Add to any shelf length. Highly recommended for Starter Units 54" and longer, all Corner Units, U-Shape Units and units specified for heavier loads.

\*\* Corner connectors are for use only with shelves 24" - 48" long.

\*\*\* Due to the weight bearing capacity of casters, maximum weight load on an entire Mobile Unit is 750 lbs.

# Camshelving® **BASICS PLUS** series

STATIONARY

## Why Choose Basics Plus?

- Easy to clean and adjust.
- Superior alternative to wire or aluminum shelving.
- Made from strong composite and plastic materials.
- Impervious to harsh chemicals and salt water.



COMPONENT


Post Connectors, Corner Connectors, Seismic Foot, Wall Fastener, Single Shelf Security Cage, Single Shelf Sheet Pan/Tray Rack, and Identification Tags are not NSF listed.







## Stationary Unit Sizes



3 Depths

18" 21" 24"

6 Lengths

30" 36" 42"

48" 54" 60"

3 Heights

64" 72" 84"

## Weight Bearing Capacity

|                                                     |                                   | UNIT LENGTH<br>30" – 48" | UNIT LENGTH<br>54" – 60" |
|-----------------------------------------------------|-----------------------------------|--------------------------|--------------------------|
| SINGLE UNIT                                         | Unit only                         | 1800 lbs.                | 1800 lbs.                |
|                                                     | Shelf only                        | 700                      | 500                      |
|                                                     | Unit with dunnage stand*          | 2100                     | 2100                     |
|                                                     | Bottom shelf with dunnage stand*  | 1000                     | 800                      |
| CORNER UNIT **<br>with 2 Dunnage<br>Stands required | Unit only                         | 1350                     | —                        |
|                                                     | Shelf only                        | 300                      | —                        |
|                                                     | Bottom shelf with dunnage stands* | 450                      | —                        |

\* Dunnage Stands add stability and increase weight bearing capacity on bottom shelf only. Highly recommended for Starter Units 54" and longer, all Corner Units, U-Shape Units and units specified for heavier loads.

\*\* Corner connectors are for use only with shelves 24" - 48" long.

# Camshelving® Series Accessories

Make the most of your Camshelving by adding accessories to create the perfect storage system for your needs.

## Support and Weight Bearing

**PREMIUM**  
**ELEMENTS**  
**BASICS PLUS**




Additional Traverses



Wall Fastener



Seismic Foot



Corner Connectors



Bottom Shelf Dunnage Stands

## Mobility

**PREMIUM**  
**ELEMENTS**



Premium Caster



Premium Series Donut Bumper



Premium Series High Density  
Caster with Bumper



Elements Series Donut Bumper

## Security

**PREMIUM**  
**ELEMENTS**  
**BASICS PLUS**



Full-Wrap Stainless Steel Security Cage  
**PREMIUM**



Single Shelf Stainless Steel Security Cage  
**PREMIUM** | **ELEMENTS** | **BASICS PLUS**

# Camshelving® Series Accessories

## Organization

**PREMIUM**  
**ELEMENTS**  
**BASICS PLUS**



Identification Tags



Shelf Divider Panel



Single Shelf Sheet Pan/Tray Rack




Shelf Rails  
**PREMIUM** | **ELEMENTS**



Shelf Divider Bars  
**PREMIUM** | **ELEMENTS**

## Drying Cradles

**PREMIUM**  
**ELEMENTS**  
**BASICS PLUS**



Dome Drying and Storage Cradle



Vertical Drying and Storage Cradle



Angled Drying and Storage Cradle

## Drying Racks

**PREMIUM**  
**ELEMENTS**



Dome Drying and Storage Rack



Vertical Drying and Storage Rack



Angled Drying and Storage Rack



# Camshelving® Series Buyers Guide

All Camshelving lines offer a lifetime warranty against rust and corrosion for shelf plates, posts and traverses.



|                                                                    | PREMIUM series                                                                                                                                                           | ELEMENTS series                                                                                                                                                          | BASICS PLUS series                                                                                                             |
|--------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|
| Shelf Depths                                                       | 14", 18", 21", 24"                                                                                                                                                       | 14", 18", 21", 24"                                                                                                                                                       | 18", 21", 24"                                                                                                                  |
| Shelf Lengths                                                      | 24", 30", 36", 42", 48", 54", 60", 72"                                                                                                                                   | 24", 30", 36", 42", 48", 54", 60", 72"                                                                                                                                   | 30", 36", 42", 48", 54", 60"                                                                                                   |
| Post Heights                                                       | <b>Stationary:</b> 32", 56", 64", 72", 84"<br><b>Mobile:</b> 35", 59", 67", 75"<br>(includes casters)                                                                    | <b>Stationary:</b> 30", 64", 72", 84"<br><b>Mobile:</b> 27", 70", 78"<br>(includes casters)                                                                              | <b>Stationary:</b> 64", 72", 84"                                                                                               |
| Weight-Bearing Capacity<br>(based on 24" - 48" length)             | <b>Stationary Unit:</b> 800 lbs. per shelf, 2000 lbs. per unit.<br><b>Mobile Unit:</b> 750 lbs. per unit.<br><b>Corner Unit:</b> 400 lbs. per shelf, 1800 lbs. per unit. | <b>Stationary Unit:</b> 800 lbs. per shelf, 2000 lbs. per unit.<br><b>Mobile Unit:</b> 750 lbs. per unit.<br><b>Corner Unit:</b> 400 lbs. per shelf, 1800 lbs. per unit. | <b>Stationary Unit:</b> 600 lbs. per shelf, 1800 lbs. per unit.<br><b>Corner Unit:</b> 300 lbs. per shelf, 1350 lbs. per unit. |
| Shelf Plates                                                       | Interchangeable with Elements Series. Features Camguard® antimicrobial.                                                                                                  | Interchangeable with Premium Series. Features Camguard antimicrobial.                                                                                                    | Not interchangeable with Premium or Elements Series.                                                                           |
| Mobility                                                           | Available in Mobile and High Density Storage System.                                                                                                                     | Available in Mobile.                                                                                                                                                     | Not available.                                                                                                                 |
| Assembly                                                           | Quickest and easiest to assemble due to molded-in dovetails.                                                                                                             | Simple to assemble. Contains separate dovetails that must be attached to the post.                                                                                       | Simple to assemble. Contains separate dovetails that must be attached to the post.                                             |
| <b>ACCESSORIES</b>                                                 |                                                                                                                                                                          |                                                                                                                                                                          |                                                                                                                                |
| Bottom Shelf Dunnage Stand                                         | ✓                                                                                                                                                                        | ✓                                                                                                                                                                        | ✓                                                                                                                              |
| Shelf Rails                                                        | ✓                                                                                                                                                                        | ✓                                                                                                                                                                        |                                                                                                                                |
| Vertical Drying and Storage Cradle (Trays / Cutting Boards / Lids) | ✓                                                                                                                                                                        | ✓                                                                                                                                                                        | ✓                                                                                                                              |
| Dome Drying and Storage Cradle                                     | ✓                                                                                                                                                                        | ✓                                                                                                                                                                        | ✓                                                                                                                              |
| Angled Drying and Storage Cradle                                   | ✓                                                                                                                                                                        | ✓                                                                                                                                                                        | ✓                                                                                                                              |
| Shelf Divider Panel                                                | ✓                                                                                                                                                                        | ✓                                                                                                                                                                        | ✓                                                                                                                              |
| Shelf Divider Bar (for Food Pans or Food Boxes)                    | ✓                                                                                                                                                                        | ✓                                                                                                                                                                        |                                                                                                                                |
| Single Shelf Sheet Pan/Tray Rack                                   | ✓                                                                                                                                                                        | ✓                                                                                                                                                                        | ✓                                                                                                                              |
| Single Shelf Security Cage                                         | ✓                                                                                                                                                                        | ✓                                                                                                                                                                        | ✓                                                                                                                              |
| Full Wrap Security Cage                                            | ✓                                                                                                                                                                        |                                                                                                                                                                          |                                                                                                                                |



Premium Series Walk-in Cooler



Elements Series Dry Storage



Visit the Camshelving website at [www.cambro.com/camshelving](http://www.cambro.com/camshelving) for product information and pricing on ALL available shelving products.



Elements Series Undercounter Storage





## FREE Camshelving® Design Service

Take the guesswork out of creating your perfect shelving layout. Let our expert shelving consultants prepare a free layout that optimizes your space to create the most storage options. Here's what you'll get:

- **2D Floor Plan**
- **3D Floor Plan**
- **Itemized product list by room/area**
- **All within 48 business-day hours**



Scan the QR code  
to get started today.

