

The Pro Cart Ultra<sup>®</sup> Pan Carriers  
**Holding and Transport**

**HOT** and **COLD**  
in the Same Cart, at the  
Same Time!



**NEW MODEL! PCUL1000**  
Holds 10x GN 1/1, 4" Deep Food Pans



**CAMBRO**  
TRUSTED DURABILITY

# Customize Your Pro Cart to

## Hot Module

## PCMHX

- Safely maintain food temperatures between 150°F (65,6°C) to 165°F (73,9°C) with gentle, non-radiant heat.
- Adjustable temperature from 140°F (60°C) to 185°F (85°C).
- Heats from room temperature to 165°F (73,9°C) in 15 minutes.



## Cold Module

## PCMCX

- Thermoelectric cooling technology is safe for transport.
- Cools down to 32.5°F (0,28°C) without a compressor.
- Adjustable temperature from 32.5°F (0,28°C) to 40°F (44,4°C).



## Passive Module

## PCMPX

- CFC-free, polyurethane insulation maximizes hot or cold retention for 4 hours without electricity.
- Most cost-effective solution.
- Perfect for short term holding and transport.



\*Average recovery time based on ambient temperature of 74°F (23,33°C), Empty Compartments - Door open for 30 seconds.

Order your Pro Cart in any possible combination of Hot, Cold, and/or Passive. Add additional modules for greater flexibility.



# Your Needs



Hot Models Only  
 PCU800  
 PCU1000  
 PCU1600  
 PCU2000

Save Up to  
**56%**  
 on energy costs  
 vs. other  
 electric cabinets.

## Electrical Specifications

(Per Compartment)

REQUIRED VOLTAGE	HOT MODULE		COLD MODULE	
	115-230 VAC		115-230 VAC	
AMPS	3.9a @ 115v	2.17a @ 220v	3.6a @ 115v	1.7a @ 230v
WATTS	450w @ 115v	500w @ 230v	414w @ 115v	393w @ 230v
HERTZ	50/60		50/60	
PHASE	Single		Single	
PLUG BODY FOR THESE COUNTRIES	US/Canada/Mexico (3)*, Europe (4), UK (5), Australia(6), South Africa (7), Japan (8), China (9).			

\*220 Voltage with 6-15P plug end.  
 If country is not listed, please call Cambro Customer Service for details.





Power Cord Storage:  
PCU1000, PCU2000



Touch Screen

Durable, Heavy-Duty  
Stainless Steel Hinge

Ergonomic,  
Molded-In  
Handles

Spring-Loaded  
Magnetic Door  
Catch (close door  
hands-free)

Power Cord  
Holder:  
PCUL1000,  
PCU800,  
PCU1600

Nylon Paddle-  
Style Latches

6" (15 cm)  
Nylon Casters  
PCU800 and PCU1000.

6" (15 cm) Heavy Duty Casters  
PCU1600, PCU2000, and PCUL1000 only.



# The Pro Cart Ultra<sup>®</sup> Pan Carriers



## PCU800

Total capacity  
8, 4" (10 cm) deep  
GN 1/1 Food Pans

## PCU1000

Total capacity  
10, 4" (10 cm) deep  
GN 1/1 Food Pans

## PCU1600

Total capacity  
16, 4" (10 cm) deep  
GN 1/1 Food Pans

## PCU2000

Total capacity  
20, 4" (10 cm) deep  
GN 1/1 Food Pans

## PCUL1000

Total capacity  
10, 4" (10 cm) deep  
GN 1/1 Food Pans

## Holding Capacity

### FOOD PAN DEPTHS

GN FOOD PANS	2 1/2" (6,5 cm)				4" (10 cm)				6" (15 cm)				8" (20 cm)							
	PCU800	PCU1000	PCU1600	PCU2000	PCUL1000	PCU800	PCU1000	PCU1600	PCU2000	PCUL1000	PCU800	PCU1000	PCU1600	PCU2000	PCUL1000	PCU800	PCU1000	PCU1600	PCU2000	PCUL1000
GN 1/1	12	14	24	28	14	8	10	16	20	10	6	6	8	12	6	4	4	4	8	4
GN 1/2	24	28			16	20			12	12			8	8						
GN 1/3	36	36			24	24			18	18			12	12						

PCU800

PCU1000

PCU1600

PCU2000

PCUL1000



CODE	DESCRIPTION	DIMENSIONS W x D x H	PRODUCT WEIGHT (LBS/KG)
<b>PCU800</b>			
PCU800HH	2 active hot compartments	21.9" x 34" x 59.1" (55,63 x 86,36 x 150,1 cm)	101.94 / 46,24
PCU800HC	1 active hot compartment (top), 1 active cold compartment (bottom)		110.69 / 50,21
PCU800CC	2 active cold compartments		119.44 / 54,18
PCU800PP	2 passive compartments		89.88 / 40,77
<b>PCU1000</b>			
PCU1000HH	2 active hot compartments	22" x 34" x 67" (55,88 x 86,36 x 170,18 cm)	143.5 / 65,1
PCU1000HC	1 active hot compartment (top), 1 active cold compartment (bottom)		152.25 / 69,06
PCU1000CC	2 active cold compartments		161 / 73,03
PCU1000PP	2 passive compartments		131.44 / 60
<b>PCU1600</b>			
PCU1600HH	2 active hot compartments	30" x 38" x 59" (76,2 x 96,52 x 149,86 cm)	162.25 / 73,6
PCU1600HC	1 active hot compartment (top), 1 active cold compartment (bottom)		171 / 77,57
PCU1600CC	2 active cold compartments		179.75 / 81,31
PCU1600PP	2 passive compartments		150.19 / 68,13
<b>PCU2000</b>			
PCU2000HH	2 active hot compartments	30" x 38" x 68" (76,20 x 96,52 x 172,72 cm)	189.94 / 86,16
PCU2000HC	1 active hot compartment (top), 1 active cold compartment (bottom)		198.69 / 90,12
PCU2000CC	2 active cold compartments		207.44 / 94,1
PCU2000PP	2 passive compartments		177.88 / 80,69
<b>PCUL1000</b>			
PCUL1000H <b>New!</b>	1 active hot compartment	30" x 38" x 39.5" (76,2 x 96,52 x 100,33 cm)	117.50 / 53.30
PCUL1000C <b>New!</b>	1 active cold compartment		126.25 / 57.27
PCUL1000P <b>New!</b>	1 passive compartment		111.50 / 50.58
<b>Modules</b>			
PCM CX	Cold Module	—	20.72 / 9,42
PCM HX	Hot Module	—	11.97 / 5,44
PCM PX	Passive Module	—	5.95 / 2,7

**Case Pack:** 1 **Color:** Charcoal Gray (615). Other configurations and Security Package available. Tow Hitch Package Available for PCU2000 and PCUL1000 Only.



For more information about Cambro products visit [www.cambro.com](http://www.cambro.com) or contact your Distributor, Cambro Sales Representative or the Cambro Customer Service Department.



© Cambro Manufacturing Company  
5801 Skylab Road, Huntington Beach, California 92647-2056  
LITD2510 06/25.



Access our Digital Catalog. Scan the QR code or visit [cambro.com/catalog](http://cambro.com/catalog)

D062504