



**TOP SHELF DRAINBOARDS**  
 TS Series - 12" - 48"W X 18-9/16"D



TS12DB



TS30DB

JOB	
AREA	
ITEM NO.	
MODEL NO.	

MODELS
TS12DB
TS18DB
TS24DB
TS30DB
TS36DB
TS42DB
TS48DB

*Other sizes available  
 in 1" increments  
 from 12" up to 30".*

MODEL NUMBERS - TS12DB, TS18DB, TS24DB, TS30DB, TS36DB, TS42DB, TS48DB

**KEY PRODUCT FEATURES AND BENEFITS**

- Drainboard tops are pitched to the drain, so water is evacuated quickly and effectively. With the matching insert, you still get a flat, level space to store your glassware.
- The default option of 'stadium' shaped perforated inserts enable great air flow for efficient glassware drying, maximize glass storage, and are designed to hold up to a busy bar environment abuse.
- Our new, more robust Perlick Quick Clamp leg attachment still features easy tool-less installation.
- All stainless construction with 18 gauge seamless stainless steel front apron for durability and cleanability.
- All Perlick drainboards are NSF-certified, so you can feel confident knowing your equipment will meet health code standards.

**Additional Features:**



- Optional Perlick Flex Mount leg relocation kit moves rear legs forward for additional space behind the equipment or moves forward legs rearward to help avoid pesky floor drains, available on TSF units.
- Swap out the perforated insert for a flat top insert when needs change and want to use the drainboard as a workspace Available on 12", 18", 24", 30".
- Stainless steel legs with adjustable thermoplastic feet install without tools for freestanding applications.



**TOP SHELF DRAINBOARDS**  
*TS Series - 12" - 48" W X 18-9/16" D*


MODEL NUMBERS - TS12DB, TS18DB, TS24DB, TS30DB, TS36DB, TS42DB, TS48DB

MODEL NOS.		TS12DB	TS18DB	TS24DB	TS30DB	TS36DB	TS42DB	TS48DB
<b>DIMENSIONS: EXTERIOR</b>	Width In. (mm)	12" (305)	18" (457)	24" (610)	30" (914)	36" (914)	42" (1067)	48" (1219)
	Depth In. (mm)	18-9/16" (471)	18-9/16" (471)	18-9/16" (471)	18-9/16" (471)	18-9/16" (471)	18-9/16" (471)	18-9/16" (471)
	Weight lb. (kg)	35 (16)	40 (18)	45 (20)	50 (23)	60 (27)	90 (41)	115 (52)
<b>MATERIALS</b>	Construction	All stainless steel						
	Front & Back	Seamless 18 gauge stainless steel						
	Backsplash	6" or 4" high stainless steel with 1" return, fastened and sealed.						
	Drainboard	Pitched stainless steel drainboard top, All horizontal and vertical edges 1/4" radius with balled corners.						
	Legs	1-5/8" tubular, stainless steel with 1" adjustable thermoplastic foot						
<b>MECHANICALS</b>	Plumbing	Stainless steel drain socket located back center of the equipment. Drain connection is 1-1/2" NPS male.						
<b>OPTIONAL ACCESSORIES (PARTIAL LIST)</b>		Perforated insert(s), flat top insert(s), speed rails, bottle opener, end splashes, backsplash cutout						





**TOP SHELF DRAINBOARDS**  
*TS Series - 12" - 48"W X 18-9/16"D*



SHOWN WITH FULL  
DRAINBOARD INSERT

