

FITWCLTABS - Chef's Combi Cleaner Tab**Safety Data Sheet**

According to Annex II to REACH - Regulation (EU) 2020/878

SECTION 1. Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Code: **FITWCLTABS**
 Product name: **Chef's Combi Cleaner Tab**
 UFI: **Q752-70Y6-R00A-MA8G**

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use: **DETERGENT TABS FOR COMBI STEAMERS WITH AUTOMATIC CLEANING SYSTEM**

Identified Uses	Industrial	Professional	Consumer
DEGREASER DETERGENT	-	PROC: 11, 28. PC: 35. LCS: PW.	-

**Uses Advised Against
CONSUMER USE****1.3. Details of the supplier of the safety data sheet**

Name: **TURCO ITALIANA SPA**
 Full address: **Via Artigianale, 29**
 District and Country: **25010 Montirone Italia (BS)**
 Tel.: **+39 030 267443**
 Fax: **+39 030 2677137**
 e-mail address of the competent person responsible for the Safety Data Sheet: **info@turco.it**

1.4. Emergency telephone number

For urgent inquiries refer to: **Vulcan (ITW FEG)
 3600 North Point Blvd.
 Baltimore, MD 21222
 800-814-2028
 vulcanequipment.com**

**In case of poisoning call your poison control center at 1-800-222-1222
 For Hazardous Materials [or Dangerous Goods] Incident, Spill, Leak,
 Fire, Exposure, or Accident Call CHEMTREC Day or Night 24h/7
 +1 703-527-3887/ +1-800-424-9300 {CCN 1018278}**

SECTION 2. Hazards identification**2.1. Classification of the substance or mixture**

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation

FITWCLTABS - Chef's Combi Cleaner Tab

SECTION 3. Composition/information on ingredients ... / >>

3.2. Mixtures

Contains:

Identification	x = Conc. %	Classification (EC) 1272/2008 (CLP)
Sodium hydroxide		
INDEX	011-002-00-6	17 ≤ x < 25
EC	215-185-5	Met. Corr. 1 H290, Skin Corr. 1A H314, Eye Dam. 1 H318 Skin Corr. 1B H314: ≥ 2% - < 5%, Skin Irrit. 2 H315: ≥ 0,5% - < 2%, Eye Irrit. 2 H319: ≥ 0,5% - < 2%
CAS	1310-73-2	
REACH Reg.	01-2119457892-27-XXXX	
Disodium metasilicate		
INDEX	014-010-00-8	9 ≤ x < 17
EC	229-912-9	Met. Corr. 1 H290, Skin Corr. 1B H314, Eye Dam. 1 H318, STOT SE 3 H335
CAS	6834-92-0	
REACH Reg.	01-2119449811-37-XXXX	
Potassium carbonate		
INDEX		10 ≤ x < 18
EC	209-529-3	Eye Irrit. 2 H319, Skin Irrit. 2 H315, STOT SE 3 H335
CAS	584-08-7	
REACH Reg.	01-2119532646-36-XXXX	
1,2-benzisothiazol-3(2H)-one		
INDEX	613-088-00-6	0,08 ≤ x < 0,13
EC	220-120-9	Acute Tox. 4 H302, Eye Dam. 1 H318, Skin Irrit. 2 H315, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1, Aquatic Chronic 2 H411
CAS	2634-33-5	Skin Sens. 1 H317: ≥ 0,05%
REACH Reg.	01-2120761540-60-XXXX	LD50 Oral: <670 mg/kg

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures

4.1. Description of first aid measures

In case of doubt or in the presence of symptoms contact a doctor and show him this document.

In case of more severe symptoms, ask for immediate medical aid.

EYES: Remove, if present, contact lenses if the situation allows you to do so easily. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Take off immediately all contaminated clothing. Wash immediately and thoroughly with running water (and soap if possible). Get medical advice/attention. Avoid further contact with contaminated clothing.

INGESTION: Do not induce vomiting unless explicitly authorised by a doctor. Rinse your mouth with running water. Do not give anything by mouth to an unconscious person. Get medical advice/attention.

INHALATION: Remove victim to fresh air, away from the accident scene. In the event of respiratory symptoms (coughing, wheezing, breathing difficulty, asthma) keep the victim in a comfortable position for breathing. If necessary administer oxygen. If the subject stops breathing, administer artificial respiration. Get medical advice/attention.

Rescuer protection

It is good practice for rescuers lending support to a person who has been exposed to a chemical substance or to a mixture to wear personal protective equipment. The nature of such protection depends on the hazard level of the substance or mixture, on the type of exposure and on the extent of the contamination. In the absence of other more specific indications, use of disposable gloves in the event of possible contact with body fluids is recommended. For the type of PPE suitable for the characteristics of the substance or mixture, see section 8.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

DELAYED EFFECTS: Based on the information currently available, there are no known cases of delayed effects following exposure to this product.

4.3. Indication of any immediate medical attention and special treatment needed

Immediately call a POISON CENTER / doctor

Means to have available in the workplace for specific and immediate treatment

Running water for skin and eye wash.

FITWCLTABS - Chef's Combi Cleaner Tab**SECTION 5. Firefighting measures****5.1. Extinguishing media**

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

If there are no contraindications, spray powder with water to prevent the formation of dust.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product and place it in containers for recovery or disposal. If there are no contraindications, use jets of water to eliminate product residues.

Make sure the leakage site is well aired. Evaluate the compatibility of the container to be used, by checking section 10. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage**7.1. Precautions for safe handling**

Ensure that there is an adequate earthing system for the equipment and personnel. In order to avoid the risk of fires and explosions, never use compressed air when handling. Keep away from heat, sparks and naked flames; do not smoke or use matches or lighters. Avoid leakage of the product into the environment. Avoid contact with eyes and skin. Do not breathe powders, vapours or mists. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Keep the product in clearly labelled containers. Keep containers well sealed. Store in a ventilated and dry place, far away from sources of ignition. Avoid violent blows. Avoid overheating. Avoid contact with water.

Storage class TRGS 510 (Germany): 8A

7.3. Specific end use(s)

See the exposure scenarios attached to this safety datasheet.

FITWCLTABS - Chef's Combi Cleaner Tab

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory references:

ESP	España	Límites de exposición profesional para agentes químicos en España 2023
FRA	France	Valeurs limites d'exposition professionnelle aux agents chimiques en France Décret n° 2021-1849 du 28 décembre 2021
POL	Polska	Rozporządzenie ministra rozwoju, pracy i technologii z dnia 18 lutego 2021 r. Zmieniające rozporządzenie w sprawie najwyższych dopuszczalnych stężeń i natężeń czynników szkodliwych dla zdrowia w środowisku pracy
ROU	România	Hotărârea nr. 53/2021 pentru modificarea hotărârii guvernului nr. 1.218/2006, precum și pentru modificarea și completarea hotărârii guvernului nr. 1.093/2006
EU	OEL EU	Directive (EU) 2022/431; Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983; Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive 91/322/EEC.

Sodium hydroxide

Threshold Limit Value

Type	Country	TWA/8h		STEL/15min		Remarks / Observations
		mg/m3	ppm	mg/m3	ppm	
VLA	ESP	2				
VLEP	FRA	2				
NDS/NDSch	POL	0,5		1		
TLV	ROU	1		3		
OEL	EU			2 (C)		

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers				Effects on workers			
	Acute	Acute	Chronic	Chronic	Acute	Acute	Chronic	Chronic
	local	systemic	local	systemic	local	systemic	local	systemic
Inhalation			1				1	
			mg/m3	4h			mg/m3	4h

Disodium metasilicate

Threshold Limit Value

Type	Country	TWA/8h		STEL/15min		Remarks / Observations
		mg/m3	ppm	mg/m3	ppm	
OEL	EU	3				INHAL
OEL	EU	10				RESP

Predicted no-effect concentration - PNEC

Normal value in fresh water	7,5	mg/l
Normal value in marine water	1	mg/l
Normal value for water, intermittent release	1000	mg/l
Normal value of STP microorganisms	7,5	mg/l

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers				Effects on workers			
	Acute	Acute	Chronic	Chronic	Acute	Acute	Chronic	Chronic
	local	systemic	local	systemic	local	systemic	local	systemic
Oral				0,74				
				mg/kg/d				
Inhalation				1,55			6,22	
				mg/m3	4h		mg/m3	4h
Skin				0,74			1,49	
				mg/kg/d			mg/kg/d	

FITWCLTABS - Chef's Combi Cleaner Tab

SECTION 8. Exposure controls/personal protection ... / >>

Potassium carbonate

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers		Chronic		Effects on workers		Chronic local	Chronic systemic
	Acute local	Acute systemic	local	systemic	Acute local	Acute systemic		
Inhalation			10 mg/m ³ 4h				10 mg/m ³ 4h	
Skin			8 mg/cm ²				16 mg/cm ²	

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.
VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

When choosing risk management measures and operating conditions, consult the exposure scenarios attached.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

In the case of prolonged contact with the product, protect the hands with penetration-resistant work gloves (see standard EN 374).

Work glove material must be chosen according to the use process and the products that may form. Latex gloves may cause sensitivity reactions.

SKIN PROTECTION

Wear category III professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear a hood visor or protective visor combined with airtight goggles (see standard EN ISO 16321).

RESPIRATORY PROTECTION

None required, unless indicated otherwise in the chemical risk assessment.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

For information on controlling environmental exposure, see the exposure scenarios attached to this safety datasheet.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Information
Appearance	solid	
Colour	white	
Odour	not available	
Melting point / freezing point	not available	
Initial boiling point	not applicable	
Flammability	not available	
Lower explosive limit	not available	
Upper explosive limit	not available	
Flash point	0.0000 °C	Reason for missing data: No flammable ingredients are contained in the formula
Auto-ignition temperature	not available	
Decomposition temperature	not available	
pH	13	
Kinematic viscosity	not available	
Solubility	soluble in water	
Partition coefficient: n-octanol/water	not available	
Vapour pressure	not available	
Density and/or relative density	0,9	
Relative vapour density	not available	
Particle characteristics	not available	

FITWCLTABS - Chef's Combi Cleaner Tab**SECTION 9. Physical and chemical properties** ... / >>**9.2. Other information**

9.2.1. Information with regard to physical hazard classes

Information not available

9.2.2. Other safety characteristics

Information not available

SECTION 10. Stability and reactivity**10.1. Reactivity**

The product can decompose and/or react violently.

10.2. Chemical stability

See previous paragraph.

10.3. Possibility of hazardous reactions

See paragraph 10.1.

10.4. Conditions to avoid

As the product decomposes even at ambient temperature, it must be stored and used at a controlled temperature. Avoid violent blows.

10.5. Incompatible materials

Information not available

10.6. Hazardous decomposition products

Information not available

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

ATE (Inhalation) of the mixture:

Not classified (no significant component)

ATE (Oral) of the mixture:

Not classified (no significant component)

ATE (Dermal) of the mixture:

Not classified (no significant component)

FITWCLTABS - Chef's Combi Cleaner Tab**SECTION 11. Toxicological information ... / >>**

1,2-benzisothiazol-3(2H)-one
LD50 (Dermal): > 2000 mg/kg Rat
LD50 (Oral): < 670 mg/kg

Disodium metasilicate
LD50 (Dermal): > 5000 mg/kg Rat
LC50 (Inhalation vapours): > 2060 mg/l/4h Rat

Potassium carbonate
LD50 (Dermal): 2000 mg/kg Rabbit
LD50 (Oral): 2000 mg/kg Rat
LC50 (Inhalation vapours): > 4,96 mg/l/4h Rat

Sodium hydroxide
According to the CLP regulation, annex VI, table 3.1, the concentration limit for corrosivity of NaOH is considered equal to 2%. Until the most recent ATP, this has not been changed. Therefore, 2% is brought to the characterization of the risk as a concentration limit for corrosivity.

Disodium metasilicate
All acute toxicity symptoms are due to high alkalinity

SKIN CORROSION / IRRITATION

Corrosive for the skin
Classification according to the experimental Ph value

1,2-benzisothiazol-3(2H)-one
Causes skin irritation

Potassium carbonate
Causes skin irritation

SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye damage

1,2-benzisothiazol-3(2H)-one
Causes serious eye irritation.

Potassium carbonate
Causes serious eye irritation.

RESPIRATORY OR SKIN SENSITISATION

Sensitising for the skin

1,2-benzisothiazol-3(2H)-one
Skin sensitizer

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

May cause respiratory irritation

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

FITWCLTABS - Chef's Combi Cleaner Tab**SECTION 11. Toxicological information ... / >>**ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

SECTION 12. Ecological information

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

12.1. Toxicity

1,2-benzisothiazol-3(2H)-one	
LC50 - for Fish	2,18 mg/l/96h <i>Lepomis macrochirus</i>
EC50 - for Crustacea	2,94 mg/l/48h <i>Daphnia magna</i>
EC50 - for Algae / Aquatic Plants	0,11 mg/l/72h
Chronic NOEC for Crustacea	1,7 mg/l <i>Daphnia magna</i>
Sodium hydroxide	
LC50 - for Fish	125 mg/l/96h <i>Gambusia affinis</i>
EC50 - for Crustacea	40,4 mg/l/48h <i>Ceriodaphnia dubia</i>
Chronic NOEC for Fish	56 mg/l <i>Poecilia reticulata</i>
Disodium metasilicate	
LC50 - for Fish	1108 mg/l/96h <i>Brachydanio rerio</i>
EC50 - for Crustacea	1700 mg/l/48h <i>Daphnia magna</i>
EC50 - for Algae / Aquatic Plants	207 mg/l/72h <i>Scenedesmus subspicatus</i>
Potassium carbonate	
LC50 - for Fish	68 mg/l/96h <i>Oncorhynchus mykiss</i>
EC50 - for Crustacea	200 mg/l/48h <i>Daphnia pulex</i>

12.2. Persistence and degradability

Sodium hydroxide
According to REACH, the study does not need to be conducted if the substance is inorganic (Annex VII, adaptation column 2).

Disodium metasilicate
As inorganic substances and in consideration of their chemical structure, soluble silicates are not susceptible to biodegradation.

Potassium carbonate
According to REACH, the study does not need to be conducted if the substance is inorganic (Annex VII, adaptation column 2).

1,2-benzisothiazol-3(2H)-one
Rapidly degradable

Disodium metasilicate
Degradability: information not available

Potassium carbonate
Degradability: information not available

12.3. Bioaccumulative potential

Sodium hydroxide
According to the REACH regulation, the study does not need to be conducted if the substance has a low bioaccumulation potential (Annex IX, adaptation column 2).

12.4. Mobility in soil

Sodium hydroxide
According to REACH, an adsorption / desorption study is not required if, based on the physico-chemical properties, the substance can be expected to have a low adsorption potential (Annex VIII, column 2 adaptation).

FITWCLTABS - Chef's Combi Cleaner Tab**SECTION 12. Ecological information ... / >>****12.5. Results of PBT and vPvB assessment**

On the basis of available data, the product does not contain any PBT or vPvB in percentage \geq than 0,1%.

12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

Information not available

SECTION 13. Disposal considerations**13.1. Waste treatment methods**

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

Waste transportation may be subject to ADR restrictions.

The management of waste arising from the use or dispersal of this product must be organised in accordance with occupational safety regulations. See section 8 for possible need for PPE.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information**14.1. UN number or ID number**

ADR / RID, IMDG, IATA: UN 3262

14.2. UN proper shipping name

ADR / RID: CORROSIVE SOLID, BASIC, INORGANIC, N.O.S. (Sodium hydroxide; Disodium metasilicate)

IMDG: CORROSIVE SOLID, BASIC, INORGANIC, N.O.S. (Sodium hydroxide; Disodium metasilicate)

IATA: CORROSIVE SOLID, BASIC, INORGANIC, N.O.S. (Sodium hydroxide; Disodium metasilicate)

14.3. Transport hazard class(es)

ADR / RID: Class: 8 Label: 8

IMDG: Class: 8 Label: 8

IATA: Class: 8 Label: 8

**14.4. Packing group**

ADR / RID, IMDG, IATA: II

14.5. Environmental hazards

ADR / RID: NO

IMDG: not marine pollutant

IATA: NO

FITWCLTABS - Chef's Combi Cleaner Tab

SECTION 16. Other information ... / >>

Skin Irrit. 2	Skin irritation, category 2
STOT SE 3	Specific target organ toxicity - single exposure, category 3
Skin Sens. 1	Skin sensitization, category 1
Aquatic Acute 1	Hazardous to the aquatic environment, acute toxicity, category 1
Aquatic Chronic 2	Hazardous to the aquatic environment, chronic toxicity, category 2
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H335	May cause respiratory irritation.
H317	May cause an allergic skin reaction.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.

Use descriptor system:

LCS	PW	Widespread use by professional workers
PC	35	Washing and cleaning products
PROC	11	Non industrial spraying
PROC	28	Manual maintenance (cleaning and repair) of machinery

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent, bioaccumulative and toxic
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PMT: Persistent, mobile and toxic
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very persistent and very bioaccumulative
- vPvM: Very persistent and very mobile
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
12. Regulation (EU) 2016/1179 (IX Atp. CLP)

FITWCLTABS - Chef's Combi Cleaner Tab**SECTION 16. Other information ... / >>**

13. Regulation (EU) 2017/776 (X Atp. CLP)
14. Regulation (EU) 2018/669 (XI Atp. CLP)
15. Regulation (EU) 2019/521 (XII Atp. CLP)
16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
17. Regulation (EU) 2019/1148
18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)
23. Delegated Regulation (UE) 2023/707
24. Delegated Regulation (UE) 2023/1434 (XIX Atp. CLP)
25. Delegated Regulation (UE) 2023/1435 (XX Atp. CLP)
26. Delegated Regulation (UE) 2024/197 (XXI Atp. CLP)

- The Merck Index. - 10th Edition
- Handling Chemical Safety
- INRS - Fiche Toxicologique (toxicological sheet)
- Patty - Industrial Hygiene and Toxicology
- N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Changes to previous review:

The following sections were modified:

01 / 02 / 03 / 04 / 08 / 09 / 11 / 12 / 13 / 14 / 16 / Exposure Scenarios.