




Item #	In Stock	Coating	Description	Weight Each (lb)	Overall Size (in)
40694	★	Plain	16 gauge, wire in rim	4.0	17 ⁷ / ₈ x 25 ¹³ / ₁₆ x 1
40698	★	Glazed	16 gauge, wire in rim	4.0	17 ⁷ / ₈ x 25 ¹³ / ₁₆ x 1
50691	★	DuraShield	16 gauge, wire in rim	4.0	17 ⁷ / ₈ x 25 ¹³ / ₁₆ x 1
40804	★	Plain	18 gauge, wire in rim	3.8	17 ⁷ / ₈ x 25 ¹³ / ₁₆ x 1
40808	★	Glazed	18 gauge, wire in rim	3.8	17 ⁷ / ₈ x 25 ¹³ / ₁₆ x 1
50801	★	DuraShield	18 gauge, wire in rim	3.8	17 ⁷ / ₈ x 25 ¹³ / ₁₆ x 1
40904	★	Plain	20 gauge, wire in rim	3.3	17 ⁷ / ₈ x 25 ¹³ / ₁₆ x 1
40908	★	Glazed	20 gauge, wire in rim	3.3	17 ⁷ / ₈ x 25 ¹³ / ₁₆ x 1
44699	★	Plain	16 gauge, .081" diameter bottom perforation, wire in rim	3.5	17 ⁷ / ₈ x 25 ¹³ / ₁₆ x 1
44690	★	Glazed	16 gauge, .081" diameter bottom perforation, wire in rim	3.5	17 ⁷ / ₈ x 25 ¹³ / ₁₆ x 1
44891	★	Plain	18 gauge, .125" diameter bottom perforation, wire in rim	2.9	17 ⁷ / ₈ x 25 ¹³ / ₁₆ x 1
44896	★	Glazed	18 gauge, .125" diameter bottom perforation, wire in rim	2.9	17 ⁷ / ₈ x 25 ¹³ / ₁₆ x 1
44693	★	Plain	16 gauge hardcoat anodized aluminum, wire in rim, BAKALON	3.4	17 ⁷ / ₈ x 25 ¹³ / ₁₆ x 1 ¹ / ₁₆
44694	★	Pre-Seasoned	16 gauge hardcoat anodized aluminum, wire in rim, BAKALON	3.4	17 ⁷ / ₈ x 25 ¹³ / ₁₆ x 1 ¹ / ₁₆

Stayflat® Sheet Pans

StayFlat® Sheet Pans feature sidewalls that are continuously reinforced with a horizontal engineered rib. This feature increases sidewall strength up to 30% and provides an easy visual identification reference for situations where stronger, flatter sheet pans are required, such as for transport or for baking pies and cakes.

In addition to our standard StayFlat Sheet Pans, we also offer the world's first sheet pans to have the strength of a completely enclosed pan rim and to be certified by NSF International.

As part of our commitment to continuous improvement, throughout 2017 we upgraded several of our standard sheet pans to the StayFlat design. (StayFlat U.S. Patent No. 9,737,171)



Old #	StayFlat #	Old #	StayFlat #	Old #	StayFlat #	Old #	StayFlat #
40690	40694	40805	40808	44697	44699	44895	44896
40695	40698	40691	50691	44691	44690	—	—
40800	40804	40801	50801	44890	44891	—	—