Black Stamped Steel Table Base

- Constructed of stamped steel for unparalleled strength & stability
  - Superior to cast iron table bases in that stamped steel will not fracture under heavier weights
- Easy two-piece labor saver design for quick assembly or three-piece assembly (tube/spider to base) for reduced shipping costs
  - Oak Street uses a short bolt to screw into a welded anchor plate - a much improved method than competitors, which use a long rod that will torque & stretch when force is applied - making it permanently loose
- Spider is attached to the tube using the 2 short bolts welded onto the tube
  - Spider dimensions: 11" x 11" - 15" diagonally
  - Oak Street's spiders are bigger than most competitor's spiders - providing additional strength & durability
- Standard height finishes at 30" with table top attached; Bar height finishes at 42" with table top attached

NEW DESIGN!



Pneumatic adjustment from 26" - 41.5". Adjustment lever mounts to underside of table top. Black finish. 27.5" x 27.5" cross foot with adjustable glides. 30" x 30" or 30" round max size for 1 base. 30" x 48", 60", 72"+ require two bases. 36" x 36" or 36" round may require help lifting.

B27-ADJ

Description	Part #	Weight
22" x 22" cross base with 3" standard height tube	B22-STD	16 lbs
22" x 22" cross base with 3" counter height tube	B22-CTR	17 lbs
22" x 22" cross base with 3" bar height tube	B22-BAR	17 lbs
22" x 22" cross base with 4" standard height tube	B22-4-STD	20 lbs
22" x 22" cross base with 4" bar height tube	B22-4-BAR	24 lbs
22" x 30" cross base with 3" standard height tube	B2230-STD	23 lbs
22" x 30" cross base with 3" counter height tube	B2230-CTR	24 lbs
22" x 30" cross base with 3" bar height tube	B2230-BAR	24 lbs
22" x 30" cross base with 4" standard height tube	B2230-4-STD	24 lbs
22" x 30" cross base with 4" bar height tube	B2230-4-BAR	25 lbs
27.5" x 27.5" cross base with adjustable height tube	B27-ADJ	18 lbs
25.625" t-bases with adjustable height tubes	B2543-ADJ	46 lbs
30" x 30" cross base with 3" standard height tube	B30-STD	24 lbs
30" x 30" cross base with 3" counter height tube	B30-CTR	25 lbs
30" x 30" cross base with 3" bar height tube	B30-BAR	25 lbs
30" x 30" cross base with 4" standard height tube	B30-4-STD	25 lbs
30" x 30" cross base with 4" bar height tube	B30-4-BAR	26 lbs
36" x 36" cross base with 4" standard height tube	B36-4-STD	30 lbs
36" x 36" cross base with 4" bar height tube	B36-4-BAR	32 lbs
40" x 40" cross base with 4" standard height tube	B40-4-STD	35 lbs
40" x 40" cross base with 4" bar height tube	B40-4-BAR	37 lbs
22" t-base with 3" standard height tube	B522-STD	16 lbs
22" t-base with 3" ADA standard height tube	B522-ADA	17 lbs
22" t-base with 3" counter height tube	B522-CTR	17 lbs
22" t-base with 3" bar height tube	B522-BAR	17 lbs
22" t-base with 4" standard height tube	B522-4-STD	18 lbs
22" t-base with 4" bar height tube	B522-4-BAR	21 lbs
30" t-base with 4" standard height tube	B530-4-STD	24 lbs
30" t-base with 4" bar height tube	B530-4-BAR	25 lbs
18" disc base with 3" standard height tube	B18DISC-STD	27 lbs
18" disc base with 3" counter height tube	B18DISC-CTR	28 lbs
18" disc base with 3" bar height tube	B18DISC-BAR	28 lbs
18" disc base with 4" standard height tube	B18DISC-4-STD	29 lbs
18" disc base with 4" bar height tube	B18DISC-4-BAR	30 lbs
22" disc base with 3" standard height tube	B22DISC-STD	38 lbs
22" disc base with 3" counter height tube	B22DISC-CTR	39 lbs
22" disc base with 3" bar height tube	B22DISC-BAR	39 lbs
22" disc base with 4" standard height tube	B22DISC-4-STD	40 lbs
22" disc base with 4" bar height tube	B22DISC-4-BAR	41 lbs
30" disc base with 4" standard height tube	B30DISC-4-STD	66 lbs
30" disc base with 4" bar height tube	B30DISC-4-BAR	68 lbs

NEW DESIGN!



B2543-ADJ

Pneumatic adjustment from 26" - 41.5". Adjustment lever mounts to underside of table top. Black finish. 2 x 25.625" t bases with 39" gap from outside to outside of legs (32.75" inside). ADA compliant. Designed for 30" x 48" table tops.

ADA bases feature a modified spider to allow placement of bases closer to table edges - achieving ADA compliance on 30" x 48" tables.



Self-Leveling Base Glides
Part #: BL522-SL

Automatically stabilize, balance & level - eliminating wobbly, uneven tables!



Suggested base applications shown on pg. 38 - 39

Suggested Applications

● Standard Height Applications ● Bar Height Applications

	24" Rnd	24" x 24"	24" x 30"	24" x 36"	24" x 42"	24" x 48"	24" x 60"	24" x 72"	30" Rnd	30" x 30"	30" x 36"	30" x 42"	30" x 48"	30" x 60"
B18DISC-STD / B18DISC-CHR-STD	●	●	●						●	●				
B18DISC-BAR / B18DISC-CHR-STD	●	●	●											
(2) B18DISC-STD / (2) B18DISC-CHR-STD							●	●						
B22DISC-STD / B22DISC-CHR-STD				●	●	●			●	●	●	●	●	
(2) B22DISC-STD / (2) B22DISC-CHR-STD														●
(3) B22DISC-STD / (3) B22DISC-CHR-STD														
B22DISC-BAR / B22DISC-CHR-BAR				●	●	●			●	●	●	●	●	
(2) B22DISC-BAR / (2) B22DISC-CHR-BAR							●	●						●
B30DISC-STD / B30DISC-CHR-STD														
(2) B30DISC-STD / (2) B30DISC-CHR-STD														
B30DISC-BAR / B30DISC-CHR-BAR														
(2) B30DISC-BAR / (2) B30DISC-CHR-BAR														
(3) B30DISC-BAR / (3) B30DISC-CHR-BAR														
B22-STD / B2626F-STD / B22CHR-STD	●	●	●						●	●				
B22-BAR / B2626F-BAR / B22CHR-BAR	●	●	●											
B2230-STD / B2230CHR-STD				●	●	●					●	●	●	
B2230-BAR / B2230CHR-BAR				●	●	●								
B30-STD / B30CHR-STD														
B30-BAR / B30CHR-BAR									●	●	●	●	●	
B36-4-STD / B36CHR-4-STD														
B36-4-BAR / B36CHR-4-BAR														
B40-4-STD / B40-4-BAR														
(2) B522-STD / (2) B522CHR-STD							●	●						●
(3) B522-STD / (3) B522CHR-STD														
(2) B522-BAR / (2) B522CHR-BAR							●	●						
(2) B530-STD / B3023F-STD / (2) B530-BAR														●
(3) B530-STD / (3) B530-BAR														

Suggested Applications

● Standard Height Applications ● Bar Height Applications

	30" x 72"	30" x 96"	36" Rnd	36" x 36"	36" x 48"	36" x 60"	36" x 72"	36" x 96"	42" Rnd	42" x 42"	42" x 48"	42" x 60"	42" x 72"	42" x 96"	48" Rnd	48" x 48"	60" Rnd
			●	● ●	●												
	●						●						●				
		●						●						●			
						●			●	●	●	●			●	●	●
			●	●	●	●			●	●	●	●			●	●	●
	●						●						●				
		●						●						●			
			●	●	●												
									●	●	●						
			●	●	●												
									●	●	●				● ●	● ●	● ●
	●																
		●															
	●					● ●	● ●					● ●	● ●				
		●						● ●						● ●			

DuraFinish Outdoor Table Base



Suggested base applications shown on pg. 38 - 39

- Specially coated (DURAFINISH) to withstand outdoor conditions
- Constructed of stamped steel for unparalleled strength & stability
  - Superior to cast iron table bases in that stamped steel will not fracture under heavier weights
- Easy two-piece assembly (tube/spider to base)
  - Oak Street uses a short bolt to screw into a welded anchor plate - a much improved method than competitors, which use a long rod that will torque & stretch when force is applied - making it permanently loose
- Spider is welded to the tube for added strength
  - Spider includes 1-3/4" opening to accommodate umbrellas | Spider dimensions: 11" x 11" - 15" diagonally
  - Oak Street's spiders are bigger than most competitor's spiders - providing additional strength & durability
- Standard height finishes at 30" with table top attached | Bar height finishes at 42" with table top attached

Description	Part #	Approx. Weight
22" x 22" cross base with 3" standard height labor saver tube	OD-B22-STD	16 lbs
22" x 22" cross base with 3" bar height labor saver tube	OD-B22-BAR	17 lbs
22" x 30" cross base with 3" standard height labor saver tube	OD-B2230-STD	23 lbs
22" x 30" cross base with 3" bar height labor saver tube	OD-B2230-BAR	24 lbs
30" x 30" cross base with 3" standard height labor saver tube	OD-B30-STD	24 lbs
30" x 30" cross base with 3" bar height labor saver tube	OD-B30-BAR	25 lbs
5" x 22" t-base with 3" standard height labor saver tube	OD-B522-STD	16 lbs
5" x 22" t-base with 3" bar height labor saver tube	OD-B522-BAR	17 lbs
18" disc base with 3" standard height labor saver tube	OD-B18DISC-STD	29 lbs
18" disc base with 3" bar height labor saver tube	OD-B18DISC-BAR	30 lbs
22" disc base with 3" standard height labor saver tube	OD-B22DISC-STD	39 lbs
22" disc base with 3" bar height labor saver tube	OD-B22DISC-BAR	40 lbs
22" x 22" cross base with 4" standard height labor saver tube	OD-B22-4-STD	19 lbs
22" x 22" cross base with 4" bar height labor saver tube	OD-B22-4-BAR	21 lbs
22" x 30" cross base with 4" standard height labor saver tube	OD-B2230-4-STD	26 lbs
22" x 30" cross base with 4" bar height labor saver tube	OD-B2230-4-BAR	28 lbs
30" x 30" cross base with 4" standard height labor saver tube	OD-B30-4-STD	27 lbs
30" x 30" cross base with 4" bar height labor saver tube	OD-B30-4-BAR	29 lbs
36" x 36" cross base with 4" standard height labor saver tube	OD-B36-4-STD	28 lbs
36" x 36" cross base with 4" bar height labor saver tube	OD-B36-4-BAR	30 lbs
5" x 22" t-base with 4" standard height labor saver tube	OD-B522-4-STD	18 lbs
5" x 22" t-base with 4" bar height labor saver tube	OD-B522-4-BAR	19 lbs
18" disc base with 4" standard height labor saver tube	OD-B18DISC-4-STD	32 lbs
18" disc base with 4" bar height labor saver tube	OD-B18DISC-4-BAR	34 lbs
22" disc base with 4" standard height labor saver tube	OD-B22DISC-4-STD	42 lbs
22" disc base with 4" bar height labor saver tube	OD-B22DISC-4-BAR	44 lbs
30" disc base with 4" standard height labor saver tube	OD-B30DISC-4-STD	65 lbs
30" disc base with 4" bar height labor saver tube	OD-B30DISC-4-BAR	67 lbs
22" disc umbrella base with 24" H x 1.75" D pipe & set screw	OD-B22DISC-UP	40 lbs
30" disc umbrella base with 24" H x 1.75" D pipe & set screw	OD-B30DISC-UP	60 lbs



IMPROVED tube design features an inner tube with tension bolt to prevent umbrellas from moving!



Umbrella Base

- 24" H x 1-3/4" diameter tube with tension bolt
- Available with 22" or 30" disc