

Chromate Trucks and Tools

Equipped to Handle the Everyday Obstacles

Heavy-Duty Mobile Kits and Accessories

Chromate Wire Shelf Truck

These well-suited transportation carts consists of four shelves, 63" staked posts, aluminum split sleeves and an aluminum truck dolly.

Item #	Shelf Size (width/length)	Case
FST243663CH	24" x 36" (61.0 x 91.4 cm)	1
FST244863CH	24" x 48" (61.0 x 122.0 cm)	1
FST246063CH	24" x 60" (61.0 x 152.4 cm)	1

In demanding use situations and where thresholds are continually encountered, we recommend the use of staked posts and aluminum split sleeves.



FK244874CH

Replacement Mounting Hardware for Enclosure Panel

Item #	Description	Case
FEPHDWRE	Contains 4 S hooks plus bolts and nuts	50



Aluminum Truck Dollies

Features a heavy-duty extruded aluminum frame with full wrap around bumpers. Designed for use on a variety of Focus shelving solutions, including standard shelving systems, security cages, and enclosure units. Minimal parts for fast and easy assembly. Features swivel plate casters with non-marking 5" (12.7 cm) polyurethane wheels (2 with brakes).

FST244863CH



Item #	Fits Shelf Size (width/length)	Case
FTDA2436	24" x 36" (61.0 x 91.4 cm)	1
FTDA2448	24" x 48" (61.0 x 122.0 cm)	1
FTDA2460	24" x 60" (61.0 x 152.4 cm)	1

Replacement Casters for Aluminum Truck Dollies

Item #	Description	Case
FTDPC5C	Replacement swivel plate caster	16
FTDPC5B	Replacement swivel plate caster with brake	16



Requires a 2" retaining (snap) pliers to assemble (not included).

Aluminum Split Sleeves


For high temperature, demanding, or conductive applications. Zinc retainer rings. 4 sets per bag. 1 set required per shelf.

Item #	Description	Case
FFSALS LV	Tapered aluminum split sleeves (4 pair)	150

Staked Posts - Chromate Finish

Bottom foot insert is staked into the bottom of the post to guarantee a more durable connection in demanding applications. Post bolt connects through underside of the dolly and into the post foot receptacle.

Item #	Height	Case
FGSTK054CH	54" (137.2 cm)	4
FGSTK063CH	63" (160.0 cm)	4



Enclosure Panel Carts and Accessories



CROWN BRANDS
STORAGE AND
TRANSPORTATION

Enclosure Cart Kits

Enclosure Panel Carts

Easy to order mobile carts. Include 4 each chromate finish shelves, 4 each 63" mobile posts, enclosure panels for 3 sides, casters (2 swivel, 2 swivel w/brake) and 4 bumpers

Item #	Shelf Size (width x height)	Pack
FEMK184869CH	18" x 48" (45.7 x 122.0 cm)	1
FEMK186069CH	18" x 60" (45.7 x 152.4 cm)	1
FEMK243669CH	24" x 36" (61.0 x 91.4 cm)	1
FEMK244869CH	24" x 48" (61.0 x 122.0 cm)	1
FEMK246069CH	24" x 60" (61.0 x 152.4 cm)	1

In demanding use situations and where thresholds are continually encountered, we recommend the use of staked posts and aluminum split sleeves (see below).



Replacement Mounting Hardware for Enclosure Panel

Item #	Description	Case
FEPHDWRE	Contains (4) S hooks plus bolts and nuts	50



Aluminum Truck Dollies

Features a heavy-duty extruded aluminum frame with full wrap around bumpers. Designed for use on a variety of Focus shelving solutions, including standard shelving systems, security cages, and enclosure units. Minimal parts for fast and easy assembly. Features swivel plate casters with non-marking 5" (12.7 cm) polyurethane wheels (2 with brakes).

Item #	Fits Shelf Size (width/length)	Case
FTDA2436	24" x 36" (61.0 x 91.4 cm)	1
FTDA2448	24" x 48" (61.0 x 122.0 cm)	1
FTDA2460	24" x 60" (61.0 x 152.4 cm)	1



Casters for Aluminum Truck Dollies

Item #	Description	Case
FTDPC5C	Replacement swivel plate caster-set of 4	16
FTDPC5B	Replacement swivel plate caster w/brake set of 4	16



Requires retaining (snap) pliers to assemble (not included).

Aluminum Split Sleeves

For high temperature, demanding, or conductive applications. Zinc retainer rings. 4 sets per bag. 1 set required per shelf.

Item #	Description	Case
FFSALS LV	Tapered aluminum split sleeves (4 pair)	150

Staked Posts - Chromate Finish

Bottom foot insert is staked into the bottom of the post to guarantee a more durable connection in demanding applications. Post bolt connects through underside of the dolly and into the post foot receptacle.

Item #	Height	Pack
FGSTK054CH	54" (137.2 cm)	4
FGSTK063CH	63" (160.0 cm)	4



Shelving Unit Accessories [For Posts or Shelves]

S Hooks



93333 93333GN 93333BK

Use to eliminate 2 posts per adjacent unit. Two hooks required per shelf. Chromate, green, or black epoxy coated. Packed 2 per package.

U Clamps



FPSSH

Use to eliminate 2 posts per adjacent unit. Two hooks required pershelf. Heavy guage stainless steel to connect 2 FPS-Plus polymer shelf panels and truss side-by-side. Packed 2 per package.

Split Sleeves



FFSALS LV

Black plastic, one bag required per shelf. Packed 4 sets per package. 30058

Aluminum split sleeves for high temperature, demanding, or conductive applications. Zinc retainer rings. 4 sets per bag. 1 set required per shelf. *Requires 2" retaining [snap] pliers to install (not included).*

Triangular Feet



FTSFZ

When additional stability is needed or to bolt units to the floor. Zinc plated. Packed 4 per package.

Leveling Assembly



FLEVASM

Zinc die-cast post insert and zinc plated threaded bolt with gray polymer cover to protect floors. Packed 4 assemblies per package.

Gray plastic replacement covers [FPFC] are packed 4 per package.

Caps for shelves or posts



FCSC


Chromate caps to fill shelf corner openings. Packed 4 per package.

Plastic post caps to fill top of 1" (2.5 cm) posts. Packed 4 per package.



FPLASCAP

Universal Brackets



FWPSBGN
FWBSBCH

Brackets provide the opportunity to secure a unit to the wall for greater safety and security. Spacing is 2" (5.1 cm) off wall. Chromate or green epoxy finish.

Post Clamps



Secure shelving units together for maximum strength. It is recommended to use clamps at the front and back of the unit. Chromate, black or green epoxy coated.

FPOCL
FPOCLBK
FPSPC

Extended Handles



FXHAND18C
FXHAND24C

Chromate Finish For use with 18" (45.7 cm) or 24" (61.0 cm) wide shelves, Adds more maneuverability and control to mobile units. Includes 2 sets of plastic sleeves.

Item #	Description	Case
93333	S-Hook/shelf connectors - chromate finish, 2 per pkg	50
93333BK	S-Hook/shelf connectors - black epoxy coated, 2 per pkg	50
93333GN	S-Hook/shelf connectors - green epoxy coated, 2 per pkg	50
FPSSH	U-Hook/shelf connectors - green epoxy coated, 2 per pkg	96
30058	Replacement sleeves, 4 sets per pkg	12
FFSALS LV	Tapered aluminum split sleeves, 4 pair per pkg	150
FPFC	Plastic caps for post leveling feet, 4 per pkg	50
FLEVASM	Zinc plated leveling assemblies, 4 per pkg	20
FTSFZ	Triangular security feet, zinc, 4 per pkg	25

Item #	Description	Case
FCSC	Chromate shelf caps, 4 per pkg	250
FPLASCAP	Plastic post caps, 4 per pkg	50
FWPSBCH	Security bracket, chromate, 2 per pkg	24
FWPSBGN	Security bracket, green epoxy, 2 / pkg	24
FPOCL	Post clamps, chromate finish, 4 per pkg	25
FPOCLBK	Post clamps, black epoxy, 4 per pkg	25
FPSPC	Post clamps, green epoxy, 4 per pkg	25
FXHAND18C	18" (45.7 cm) extended handle	8
FXHAND24C	24" (61.0 cm) extended handle	8