


SPIKA MS 1000

MODULAR ICE CUBE MACHINE

208-230 V / 60 Hz

3 YEARS
WARRANTY
PARTS & LABOR



FEATURES

- ▶ PRODUCES FULL DICE OR HALF DICE ICE CUBES
- ▶ HIGH EFFICIENCY EVAPORATOR
- ▶ SMART WATER DISTRIBUTOR THAT IMPROVES DROP-OFF EFFICIENCY
- ▶ EASY ACCESS FOR SERVICE BY REMOVING THE PANELS WITH A SINGLE SCREWDRIVER
- ▶ SMART ELECTRONIC BOARD CONTROLS EVERY PARAMETER IN THE MACHINE AND SHOWS THE DIAGNOSIS OF POSSIBLE INCIDENCES
- ▶ HIGH RESISTANCE EXTERNAL FRAME IN AISI 304 STAINLESS STEEL



	 24 H	 70°F/20°C lbs (Kg)	 50°F/10°C lbs (Kg)	 90°F/32°C lbs (Kg)	 70°F/21°C lbs (Kg)	 in (mm)	 in (mm)	 SPIKA HALF DICE 0,9" (W) x 0,4" (D) x 1" (H) 23 mm (W) x 11 mm (D) x 26 mm (H) Average dimensions	 SPIKA FULL DICE 1" (W) x 0,9" (D) x 1" (H) 26 mm (W) x 23 mm (D) x 26 mm (H) Average dimensions
SPIKA MS 1000 A		970 (440)	730 (331)	Width 30" (762)	Depth 24.41" (620)	Height 29.92" (760)	Width 34.41" (874)	Depth 25" (635)	Height 32.92" (836)
SPIKA MS 1000 W		974 (442)	915 (415)						

ACCESSORIES

INCLUDED



SCOOP


NOT INCLUDED




DOUBLE 11" FILTER
ANTI-LIMESCALE + ANTI-CHLORINE
CS112



11" REPLACEMENT CARTRIDGE
ANTI-LIMESCALE + ANTI-CHLORINE
CS11



STACKING KIT



ADAPTER PLATES




SCALE KLEEN

RECOMMENDED BINS



TECHNICAL SCHEME

SPIKA MS 1000



OPERATING CONDITIONS

PRODUCTION (LBS) 60Hz

±10% V

41°F/109°F

41°F/95°F

14,5 psi (1 bar) / 87 psi (6 bar)

400/800 Ice cubes/cycle

V	Hz	ph
230	60	1N

FULL DICE SPIKA MS 1000 AIR COOLED					
	50° 10°	60° 15°	70° 21°	86° 30°	
50° 10°	986	890	792	707	
68° 21°	970	862	766	683	
90° 32°	919	825	730	652	
109° 43°	875	787	698	623	

FULL DICE SPIKA MS 1000 WATER COOLED					
	50° 10°	60° 15°	70° 21°	86° 30°	
50° 10°	991	969	946	924	
68° 21°	974	937	915	892	
90° 32°	924	901	872	849	
109° 43°	879	856	834	810	

MODELS

SPIKA MS 1000 A		17,586	5,154	1,540	12/2.5	3	16	4.43	19	71.9	12,024	3,524	231	243
SPIKA MS 1000 W		17,586	5,154	1,540	12/2.5	3	16	3.7	19	71.9	12,024	3,524	231	243

*Water-cooled Condenser Water Usage / 100 lbs. / 45.4 kgs. Of Ice: 135 gal / 511 L.



ITV Ice Makers, Inc.
9550 Satellite Blvd, Suite 100
Orlando, FL 32837
Phone: 1 407 826 1860 | Fax: 1 407 826 1861
Toll Free: 1 888 488 1423
sales@itvice.com | www.itvice.com



SERVICE
service@itvice.com
Skype: service@itvice.com
PHONE: +1 888 488 1423
FROM 8AM TO 5PM EST



2 ADDITIONAL YEARS
ON COMPRESSOR &
EVAPORATOR
Read our warranty policy
to know more about
limitations and exclusions



VERTICAL SYSTEM

BIN S-1050

ICE BIN FOR MODULAR ICE MACHINES

3 YEARS
WARRANTY
PARTS & LABOR



FEATURES

- ▶ ICE BIN CAPACITY OF 1,048 LBS.
- ▶ AISI 304 STAINLESS STEEL BINS.
- ▶ VERY HARD SANITARY POLYETHYLENE LINER, RESISTANT TO BLOWS, AND SCRATCHES
- ▶ EASY CLEANING DESIGN®: SEAMLESS ONE-PIECE LINER WITH ROUNDED CORNERS, AVOIDING POSSIBLE DIRTY POINTS AND FACILITATING CLEANING
- ▶ DRAINAGE SYSTEM THAT COLLECTS AND DRIVES THE WATER TO THE DRAIN KEEPING THE BIN CLEAN & DRY



RECOMMENDED MACHINES



RECOMMENDED

SPIKA



2 MS500



1/2 MS1000

ICE QUEEN



1/2 IQ 900



1/2 IQ1300



IQ 2700




1/2 IQ 1300R



IQ 2700R

TECHNICAL SCHEME

BIN S-1050



* All dimensions in inches (and mm)

ACCESSORIES

INCLUDED			NOT INCLUDED	
4 HEIGHT ADJUSTABLE LEG KIT	SCOOP	DRAINAGE ELBOW	ADAPTER PLATES	

	APPLICATION Bin capacity	AHRI Bin capacity				
	(lbs)	(lbs)	(in)	(lbs)	(in)	(lbs)
BIN S-1050	1058	846	Width 52.01"(1321) Depth 34.33"(872) Height 44.18"(1122)	207	Width 56.89"(1445) Depth 39.37"(1000) Height 50.60"(1285)	264

*50.20"(1275) mm with legs

ITV
Ice makers

ITV Ice Makers, Inc.
3905 Center Loop - Suite 500
Orlando, FL 32808
Phone: 1 407 826 1860 | Fax: 1 407 826 1861
Toll Free: 1 888 488 1423
sales@itvice.com | www.itvice.com

TECHNICAL ASSISTANCE

ITV
Ice makers

SERVICE

SERVICE
service@itvice.com
Skype: service@itvice.com
PHONE: +1 888 488 1423
FROM 8AM TO 5PM EST

3 YEARS
WARRANTY
PARTS & LABOR

Read our warranty policy
to know more about
limitations and exclusions

Intertek

BIN