



Hollowick® Chafing Fuels

Liquid Wick Chafing Fuels

 Easy Heat® High Wick High Heat	 Ready Heat Plus Medium/High Heat	 Easy Heat® Low Wick Medium/Low Heat
 Xtreme Heat® Xtreme Wick High Heat	 Buffet Heat Medium Heat	 Hot5 Medium/Low Heat
 Easy Heat® Standard Wick Medium/High Heat	 Ready Heat Medium-Heat	 Value Heat Low Heat

Gel Chafing Fuels

 Gel Heat Pink (Ethanol) High Heat	 Gel Heat Green (Ethanol) High Heat
 Gel Heat Blue (Methanol) Medium/High Heat	

Chafing Fuels Application Key

					
Chafing	Hot Box	Chafing Alternative	Room Service	Small Chafing	Beverage Urn



Easy Heat® Adjustable Heat Liquid Wick Chafing Fuel

- › High performance Chafing Fuel
- › Adjustable Heat settings
- › Resealable/reusable
- › Clean burning
- › Safe nonflammable liquid

Product Features



Can Stays Cool



Odorless



Safe Shipping
Safe Storing

One can offers 3 distinct heat settings



Standard Heat

- › Easy Heat at Standard Heat is as hot as Gel fuel
- › One can of EZ 6-3-8 at Standard Heat = 3 cans of Gel Fuel



High Heat

- › Short on time? Easy Heat at High Heat gets your chafing pan HOT-FAST!




Low Heat


- › Want to stretch your dollar? Easy Heat 6-3-8 at Low Heat will burn for 8 hours. Recap and reuse for multiple events

Easily adjustable wick settings


- › Cap automatically sets the wick to Standard Heat.



Standard Heat
Wick Setting



High Heat
Wick Setting



Low Heat
Wick Setting



3 Heat Settings

Standard **6 hr**
High **3 hr**
Low **8 hr**

EZ6-3-8/EZ638-6PK

Burn Time: 6-3- or 8 hours
Cans per Case: 24 or 6
Weight per Case: 18.8 lbs./4.7 lbs.



Standard **4 hr**
High **2 hr**
Low **5 hr**

EZ4-2-5

Burn Time: 4-2- or 5 hours
Cans per Case: 24
Weight per Case: 13.4 lbs.



Standard **2 hr**
High **1 hr**
Low **3 hr**

EZ2-1-3

Burn Time: 2-1- or 3 hours
Cans per Case: 48
Weight per Case: 14.1 lbs.



Xtreme Heat® Liquid Wick Chafing Fuel

- › Burns hotter than gel fuels
- › Pop Top
- › Clean burning
- › Safe nonflammable liquid



Product Features



Odorless



Safe Shipping
Safe Storing

- › Xtreme Wick design provides larger, hotter flame



4 hr


XTRM4-24

Burn Time: 4 hours
Cans per Case: 24
Weight per Case: 18.3 lbs.



Ready Heat Plus™ Liquid Wick Chafing Fuel

- > Easy-off screw top
- > Burns as hot as gel fuels
- > Resealable/reusable
- > Clean burning
- > Safe nonflammable liquid



Product Features

Can Stays Cool

Odorless

Safe Shipping
Safe Storing



6 hr

PLUS6

Burn Time: 6 hours
Cans per Case: 24
Weight per Case: 18.7 lbs.



4 hr

PLUS4

Burn Time: 4 hours
Cans per Case: 24
Weight per Case: 15.0 lbs.



2 hr


PLUS2

Burn Time: 2 hours
Cans per Case: 72
Weight per Case: 25.9 lbs.



Ready Heat™ Liquid Wick Chafing Fuel

- › Easy-off screw top
- › Resealable/reusable
- › Clean burning
- › Safe nonflammable liquid



Product Features

Can Stays Cool

Odorless

Safe Shipping
Safe Storing



6 hr

READY6

Burn Time: 6 hours
Cans per Case: 24
Weight per Case: 16.3 lbs.



4 hr

READY4

Burn Time: 4 hours
Cans per Case: 24
Weight per Case: 11.5 lbs.



2 hr

READY2

Burn Time: 2 hours
Cans per Case: 48
Weight per Case: 12.7 lbs.



Buffet Heat™ Liquid Wick Chafing Fuel

- > Compare with stem wick fuels
- > Resealable/reusable
- > Clean burning
- > Safe nonflammable liquid



Product Features

- Can Stays Cool
- Odorless
- Safe Shipping
Safe Storing



6 hr

BUFF6-24

Burn Time: 6 hours
Cans per Case: 24
Weight per Case: 16.5 lbs.



4 hr

BUFF4

Burn Time: 4 hours
Cans per Case: 24
Weight per Case: 12.2 lbs.



2 hr


BUFF2

Burn Time: 2 hours
Cans per Case: 24
Weight per Case: 6.2 lbs.



Value Heat™ Liquid Wick Chafing Fuel

- › Easy-off screw top
- › Resealable/reusable
- › Clean burning
- › Safe nonflammable liquid



Product Features



Can Stays Cool



Odorless



Safe Shipping
Safe Storing



6 hr

VALUE6

Burn Time: 6 hours
Cans per Case: 24
Weight per Case: 13.1lbs.



4 hr

VALUE4

Burn Time: 4 hours
Cans per Case: 24
Weight per Case: 9.9 lbs.



2 hr

VALUE2

Burn Time: 2 hours
Cans per Case: 48
Weight per Case: 11.7 lbs.



Hot5™ Liquid Wick Chafing Fuel

- › Resealable/reusable
- › Clean burning
- › Safe nonflammable liquid



Product Features



Can Stays Cool



Odorless



Safe Shipping
Safe Storing



5 hr

HOT5-24


Burn Time: 5 hours
Cans per Case: 24
Weight per Case: 14.8 lbs.



Important Information on Using Chafing Fuels

The proper placement of any fuel source is critically important to get maximum heat performance. A wide variation in distance from the fuel retainers to the bottom of the water pan exists in various models of chafing dishes. We have seen variations as much as 7 inches. Since Easy Heat cans do not get hot, placing them directly on the table is not a problem.


Without Fuel Can Holder



Placement of the Fuel can under the chafer is critically important to get the maximum heat value from the product.



With Fuel Can Holder




Hint: The length of a typical house key

Gel Heat™ Chafing Fuel

Gel Heat Green

Ethanol Chafing Fuel

- > Eco-friendly, renewable resource
- > Certified by GRA
- > USA Sourced corn-derived Ethanol.
- > Pop top
- > Extra burn time 30 minutes longer than most gel fuels



2.5 hr

GHGREEN


Burn Time: 2.5 hours
Cans per Case: 72
Weight per Case: 40.0 lbs.



Gel Heat Pink

Ethanol Gel Chafing Fuel

- > Pop top
- > Extra burn time 30 minutes longer than most gel fuels



2.5 hr

GHPINK


Burn Time: 2.5 hours
Cans per Case: 72
Weight per Case: 40.0 lbs.



Gel Heat Blue

Methanol Gel Chafing Fuel

- > Pop top
- > Extra burn time 30 minutes longer than most gel fuels



2.5 hr

GHBBLUE*

Burn Time: 2.5 hours
Cans per Case: 72
Weight per Case: 40.0 lbs.



Chafing Fuel Cross Reference Guide

Liquid Wick Chafing Fuel

Hollowick®		Sterno®	Dine-Aglow/Diablo™	Blaze	Fancy Heat	LeoLight	Neo-Image®
BUFF2	Buffet Heat™ 2-hr	10100	—	—	—	—	—
BUFF4	Buffet Heat™ 4-hr	—	—	LB700	F705	—	00624
BUFF6-24	Buffet Heat™ 6-hr	10102	DHSW006/DHFW070	LB300	F700	—	00626
READY2	Ready Heat™ 2-hr	10104	DH200	—	—	C200	—
READY4	Ready Heat™ 4-hr	10364	DH400	SB700	F715	C400	—
READY6	Ready Heat™ 6-hr	10368	DH600	SB300	F710	C600	—
PLUS2	Ready Heat Plus™ 2-hr	10112	DH222	—	—	X200	—
PLUS4	Ready Heat Plus™ 4-hr	10114	DH444	—	—	X400	—
PLUS6	Ready Heat Plus™ 6-hr	10370	DH666	TF700	—	X600	—
XTRM4-24	Extreme Heat® 4-hr	10115	DH444	—	—	X400	—
EZ 2-1-3	Easy Heat® 2-1-3	—	—	—	—	ST200	—
EZ 4-2-5	Easy Heat® 4-2-5	—	—	—	—	ST400	—
EZ 6-3-8	Easy Heat® 6-3-8	—	—	—	—	ST600	—

Value Liquid Wick Chafing Fuel

Hollowick®		Choice	Winco
VALUE2	Value Heat™ 2-hr	—	C-F2
VALUE4	Value Heat™ 4-hr	174CWF4	C-F4
VALUE6	Value Heat™ 6-hr	174CWF6	C-F6

Gel Chafing Fuel

Hollowick®		Sterno®	Dine-Aglow/Diablo™	Blaze	Fancy Heat	LeoLight	Neo-Image®
GHBLUE	Gel Heat™ 2.5-hr Methanol	20660	DHB1000	GB100	F800	M200	00872
GHPINK	Gel Heat™ 2.5-hr Ethanol	20612	DHP5000	BB100	F900	—	—
GHGREEN	Gel Heat™ 2.5-hr Green Ethanol	20112	DHG7000	—	F600	P200	—



P.O. Box 305
Manlius, NY 13104 USA
315-682-2163
Fax: 315-682-6948
800-367-3015
info@hollowick.com
hollowick.com

