



COMMERCIAL
DISHWASHERS



LXn Series Undercounter Commercial Dishwashers

Where Faster Throughput
Meets Hobart Clean



advansys™



GREATER CLEANING PERFORMANCE & SAVINGS IN LESS SPACE

Hobart Clean gives you superior wash performance and the durability you expect from your dishwasher. No matter the ware type or food soil, the LXn undercounter is versatile in any dishroom.

With an easy and intuitive operation, it's a dishwasher all your staff can enjoy.



Two-Level Throughput
The second-level rack increases throughput to 48 racks per hour, saving time, water, & energy.




Smart Touch Screen & Diagnostics
User-friendly touchscreen with intuitive operation reduces training time and helps troubleshoot critical events to prevent machine downtime.



NSF Pot & Pan Rating
Pot & pan mode plus the 17" opening height accommodates a variety of ware, even a single sheet pan.

advansys™



Wi-Fi Connectivity
Monitor your sanitization status with current wash & rinse temperatures & downloadable temperature logs through Hobart SmartConnect.

ADVANCED CLEANING PERFORMANCE

Steam Elimination & Energy Recovery **advansys**[™]
Eliminates steam in the dishroom & operators' faces while saving you 15% on energy consumption.

Touchscreen Controls

The top-mounted touchscreen provides simple & intuitive operation with integrated diagnostics & troubleshooting for less downtime. Includes SmartConnect app connectivity.

Two-Level Racking Capability

NSF certified two-level washing increases dishwashing speed, reduces water & energy consumption, & cuts labor time.

Complete Delime[™] with Booster Guard[™] **advansys**[™]

Notifies operators when it's time to delime, then automatically doses delimer into the dishmachine & booster, reducing the handling of chemicals & preserving the life of the machine & booster.

AutoClean Cycle


Automatically rinses & flushes the interior at shut down to cut time on machine cleaning & maintain performance.

NSF Pot & Pan Rated Cycles **advansys**[™]

Pot & pan mode plus the 17" opening height allows you to run single-rack operation & wash tough food soils off all your prep ware.

17" Door Opening

In a single rack operation, the door opening height allows for washing of a variety of prepware, including a full-size sheet pan.



Easy to Clean

Base models come with single-piece strainer & snap-in rinse arms.

Advansys[™] models have Genius X filtration to keep water clean in higher volume & higher food soil operations.



advansys[™]

SAVE YOUR OPERATION TIME & MONEY



Up To

1,100

Fewer kWh/Year*



Boost Throughput to

48

RACKS/HOUR
with 2nd Level Rack**

REDUCE ANNUAL
OPERATING COSTS UP TO

\$500

Per Machine*



Call 888-446-2278 for a
FREE TCO AUDIT
or visit hobartcorp.com/LXnR

* Projected average annual savings for LXnR vs. LXnHB running 50 racks per day with liquid chemicals and electric facility heat. LXnR includes 2 level operation and ventless energy recovery; LXnHB includes single rack operation. Multiply annual savings over the life of the machine for total lifetime value. Actual savings vary by model and location.

** Upper rack NSF certified for plates and silverware. Lower rack NSF certified for all ware items. Single rack operation: NSF certified for all ware items.



The ENERGY STAR certified LXn undercounter provides large utility savings compared to three-compartment sinks.



SCAN TO FIND
OUT MORE

www.hobartcorp.com/LXnR




HOBART SmartConnect: PERFORMANCE AT YOUR FINGERTIPS

Connect your Hobart LXn to the FREE SmartConnect app through the built-in WiFi to monitor and optimize your dishroom operations. Create better procedures and enhance performance by monitoring temperatures and sanitization, analyzing usage, consumption and costs, and receiving alerts and troubleshooting for critical events.



Easily connect with your commercial dishwasher's onboard Wi-Fi.
To get started, visit SmartConnect365.com



FEATURES & SPECIFICATIONS

STANDARD FEATURES	advansys™	BASE
Model	LXnR	LXnHB LXnC
Steam Elimination & Energy Recovery	✓	
Complete Delime™ with Booster Guard™	✓	
NSF Pot & Pan Rating	✓	
Two-Level Racking Capability	✓	✓
AutoClean Cycle	✓	✓
17" Door Opening	✓	✓
Smart Touchscreen Controls	✓	✓
Wi-Fi Connectivity & SmartConnect App	✓	✓
Low Temperature & Chemical Alerts	✓	✓
Filtration	Genius X	Single-Piece
Wash & Rinse Arms	Snap-in Rinse Arms	Snap-in Rinse Arms
Sense-A-Temp™ Booster	✓	✓ (LXnHB)
On-Board Chemical Pumps w/Auto Prime	✓	✓
High Temp Sanitization	✓	(LXnHB)
Chemical Sanitization		(LXnC)
Racks Per Hour	30 / 24 / 13	32/15 (LXnHB) 34/15 (LXnC)
Water Consumption	.62 Gallons/Cycle	.62 Gallons/Cycle
ENERGY STAR® Certified	✓	✓

OPTIONS AND ACCESSORIES

- Two-Level Racking Kit
- Power Cord Kit
- Top Cover Water Guard
- 6" Stainless Steel Legs
- 17" Stainless Steel Stand
- Door Lock (LXnR)
- External Height Adjustable Casters
- Internal Height Adjustable Casters (3")
- Drain Water Tempering Kit
- Water Hammer Arrestor Kit
- Trim Strip
- Pumped Drain Air Gap Kit
- Water Softener



THERE'S CLEAN, AND THEN
THERE'S HOBART CLEAN.

Learn more at HobartClean.com



Ready to Achieve Hobart Clean?

Call 888-4Hobart (888-446-2278) or contact us online today to get more information, receive a quote, or request a free cost of operations audit.



www.hobartcorp.com/LXnR



www.hobartcorp.com

Hobart
701 S. Ridge Ave.
Troy, Ohio 45373
1-937-332-3000

ITW FOOD EQUIPMENT GROUP
F48684 (07/26) ©2026 Hobart