COMMERCIAL DISHWASHERS

LX*n* Series Undercounter Commercial Dishwashers

Where Faster Throughput
Meets Hobart Clean

HOBART advansys™

GREATER CLEANING PERFORMANCE & SAVINGS IN LESS SPACE

Hobart Clean gives you superior wash performance and the durability you expect from your dishwasher. No matter the ware type or food soil, the LX*n* undercounter is versatile in any dishroom.

With an easy and intuitive operation, it's a dishwasher all your staff can enjoy.

Two-Level Throughput
The second-level rack increases throughput to 48 racks per hour, saving time, water, & energy.

Smart Touch Screen & Diagnostics
User-friendly touchscreen with intuitive operation reduces training time and helps troubleshoot critical events to prevent machine downtime.



NSF Pot & Pan Rating
Pot & pan mode plus the 17" opening height accommodates a variety of ware, even a single sheet pan.

advansys



Wi-Fi Connectivity
Monitor your sanitization status with current wash & rinse temperatures & downloadable temperature logs through Hobart SmartConnect.

ADVANCED CLEANING PERFORMANCE

Touchscreen Controls
The top-mounted touchscreen provides simple & intuitive operation with integrated diagnostics & troubleshooting for less downtime. Includes SmartConnect app connectivity.

Two-Level Racking Capability
NSF certified two-level washing increases dishwashing speed, reduces water & energy consumption, & cuts labor time.

Complete Delime™ with Booster Guard™ advansys
Notifies operators when it's time to delime, then automatically doses delimer into the dishmachine & booster, reducing the handling of chemicals & preserving the life of the machine & booster.

AutoClean Cycle
Automatically rinses & flushes the interior at shut down to cut time on machine cleaning & maintain performance.

NSF Pot & Pan Rated Cycles advansys
Pot & pan mode plus the 17" opening height allows you to run single-rack operation & wash tough food soils off all your prep ware.

Steam Elimination & Energy Recovery advansys
Eliminates steam in the dishroom & operators' faces while saving you 15% on energy consumption.



17" Door Opening
In a single rack operation, the door opening height allows for washing of a variety of prepware, including a full-size sheet pan.

Easy to Clean
Base models come with single-piece strainer & snap-in rinse arms.

Advansys™ models have Genius X filtration to keep water clean in higher volume & higher food soil operations.

advansys™

SAVE YOUR OPERATION TIME & MONEY

Up To **1,100** Fewer kWh/Year*

Boost Throughput to **48** RACKS/HOUR with 2nd Level Rack**

REDUCE ANNUAL OPERATING COSTS UP TO **$500** Per Machine*

Call **888-446-2278** for a **FREE TCO AUDIT** or visit **hobartcorp.com/LXnR**

* Projected average annual savings for LX*n*R vs. LX*n*HB running 50 racks per day with liquid chemicals and electric facility heat. LX*n*R includes 2 level operation and ventless energy recovery; LXnHB includes single rack operation. Multiply annual savings over the life of the machine for total lifetime value. Actual savings vary by model and location.
** Upper rack NSF certified for plates and silverware. Lower rack NSF certified for all ware items. Single rack operation: NSF certified for all ware items.

ENERGY STAR

The ENERGY STAR certified LX*n* undercounter provides large utility savings compared to three-compartment sinks.

KI KITCHEN INNOVATIONS 2023 AWARD

SCAN TO FIND OUT MORE
www.hobartcorp.com/LX*n*R

HOBART SmartConnect: PERFORMANCE AT YOUR FINGERTIPS

Connect your Hobart LX*n* to the FREE SmartConnect app through the built-in WiFi to monitor and optimize your dishroom operations. Create better procedures and enhance performance by monitoring temperatures and sanitization, analyzing usage, consumption and costs, and receiving alerts and troubleshooting for critical events.

Easily connect with your commercial dishwasher's onboard Wi-Fi.

To get started, visit SmartConnect365.com

HOBART SMART CONNECT

Download on the App Store

GET IT ON Google Play



FEATURES & SPECIFICATIONS

STANDARD FEATURES	advansys™	BASE	
Model	**LX*n*R**	**LX*n*HB**	**LX*n*C**
Steam Elimination & Energy Recovery	✓		
Complete Delime™ with Booster Guard™	✓		
NSF Pot & Pan Rating	✓		
Two-Level Racking Capability	✓	✓	
AutoClean Cycle	✓	✓	
17" Door Opening	✓	✓	
Smart Touchscreen Controls	✓	✓	
Wi-Fi Connectivity & SmartConnect App	✓	✓	
Low Temperature & Chemical Alerts	✓	✓	
Filtration	Genius X	Single-Piece	
Wash & Rinse Arms	Snap-in Rinse Arms	Snap-in Rinse Arms	
Sense-A-Temp™ Booster	✓	✓ (LX*n*HB)	
On-Board Chemical Pumps w/Auto Prime	✓	✓	
High Temp Sanitization	✓	(LX*n*HB)	
Chemical Sanitization		(LX*n*C)	
Racks Per Hour	30 / 24 / 13	32/15 (LX*n*HB) 34/15 (LX*n*C)	
Water Consumption	.62 Gallons/Cycle	.62 Gallons/Cycle	
ENERGY STAR® Certified	✓	✓	

NSF c UL us LISTED

OPTIONS AND ACCESSORIES

- Two-Level Racking Kit
- Power Cord Kit
- Top Cover Water Guard
- 6" Stainless Steel Legs
- 17" Stainless Steel Stand
- Door Lock (LX*n*R)
- External Height Adjustable Casters
- Internal Height Adjustable Casters (3")
- Drain Water Tempering Kit
- Water Hammer Arrestor Kit
- Trim Strip
- Pumped Drain Air Gap Kit
- Water Softener

CERTIFIED HOBART CLEAN

THERE'S CLEAN, AND THEN THERE'S HOBART CLEAN.

Learn more at HobartClean.com

Ready to Achieve Hobart Clean?

Call 888-4Hobart (888-446-2278) or contact us online today to get more information, receive a quote, or request a free cost of operations audit.

www.hobartcorp.com/LX*n*R

HOBART

www.hobartcorp.com

Hobart
701 S. Ridge Ave.
Troy, Ohio 45373
1-937-332-3000

ITW FOOD EQUIPMENT GROUP

F48684 (07/26) ©2026 Hobart