



MADE IN USA

MODEL
408



240
CONES/HR

GREAT FOR

SMALLER RESTAURANTS
& KITCHENS

The SaniServ® model 408 Soft Serve Freezer allows business owners to affordably provide high profit soft serve and frozen yogurt products with the convenience of 115-volt electrical access. The 408 can handle producing product for all day operations and is a favorite among owners in satisfying customer demand for great frozen treats any time, any place!

MODEL 408

TORQUE CONSISTENCY CONTROLS

Job: _____

Item No. _____

 **240**
CONES/HR

DESIGNED FOR LOW-MEDIUM VOLUME APPLICATIONS

Four - 4 oz. Servings per Minute - 20 Quart Capacity

Use SaniServ® Model 408 to Create



About the 408



Cooling Options

Dimensions: Width (17") Depth (25.8")
Height (33") Weight (230 lbs)

Electrical Requirements:

115/60/1 = 30 Amps

Serving Estimate:

Up to 240 Cones / hr

We reserve the right to change specifications and product designs without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions, or replacements for previously purchased equipment.



✓ SPACE SAVING - *Small Footprint Design*

SaniServ® model 408 with its compact design and production versatility saves valuable floor space and turns the countertop into a real profit center by adding and serving high profit ice cream and yogurt products.

✓ EASY CLEANING AND OPERATION - *Fewer Parts = Simplified Cleaning*

SaniServ® equipment is designed and built with the fewest parts to be disassembled, cleaned and sanitized than any other machine in the industry.

✓ HIGH RETURN ON INVESTMENT - *Increased Profits*

SaniServ® machines combine efficiency with consistent product quality and fast, quiet operation while insuring customer satisfaction with high profit ice cream or yogurt products.




✓ QUALITY DESIGN - *Durability*

SaniServ® machines are built to achieve long and dependable life through simplicity of design. Every machine is shipped standard with a stainless steel exterior, durable steel interior frame construction, heavy-duty components and consistency systems.

MODEL 408

TORQUE CONSISTENCY CONTROLS

Minimum Wall Clearance
Both Sides and Back
6 inches (152 mm)



ELECTRICAL				WIDTH	HEIGHT	DEPTH	WEIGHT	VOLUME
VOLTS	Hz	Ph.	Amps	INCHES (MM)	INCHES (MM)	INCHES (MM)	LBS. (Kg)	CU FT. (cu. m.)
115	60	1	30	17 (432)	33.0 (838)	25.8 (630)	230 (105)	
Shipping Specifications				22.5 (572)	41 (1042)	34.5 (876)	285 (130)	18.5 (.53)

SPECIFICATIONS

Cooling System:

Air or Water

Dasher and Compressor

Motors:

1 HP Dasher

3/4 HP Compressor

Refrigerator Type:

R404A

Listings:

UL, cUL, NSF

FEATURES

Evaporator and Mix Reservoir

Capacity:

20 Quarts (18.9 liters)

Dasher:

Heavy-Duty Stainless Steel with low friction scraper blades.

Controls:

Automatic consistency controls for improved consistency.

Tamper Proof Automatic Visual Mix Out System

WARRANTY

Parts	1 year
Compressor	5 years
Evaporator	5 years

Options:

Tune Up Kit
Counter Top Mounting Pad
Machine Stand
Water Cooled - 3/4" Garden
Hose Fitting
Wash Out Kit - 3/8" Flare Fitting