



MAXX ICE

ICONIC BRANDS, LEADING INNOVATION

Ice Machines
Ice Storage Bins
Compact Refrigeration
Wine Coolers
Beverage Centers



TABLE OF CONTENTS

ICE TYPES & USAGE APPLICATIONS	2
SELF-CONTAINED ICE MACHINES.....	4
MODULAR ICE MACHINES	6
INTELLIGENT SERIES SELF-CONTAINED ICE MACHINES.....	7
INTELLIGENT SERIES MODULAR ICE MACHINES	9
MARINE ICE MACHINES.....	10
ICE STORAGE BINS	12
BIN COMPATIBILITY.....	14
WATER FILTERS.....	14
COMPACT REFRIGERATION.....	15
WINE COOLERS & BEVERAGE CENTERS.....	17



SUPPORT

Maxx Ice Customer Support

3355 Enterprise Avenue, Suite 160
Weston, FL 33331
Tel: 954-202-7419
Fax: 954-202-7337
Office Hours: Monday - Friday 8:30am to 5:30pm EST

Send orders to: Orders@TheLegacyCompanies.com

Technical Support (MaxxHelp):

TechnicalServices@TheLegacyCompanies.com

Parts:

Email: CustomerService@Partstown.com
Phone: (800) 438-8898
Web: www.partstown.com/maxx_cold/parts
Hours Available (EST) Monday - Friday 7:00am to 7:00pm

WARRANTY

Maxx Ice Warranty (USA / CANADA)

Contact Maxx Ice for warranty statement at: TechnicalServices@TheLegacyCompanies.com or 877-368-2797



FULL Dice Cube hard, full dice shape

Models - MIM50 SERIES, MIM150N, MIM200N, MIM260N, MIM320N, MIM120, MIM250, MIM452, MIM600, MIM1000, MIM360N, MIM370N, MIM500N, MIM650N, MIM1000N



LONG CRESCENT Cube hard, crescent shape

Models - MMAR25 SERIES




Half Dice Cube hard, half dice shape

Models - MIM85H, MIM125H, MIM265H, MIM150NH, MIM200NH, MIM260NH, MIM320NH, MIM360NH, MIM370NH, MIM500NH, MIM650NH, MIM1000NH



BULLET Cube hard, bullet shape

Models - MIM75, MIM100, MIM130



ICE USAGE APPLICATIONS ICE NEEDS PER DAY

Food Service

Restaurant.....	1 ½ to 2 lbs. per person
Cocktail.....	3 to 5 lbs. per person/seat
Water Glass.....	4 oz. per 10 oz. glass
Salad Bar.....	30 lbs. per cubic foot
Fast Food.....	5 oz. per 7-10 oz. drink
	8 oz. per 12-16 oz. drink
	12 oz. per 18-24 oz. drink

Hospitality

Guest Ice.....	5 lbs. per room
Restaurant.....	1 ½ to 2 lbs. per person/seat
Cocktail.....	3 to 5 lbs. per person/seat
Catering.....	1 lb. per person

Convenience Store

Beverage.....	5 to 6 oz. per 12 oz. drink
	8 to 10 oz. per 20 oz. drink
	12 to 16 oz. per 32 oz. drink

Entertainment

Restaurant.....	1 ½ to 2 lbs. per person/seat
Cocktail.....	3 to 5 lbs. per person/seat

Healthcare

Bed.....	6 lbs. per bed
Employee.....	2 lbs. per person



 **MAXX ICE**

SELF-CONTAINED & MODULAR ICE MACHINES

Maxx Ice units are engineered with a vertical evaporator you can depend on for reliable ice production and constructed of durable stainless steel for food service, entertainment, and hospitality environments.



MIM50 / MIM50P
14.6"W x 25"D x 33.3"H



MIM50V
14.6"W x 23.4"D x 33.3"H



MIM50-O
14.6"W x 25"D x 33.3"H



MIM50P-O
14.6"W x 25"D x 33.3"H

Models:

MIM50 / MIM50P - Indoor / Premium Indoor Ice Machine; stainless steel door, black cabinet

Model:

MIM50V - Indoor Ice Machine; black door, black cabinet

Models:

MIM50-O - Indoor / Outdoor Ice Machine; stainless steel exterior

Models:

MIM50P-O - Premium Outdoor Ice Machine; stainless steel exterior

Features:

- Ideal for residential and commercial applications
- Produces up to 65 lbs (29.5 kg) of ice daily
- Storage capacity: 25 lbs (11 kg)
- Solid state controls
- Self-cleaning mode
- Air-cooled compressor



Full Dice Cube



MODEL #	DAILY ICE PRODUCTION (70°F AIR / 50°F WATER)	AMP DRAW (MAKING / HARVESTING)	NET WEIGHT / SHIPPING WEIGHT	REFRIGERANT AND CHARGE SIZE	ELECTRICAL
MIM50	60 lbs (27.2 kg)	3A / 3.6A	84 lbs (38 kg) 93 lbs (42 kg)	R-134a 3.88 oz (110 g)	115V / 60Hz / 1Ph
MIM50V	50 lbs (22.7 kg)	3A / 4A	84 lbs (38 kg) 93 lbs (42 kg)	R-134a 3.88 oz (110 g)	115V / 60Hz / 1Ph
MIM50P	65 lbs (29.5 kg)	3A / 4A	92 lbs (41.7 kg) 101 lbs (45.8 kg)	R-134a 3.88 oz (110 g)	115V / 60Hz / 1Ph
MIM50P-O	65 lbs (29.5 kg)	3A / 4A	92 lbs (41.7 kg) 101 lbs (45.8 kg)	R-134a 3.88 oz (110 g)	115V / 60Hz / 1Ph
MIM50-O	60 lbs (27.2 kg)	3A / 4A	83 lbs (37 kg) 93 lbs (42 kg)	R-134a 3.88 oz (110 g)	115V / 60Hz / 1Ph

SELF-CONTAINED ICE MACHINES



MIM75
16.7"W x 21"D x 32.7"H



MIM100 / MIM130
22"W x 21"D x 32.7"H



MIM85H
16.7"W x 21"D x 32.7"H



MIM120 / MIM125H
22"W x 21"D x 32.7"H



MIM250
24"W x 24"D x 38.6"H



MIM265H
24"W x 24"D x 38.6"H

Models:

MIM75 / MIM100 / MIM130 - Indoor Ice Machine; stainless steel exterior, black door & trim

- Produces up to:
MIM75: 75 lbs (34 kg) of ice cubes daily
MIM100: 110 lbs (50 kg) of ice cubes daily
MIM130: 130 lbs (59 kg) of ice cubes daily



Bullet Cube

- Storage capacity:
MIM75: 25 lbs (11 kg)
MIM100 / MIM130: 35 lbs (15.9 kg)

Model:

MIM85H / MIM120 / MIM125H - Indoor Ice Machine; stainless steel exterior, black door & trim

- Produces up to:
MIM85H: 88 lbs (40 kg) of ice cubes daily
MIM120: 120 lbs (54.4 kg) of ice cubes daily
MIM125H: 125 lbs (56.7 kg) of ice cubes daily



Full Dice Cube



Half Dice Cube

- Storage capacity:
MIM85H: 25 lbs (11 kg)
MIM120 / MIM125H: 35 lbs (15.9 kg)

Models:

MIM250 / MIM265H - Indoor Ice Machine; stainless steel exterior, black door & trim

- Produces up to:
MIM250: 260 lbs (118 kg) of ice cubes daily
MIM265H: 265 lbs (120 kg) of ice cubes daily



Full Dice Cube



Half Dice Cube

- Storage capacity:
ALL MODELS: 75 lbs (34 kg)

All Models Feature:

- Exterior is constructed of stainless steel and black trim
- Front breathing design
- Air-cooled compressor



MODEL #	ICE TYPE	DAILY ICE PRODUCTION (70°F AIR / 50°F WATER)	AMP DRAW (NOMINAL / MAX)	NET WEIGHT / SHIPPING WEIGHT	REFRIGERANT AND CHARGE SIZE	ELECTRICAL
MIM75	Bullet	75 lbs (34 kg)	6.7A / 11.2A	93 lbs (42 kg) 104 lbs (47 kg)	R-134a 6.35 oz (180 g)	115V / 60Hz / 1Ph
MIM100	Bullet	110 lbs (50 kg)	7.3A / 11.7A	106 lbs (48 kg) 125 lbs (57 kg)	R-134a 9.17oz (260 g)	115V / 60Hz / 1Ph
MIM130	Bullet	130 lbs (59 kg)	7.5A / 11.8A	106 lbs (48 kg) 129 lbs (58.5 kg)	R-134a 9.17 oz (260 g)	115V / 60Hz / 1Ph
MIM120	Full Dice	120 lbs (54.4 kg)	7.5A / 11.8A	110 lbs (50 kg) 129 lbs (58.5 kg)	R-134a 8.47oz (240 g)	115V / 60Hz / 1Ph
MIM85H	Half Dice	88 lbs (40 kg)	3.8A / 4.7A	93 lbs (42 kg) 104 lbs (47 kg)	R-134a 4.66 oz (132 g)	115V / 60Hz / 1Ph
MIM125H	Half Dice	125 lbs (56.7 kg)	7.5A / 11.8A	110 lbs (50 kg) 129 lbs (58.5 kg)	R-134a 8.47oz (240 g)	115V / 60Hz / 1Ph
MIM250	Full Dice	260 lbs (118 kg)	9.2A / 12A	144 lbs (65 kg) 160 lbs (72.5 kg)	R-134a 22.9 oz (649 g)	115V / 60Hz / 1Ph
MIM265H	Half Dice	265 lbs (120 kg)	9.2A / 12A	144 lbs (65 kg) 160 lbs (72.5 kg)	R-134a 22.9 oz (649 g)	115V / 60Hz / 1Ph



MIM452
30"W x 24"D x 21"H



MIM600
30"W x 24"D x 21"H



MIM1000
30"W x 24"D x 26.63"H

**Models Shown on a MIB400 storage bin - sold separately*

Model:

MIM452 - Modular Ice Machine; stainless steel exterior

- Produces up to 460 lbs (209 kg) of ice daily



Model:

MIM600 - Modular Ice Machine; stainless steel exterior

- Produces up to 602 lbs (275 kg) of ice daily



Model:

MIM1000 - Modular Ice Machine; stainless steel exterior

- Produces up to 1000 lbs (454 kg) of ice daily



All Models Feature:

- 30" models can be stacked with addition of an adapter
- Compatible ice storage bin sold separately
- Exterior is constructed of stainless steel
- Automatic cleaning cycle and bin overflow prevention



MODEL #	ICE TYPE	DAILY ICE PRODUCTION (70°F AIR / 50°F WATER)	AMP DRAW (NOMINAL / MAX)	NET WEIGHT / SHIPPING WEIGHT	REFRIGERANT AND CHARGE SIZE	ELECTRICAL
MIM452	Full Dice	460 lbs (209 kg)	12.4A / 15.3A	130 lbs (59 kg) 148 lbs (67 kg)	R-404a 24.5 oz (659 g)	115V / 60Hz / 1Ph
MIM600	Full Dice	602 lbs (275 kg)	7.60A / 9.85A	110 lbs (50 kg) 129 lbs (58.5 kg)	R-404a 45.8 oz (1298 g)	230V / 60Hz / 1Ph
MIM1000	Full Dice	1000 lbs (454 kg)	9.2A / 11.3A	194 lbs (88 kg) 208 lbs (94 kg)	R-404a 57.9 oz (1641 g)	230V / 60Hz / 1Ph



 **MAXX ICE**

INTELLIGENT SERIES SELF-CONTAINED & MODULAR ICE MACHINES

Experience Intelligent Series Ice Machines by Maxx Ice, innovation with you in mind. Energy Star rated, Intelligent Series Ice Machines are designed to be energy efficient and available in both self-contained and modular units producing full dice and half dice cubes.

Watch our Intelligent Series Ice Machine Video



954-202-7419 | www.maxx-ice.com



MIM150N / MIM150NH
24"W x 24"D x 39"H



MIM200N / MIM200NH
24"W x 24"D x 39"H



MIM260N / MIM260NH
24"W x 24"D x 39"H



MIM320N / MIM320NH
30"W x 28"D x 39"H

Models:

MIM150N / MIM150NH -
Self-contained Ice Machine;
stainless steel exterior, black trim

- Produces up to 152 lbs (69 kg) of ice daily



Full Dice Cube



Half Dice Cube

Models:

MIM200N / MIM200NH -
Self-contained Ice Machine;
stainless steel exterior, black trim

- Produces up to 199 lbs (90 kg) of ice daily



Full Dice Cube



Half Dice Cube

Models:

MIM260N / MIM260NH -
Self-contained Ice Machine;
stainless steel exterior, black trim

- Produces up to 265 lbs (120 kg) of ice daily



Full Dice Cube



Half Dice Cube

Models:

MIM320N / MIM320NH -
Self-contained Ice Machine;
stainless steel exterior, black trim

- Produces up to 328 lbs (148 kg) of ice daily



Full Dice Cube



Half Dice Cube

All Models Feature:

- Storage capacity: 75 lbs (34 kg)
- Air-cooled compressor
- Automatic cleaning cycle and bin overflow prevention
- Antimicrobial agent within storage bin liner for improved sanitation
- Programmable, user-friendly digital controls



MODEL #	ICE TYPE	DAILY ICE PRODUCTION (70°F AIR / 50°F WATER)	AMP DRAW (NOMINAL / MAX)	NET WEIGHT / SHIPPING WEIGHT	REFRIGERANT AND CHARGE SIZE	ELECTRICAL
MIM150N	Full Dice	152 lbs (69 kg)	5.2A / 6.4A	139 lbs (63 kg) 155 lbs (70.5 kg)	R-134a 7 oz (198 g)	115V / 60Hz / 1Ph
MIM150NH	Half Dice	152 lbs (69 kg)	5.2A / 6.4A	139 lbs (63 kg) 155 lbs (70.5 kg)	R-134a 7 oz (198 g)	115V / 60Hz / 1Ph
MIM200N	Full Dice	199 lbs (90 kg)	7.1A / 7.4A	144 lbs (65 kg) 160 lbs (72.5 kg)	R-404a 8.11 oz (230 g)	115V / 60Hz / 1Ph
MIM200NH	Half Dice	199 lbs (90 kg)	7.1A / 7.4A	144 lbs (65 kg) 160 lbs (72.5 kg)	R-404a 8.11 oz (230 g)	115V / 60Hz / 1Ph
MIM260N	Full Dice	265 lbs (120 kg)	7.1A / 9.8A	144 lbs (65 kg) 160 lbs (72.5 kg)	R-404a 10.6 oz (300 g)	115V / 60Hz / 1Ph
MIM260NH	Half Dice	265 lbs (120 kg)	7.1A / 9.8A	144 lbs (65 kg) 160 lbs (72.5 kg)	R-404a 10.6 oz (300 g)	115V / 60Hz / 1Ph
MIM320N	Full Dice	328 lbs (148 kg)	8A / 9A	148 lbs (67 kg) 164 lbs (74.4 kg)	R-404a 12.5 oz (354 g)	115V / 60Hz / 1Ph
MIM320NH	Half Dice	328 lbs (148 kg)	8A / 9A	148 lbs (67 kg) 164 lbs (74.4 kg)	R-404a 12.5 oz (354 g)	115V / 60Hz / 1Ph

INTELLIGENT SERIES MODULAR ICE MACHINES



MIM360N* / MIM360NH*
22"W x 24.6"D x 21"H



MIM370N* / MIM370NH*
30"W x 24.6"D x 21"H



MIM500N* / MIM500NH*
30"W x 24.6"D x 21"H



MIM650N / MIM650NH****
30"W x 24.6"D x 21"H



MIM1000N / MIM1000NH****
30"W x 24.6"D x 26.7"H

*Models Shown on MIB310N/470N storage bin - sold separately

**Models Shown on MIB470N storage bin - sold separately

22" Models:

MIM360N / MIM360NH -
Modular Ice Machine;
stainless steel exterior,
black trim

- Produces up to:
MIM360N: 373 lbs
(169 kg) of ice daily
 Full Dice Cube
MIM360NH: 265 lbs
(120 kg) of ice daily
 Half Dice Cube
- Ideal for drink dispensers

30" Models:

MIM370N / MIM370NH -
Modular Ice Machine;
stainless steel exterior,
black trim

- Produces up to:
MIM370N: 373 lbs
(169 kg) of ice daily
 Full Dice Cube
MIM370NH: 361 lbs
(164 kg) of ice daily
 Half Dice Cube

30" Models:

MIM500N / MIM500NH -
Modular Ice Machine;
stainless steel exterior,
black trim

- Produces up to:
MIM500N: 521 lbs
(236 kg) of ice daily
 Full Dice Cube
MIM500NH: 513 lbs
(233 kg) of ice daily
 Half Dice Cube

30" Models:

MIM650N / MIM650NH -
Modular Ice Machine;
stainless steel exterior,
black trim

- Produces up to:
MIM650N: 650 lbs
(295 kg) of ice daily
 Full Dice Cube
MIM650NH: 645 lbs
(292 kg) of ice daily
 Half Dice Cube

30" Models:

MIM1000N / MIM1000NH -
Modular Ice Machine;
stainless steel exterior,
black trim

- Produces up to:
MIM1000N: 937 lbs
(425 kg) of ice daily
 Full Dice Cube
MIM1000NH: 1005 lbs
(456 kg) of ice daily
 Half Dice Cube

All Models Feature:

- Can be stacked with the addition of an adapter
- User friendly, exterior diagnostic digital controller display
- Hinged front panel allows for easy access and service
- Compatible ice storage bins MIB310N, MIB470N or MIB580N sold separately



MODEL #	ICE TYPE	DAILY ICE PRODUCTION (70°F AIR / 50°F WATER)	AMP DRAW (NOMINAL / MAX)	NET WEIGHT / SHIPPING WEIGHT	REFRIGERANT AND CHARGE SIZE	ELECTRICAL
MIM360N	Full Dice	373 lbs (169 kg)	7.1A / 9.8A	144 lbs (65 kg) 160 lbs (72.5 kg)	R-404a 10.6 oz (300 g)	115V / 60Hz / 1Ph
MIM360NH	Half Dice	361 lbs (120 kg)	7.1A / 9.8A	144 lbs (65 kg) 160 lbs (72.5 kg)	R-404a 10.6 oz (300 g)	115V / 60Hz / 1Ph
MIM370N	Full Dice	373 lbs (169 kg)	7.5A / 10.5A	93 lbs (42 kg) 111.5 lbs (50.5 kg)	R-404a 24.5 oz (695 g)	115V / 60Hz / 1Ph
MIM370NH	Half Dice	361 lbs (164 kg)	7.5A / 10.5A	93 lbs (42 kg) 111.5 lbs (50.5 kg)	R-404a 24.5 oz (695 g)	115V / 60Hz / 1Ph
MIM500N	Full Dice	521 lbs (236 kg)	7A / 9.3A	130 lbs (59 kg) 148 lbs (67 kg)	R-404a 24.5 oz (695 g)	115V / 60Hz / 1Ph
MIM500NH	Half Dice	513 lbs (233 kg)	7A / 9.3A	130 lbs (59 kg) 148 lbs (67 kg)	R-404a 24.5 oz (695 g)	115V / 60Hz / 1Ph
MIM650N	Full Dice	650 lbs (295 kg)	7.1A / 8A	155 lbs (70 kg) 165 lbs (75 kg)	R-404a 43 oz (1219 g)	230V / 60Hz / 1Ph
MIM650NH	Half Dice	645 lbs (292 kg)	7.1A / 8A	155 lbs (70 kg) 165 lbs (75 kg)	R-404a 43 oz (1219 g)	230V / 60Hz / 1Ph
MIM1000N	Full Dice	937 lbs (425 kg)	10A / 11.1A	194 lbs (88 kg) 208 lbs (94 kg)	R-404a 57.14 oz (1620 g)	230V / 60Hz / 1Ph
MIM1000NH	Half Dice	1005 lbs (456 kg)	10A / 11.1A	194 lbs (88 kg) 208 lbs (94 kg)	R-404a 57.14 oz (1620 g)	230V / 60Hz / 1Ph



MARINE ICE MACHINES

Maxx Ice Compact Marine Ice Machines produce individual long crescent shaped cubes and produce up to 25 lbs of ice per day. The refrigerated ice storage compartment inhibits ice from melting and will hold up to 12 lbs. The units are available in stainless steel, white and black exterior finishes. Built for marine applications, the MMAR25 model is suitable for free-standing or built-in installation and is available with a removable flange. The units are easy to install because a drain connection is not required.



MMAR25B
14"W x 17.2"D x 24.5"H



MMAR25S
14"W x 17.2"D x 24.5"H



MMAR25W
14"W x 17.2"D x 24.5"H

Model:
MMAR25B - Black painted steel exterior

Model:
MMAR25S - Stainless steel exterior

Model:
MMAR25W - White painted steel exterior

Features:

- Produces up to 25.1 lbs (11.4 kg) of ice daily
- Storage capacity: 12 lbs (11 kg)
- Automatic shut-off when bin is full
- Refrigerated storage compartment to inhibit ice melt
- Travel latch keeps closed during at-sea travel
- Door prop allows for air-drying inside of unit when powered off
- Designed for free-standing or built-in applications
- Available in 220V/50Hz/1Ph and 60Hz

 Long Crescent Cube



MODEL #	DAILY ICE PRODUCTION (70°F AIR / 50°F WATER)	AMP DRAW (MAKING / HARVESTING)	NET WEIGHT / SHIPPING WEIGHT	REFRIGERANT AND CHARGE SIZE	ELECTRICAL
MMAR25B	25.1 lbs (11.4 kg)	1.8A / 1.5A	51 lbs (23 kg) 60 lbs (27 kg)	R-134a 1.98 oz (56 g)	115V / 60Hz / 1Ph
MMAR25S	25.1 lbs (11.4 kg)	1.8A / 1.5A	51 lbs (23 kg) 60 lbs (27 kg)	R-134a 1.98 oz (56 g)	115V / 60Hz / 1Ph
MMAR25W	25.1 lbs (11.4 kg)	1.8A / 1.5A	51 lbs (23 kg) 60 lbs (27 kg)	R-134a 1.98 oz (56 g)	115V / 60Hz / 1Ph



ICE STORAGE BINS

Ice Storage Bins are constructed of stainless steel and are compatible with both 22" and 30" Modular Ice Machines.

ICE STORAGE BINS



MB310N

22"W x 34"D x 41.4"H

MIB470N

30"W x 34"D x 41.4"H

MIB580N

30"W x 34"D x 50"H

MIB400

30"W x 34"D x 37"H

MIB580

30"W x 34"D x 50"H

Model:

MIB310N - Ice Storage Bin; stainless steel exterior, black trim

Model:

MIB470N - Ice Storage Bin; stainless steel exterior, black trim

Model:

MIB580N - Ice Storage Bin; stainless steel exterior, black trim

Model:

MIB400 - Ice Storage Bin; stainless steel exterior

Model:

MIB580 - Ice Storage Bin; stainless steel exterior

Features:

- Storage capacity from 310 lbs (141 kg) to 580 lbs (263 kg)
- Exterior is constructed of durable stainless steel with black trim door
- LED illuminated bin interior when access door is open (powered by ice machine head)
- Polyethylene bin liner for improved sanitation
- Constructed of non-CFC polyurethane foamed in-place insulation
- 3/4" gravity drain is required



Features:

- Storage capacity from 400 lbs (213 kg) to 580 lbs (263 kg)
- Bin door and exterior are constructed of durable stainless steel
- Polyethylene bin liner for improved sanitation
- Constructed of non-CFC polyurethane foamed in-place insulation
- 3/4" gravity drain is required



MODEL #	MAXIMUM ICE STORAGE CAPACITY	AHRI CAPACITY	SHIPPING WEIGHT	DRAIN LINE CONNECTION
MIB310N <i>Formerly MIB280N</i>	310 lbs (141 kg)	246 lbs (112 kg)	99.5 lbs (45 kg)	3/4"
MIB470N <i>Formerly MIB430N</i>	470 lbs (213 kg)	376 lbs (171 kg)	117 lbs (53 kg)	3/4"
MIB580N	580 lbs (263 kg)	464 lbs (210 kg)	164 lbs (75 kg)	3/4"
MIB400	400 lbs (213 kg)	320 lbs (145 kg)	112 lbs (50.8 kg)	3/4"
MIB580	580 lbs (263 kg)	464 lbs (210 kg)	164 lbs (75 kg)	3/4"

MODULAR ICE MACHINE MODEL #	MIB310N	MIB470N	MIB580N	MIB400	MIB580
MIM452		•	•	•	•
MIM600		•	•	•	•
MIM1000		•	•	•	•
MIM360N	•				
MIM360NH	•				
MIM370N		•	•	•	•
MIM370NH		•	•	•	•
MIM500N		•	•	•	•
MIM500NH		•	•	•	•
MIM650N		•	•	•	•
MIM650NH		•	•	•	•
MIM1000N		•	•	•	•
MIM1000NH		•	•	•	•

**With adapter kit, sold separately*

WATER FILTERS



TLC-107096



TLC-107097



TLC-3200S
Replacement Cartridge

Models:

TLC-107096 - Single Head with Pressure Gauge

TLC-107097 - Double Head with Pressure Gauge

TLC-3200S - Replacement Cartridge

Features:

- Built-in scale inhibitor
- Gradient density carbon block filter
- Pressure gauge and relief valve
- Designed to minimize contamination during filter cartridge change outs

MODEL #	MAXIMUM SERVICE FLOW RATE	FLITER LIFE	MICRON RATING	UNIT WEIGHT
TLC-107096	2.1 GPM	27,000 Gal (102,206 L) 6 Months	0.5	2.75 lb (1.24 kg)
TLC-107097	4.2 GPM	54,000 Gal (204,412 L) 6 Months	0.5	6.25 lb (2.83 kg)
TLC-3200S	2.1 GPM	27,000 Gal (102,206 L) 6 Months	0.5	2.5 lb (1.13 kg)



COMPACT REFRIGERATION

Designed for both residential & commercial applications. Maxx Ice Compact Refrigerators are ideal for outdoor and indoor entertainment. Units can be built-in or free-standing and are designed to weather the elements when necessary while providing years of enjoyment with easy maintenance.





MCR3U
14.5"W x 23"D x 33.5"H



MCR3U-0
14.5"W x 23"D x 33.5"H



MCR5U-0
23.625"W x 23"D x 33.5"H

Model:

MCR3U - Indoor Refrigerator; stainless steel door, black cabinet

MCR3U-0 - Outdoor Refrigerator; stainless steel exterior

Features:

- Ideal for residential and commercial applications
- Storage capacity of 3 cubic ft. (85 L)
- Stainless steel field reversible door and handle
- Energy efficient LED interior lighting
- Free standing or built-in installation




Model:

MCR5U-0 - Indoor/Outdoor Refrigerator; stainless steel exterior

Features:

- Ideal for residential and commercial applications
- Storage capacity of 5 cubic ft. (142 L)
- Stainless steel field reversible door and handle
- Energy efficient LED interior lighting
- Digital controls maintain optimum temperature

MODEL #	HOLDING TEMPERATURE RANGE	AMP DRAW	DOORS / SHELVES	UNIT WEIGHT	REFRIGERANT AND CHARGE SIZE	ELECTRICAL
MCR3U	35°F to 40°F (1°C to 5°C)	2.0A	1 / 4	77 lbs (35 kg)	R-134a 2.3 oz (65.2 g)	115V / 60Hz / 1Ph
MCR3U-0	35°F to 40°F (1°C to 5°C)	2.0A	1 / 4	67 lbs (30 kg)	R-134a 2.2 oz (65.2 g)	115V / 60Hz / 1Ph
MCR5U-0	35°F to 40°F (1°C to 5°C)	1.8A	1 / 3	93 lbs (42.5 kg)	R-134a 2.2 oz (65.2 g)	115V / 60Hz / 1Ph



MAXX ICE

WINE COOLERS & BEVERAGE CENTERS

Maxx Ice Wine Coolers provide plenty of storage and accurate temperature to ensure your beverages taste good.

Our Beverage Centers are the perfect addition to any residential bar or kitchen application and can be installed outdoors.



MCWC28
14.5"W x 23"D x 33.5"H

Model:

MCWC28 - Indoor Wine Cooler; black painted steel exterior

Features:

- Designed for residential and commercial applications
- Storage capacity of 3 cubic ft. (85 L)
- Interior LED lighting
- Electronic control panel with LCD digital display
- Multi-pane glass door with stainless steel handle



MCBC3U
14.5"W x 23"D x 33.5"H

Model:

MCBC3U - Indoor Beverage Center; black painted steel exterior

Features:

- Ideal for residential and commercial applications
- Storage capacity of 3 cubic ft. (85 L)
- Multi-pane energy efficient glass door
- Energy efficient LED interior lighting
- Digital controls maintain optimum temperature

MODEL #	HOLDING TEMPERATURE RANGE	AMP DRAW	BOTTLE RACKS / BOTTLE CAPACITY	UNIT WEIGHT	REFRIGERANT AND CHARGE SIZE	ELECTRICAL
MCWC28	35°F to 40°F (1°C to 5°C)	2.0A	6 / 28	76 lbs (34 kg)	R-134a 2.3 oz (65.2 g)	115V / 60Hz / 1Ph
MCBC3U	35°F to 40°F (1°C to 5°C)	2.0A	1 / 4	77 lbs (35 kg)	R-134a 2.3 oz (65.2 g)	115V / 60Hz / 1Ph



MAXX ICE



A DIVISION OF
THE LEGACY COMPANIES

3355 Enterprise Avenue • Suite 160 | Fort Lauderdale, FL 33331
Tel: 954.202.7419 | Fax: 954.202.7337 | www.maxx-ice.com

