



Care & Maintenance Instructions

Bushwick Series

National Public Seating is committed to providing high quality furniture that will last for years.

With proper care and maintenance, your furniture will look its best for many years to come.

Bushwick Series – General Care & Maintenance Instructions

Our Bushwick Series are built to last, and with a little help from you, they will stay strong and clean for years to come. Here are some tips:

- Preserve your stool or chair condition by keeping the relative humidity level in the environment between 30% and 40%.
- Place your furniture away from heat sources such as radiators, heating vents, and wood-burning stoves.
- Shield your furniture from direct sunlight exposure and extreme temperatures to keep the finish pristine.
- Use a mild soap and water solution to clean thoroughly. For tough spots, use a non-abrasive sponge.
- Wipe the furniture with a damp cloth to remove dust, dirt, or spills.
- Always dry the furniture with a clean cloth to prevent water spots or rust.
- Avoid harsh chemicals, abrasive pads, or ammonia-based cleaners. These can damage finishes or upholstery.

Plywood

Always test a new cleaning product in an inconspicuous area to ensure it is safe to use.

KEEP IT SIMPLE

- Regularly clean the surface with a gentle cleaning solution to prevent the buildup of dirt and grime. Promptly clean up any spills to prevent staining.

KEY CLEANING SOLUTIONS

- Create a solution using a mild dish soap and warm water. With a cloth, wipe in a circular motion or follow the grain of the laminate to avoid streaks.

DRYING IMPORTANCE

- After cleaning, use a dry soft cloth to wipe down the table, removing any remaining moisture. This helps prevent water damage or warping of the plywood.

WHAT TO AVOID

- Avoid using excessive water or soaking the plywood, as it can lead to warping or damage. Also, don't use abrasive cleaners or scrubbers, as they can scratch and damage the wood surface.

STAIN REMOVAL

- For stubborn stains, you can use a soft brush dipped in the soapy water to gently scrub the affected area. Be gentle to avoid scratching the wood.

EXTRA CARE

- Optionally, you can apply a furniture polish or wood conditioner to protect and enhance the appearance of the plywood.



HPL

Always test a new cleaning product in an inconspicuous area to ensure it is safe to use.

KEEP IT SIMPLE

- Regularly clean the material with a gentle cleaning solution to prevent the buildup of dirt and grime. Promptly clean up any spills to prevent staining.

KEY CLEANING SOLUTIONS

- Create a solution using a mild dish soap and warm water. With a sponge, wipe in a circular motion or follow the grain of the laminate to avoid streaks.

DRYING IMPORTANCE

- After cleaning, use a dry, clean cloth to wipe the material dry thoroughly. Ensure that no water is left standing on the surface to prevent damage.

WHAT TO AVOID

- Do not use abrasive cleaners, harsh chemicals, or scouring pads.

STAIN REMOVAL

- For tougher stains, you can make a paste using baking soda and water. Apply the paste to the stain, let it sit for a few minutes, and gently rub with a soft cloth. Wipe away any residue with a clean, damp cloth.

EXTRA CARE

- If desired, you can use a small amount of furniture polish specifically designed for laminate surfaces to add shine.



STEEL

Always test a new cleaning product in an inconspicuous area to ensure it is safe to use.

KEEP IT SIMPLE

- Dip a soft cloth or sponge into dish soap with warm water, wring it out, and wipe down the entire surface, including the seat, backrest, and legs.

STAIN REMOVAL

- For any stubborn spots or stains, use a soft-bristle brush to gently scrub the area. To prevent future rust, you can apply a thin layer of car wax or a metal protectant to the steel parts of the chair. This creates an added barrier against moisture.

DRYING IMPORTANCE

- Use a towel or dry cloth to thoroughly dry the chairs to prevent water spots and rust. Allow the chairs to air dry completely in a well-ventilated area before storing or using them.

WHAT TO AVOID

- Do not use abrasive cleaners or steel wool, as these can scratch and damage the steel surface.