

G3 Alpha® Decanter Coffee Brewers



ALP3GT12A000

Decanter Coffee Brewer
3 Station with 1 Lower
and 2 Upper Warmers

■ Features

- Encapsulated Generation Three (G3) Digital Control Module
- Intuitive, Scroll-Through Precision Programming
- Easily Adjust Time, Volume, Temperature and More
- Built-In Fine Tuning of Brewing Modes
- Built-In Self Diagnostic System
- Integral Quality Timer and Automatic Warmer Shut-Off
- Cold Water Brew Lock-Out



Perfecting the art of brewing since 1941

G3 Alpha® Decanter Coffee Brewers

ALP1GT12A000


G3 Alpha
1 Station Coffee Brewer

ALP2GT12A000

G3 Alpha
2 Station Coffee Brewer


ALP3GT12A000

G3 Alpha
3 Station Coffee Brewer




ALP3GTL12A000

G3 Alpha
3 Station Coffee Brewer




ALP3GTR12A000

G3 Alpha
2 Station Coffee Brewer




G3 Alpha® Decanter Coffee Brewers


ALP5GT12A000 G3 Alpha 5 Station Coffee Brewer



ALP6GT63A000 G3 Alpha 6 Station Coffee Brewer



ALP6GTN63A000 G3 Alpha 6 Station Coffee Brewer



G3 Alpha® Decanter Coffee Brewers

Specifications

MODEL #	DESCRIPTION	HEIGHT x WIDTH x DEPTH	BREWER FILL WEIGHT	BREWED GAL/HR
ALP1GT12A000	G3 Alpha® Decanter 1 Station, 1 Lower Warmer	17.18" x 9.11" x 20.38"	37.3 lbs.	4.0
ALP2GT12A000	G3 Alpha® Decanter 2 Station, 1 lower, 1 Upper Warmer	17.60" x 9.11" x 20.38"	38.3 lbs.	4.0
ALP3GT12A000	G3 Alpha® Decanter 3 Station, 1 lower, 2 Upper Warmers	19.05" x 9.11" x 20.38"	39.3 lbs.	4.0
ALP3GT63A000	G3 Alpha® Decanter 3 Station, 1 lower, 2 Upper Warmers	19.05" x 9.11" x 20.38"	39.3 lbs.	4.0/9.0
ALP3GTR12A000	G3 Alpha® Decanter 3 Station, 3 lower, Right Warmers	17.18" x 15.84" x 20.38"	45.3 lbs.	4.0
ALP3GTR63A000	G3 Alpha® Decanter 3 Station, 3 lower, Right Warmers	17.18" x 15.84" x 20.38"	46.3 lbs.	4.0/9.0
ALP3GTL12A000	G3 Alpha® Decanter 3 Station, 3 lower, Left Warmers	17.18" x 15.84" x 20.38"	45.3 lbs.	4.0
ALP3GTL63A000	G3 Alpha® Decanter 3 Station, 3 lower, Left Warmers	17.18" x 15.84" x 20.38"	46.3 lbs.	4.0/9.0
ALP5GT12A000	G3 Alpha® Decanter 5 Station, 5 lower, Right/Left Warmers	17.18" x 22.56" x 20.38"	52.3 lbs.	4.0
ALP5GT63A000	G3 Alpha® Decanter 5 Station, 5 lower, Right/Left Warmers	17.18" x 22.56" x 20.38"	53.3 lbs.	4.0/9.0
ALP6GT63A000	G3 Alpha® Decanter 6 Station Twin, 6 Lower Warmers	17.18" x 31.58" x 20.38"	85.3 lbs.	4.0/9.0
ALP6GTN63A000	G3 Alpha® Decanter 6 Station Twin, 4 Upper, 2 Lower Warmers	19.05" x 18.06" x 20.38"	73.3 lbs.	4.0/9.0

Utility Requirements

ELECTRICAL									WATER			
MODEL #	PHASE	VOLTS	AMPS	MIN. CIRCUIT	HEAT CONFIG	WIRE	WATTS	HERTZ	CONNECTOR	PRESSURE	MIN. FLOW RATE	TANK VOL.
ALP1GT12A000	1 PH	120V	13.3A	15A	1 x 1450W	2W+G	1600W	50/60 Hz	1/4" Flare	20 - 90 psi	1.0 GPM	1.6 gal.
ALP2GT12A000	1 PH	120V	14.2A	15A	1 x 1450W	2W+G	1700W	50/60 Hz	1/4" Flare	20 - 90 psi	1.0 GPM	1.6 gal.
ALP3GT12A000	1 PH	120V	15.0A	15A	1 x 1450W	2W+G	1800W	50/60 Hz	1/4" Flare	20 - 90 psi	1.0 GPM	1.6 gal.
ALP3GT63A000	1 PH	120/220V	15.0/15.0A	15/20A	2 x 1450W	2W/3W+G	1800/3300W	50/60 Hz	1/4" Flare	20 - 90 psi	1.0 GPM	1.6 gal.
ALP3GTR12A000	1 PH	120V	15.0A	15A	1 x 1450W	2W+G	1800W	50/60 Hz	1/4" Flare	20 - 90 psi	1.0 GPM	1.6 gal.
ALP3GTR63A000	1 PH	120/220V	15.0/15.0A	15/20A	2 x 1450W	2W/3W+G	1800/3300W	50/60 Hz	1/4" Flare	20 - 90 psi	1.0 GPM	1.6 gal.
ALP3GTL12A000	1 PH	120V	15.0A	15A	1 x 1450W	2W+G	1800W	50/60 Hz	1/4" Flare	20 - 90 psi	1.0 GPM	1.6 gal.
ALP3GTL63A000	1 PH	120/220V	15.0/15.0A	15/20A	2 x 1450W	2W/3W+G	1800/3300W	50/60 Hz	1/4" Flare	20 - 90 psi	1.0 GPM	1.6 gal.
ALP5GT12A000	1 PH	120V	16.3A	15A	1 x 1450W	2W+G	1950W	50/60 Hz	1/4" Flare	20 - 90 psi	1.0 GPM	1.6 gal.
ALP5GT63A000	1 PH	120/220V	16.3/15.9A	20/20A	2 x 1450W	2W/3W+G	1950/3500W	50/60 Hz	1/4" Flare	20 - 90 psi	1.0 GPM	1.6 gal.
ALP6GT63A000	1 PH	120/220V	30.0/30.0A	40/40A	2 x 1450W	2W/3W+G	3600/6600W	50/60 Hz	1/4" Flare	20 - 90 psi	1.0 GPM	1.6 gal.
ALP6GTN63A000	1 PH	120/220V	30.0/30.0A	40/40A	2 x 1450W	2W/3W+G	3600/6600W	50/60 Hz	1/4" Flare	20 - 90 psi	1.0 GPM	1.6 gal.

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE



WARNING - These products can expose you to chemicals including Acrylamide and Bisphenol A (BPA), which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information visit www.P65Warnings.ca.gov



Wilbur Curtis Co., Inc. / 6913 Acco Street / Montebello CA 90640
 800.421.6150 / 323.837.2300 / www.wilburcurtis.com
Perfecting the art of brewing since 1941

AUG/2018 – F-3195 revG